

Lista de moluscos continentales de la Península Ibérica e Islas
(con sinónimos)

Por **Helixebas**. Octubre de 2015.

Phylum Mollusca Cuvier 1795
Classis Gastropoda Cuvier 1795
Subclassis Orthogastropoda Ponder & Lindberg 1995
Superordo Neritaomorphi Koken 1896
Ordo Neritopsina Cox & Knight 1960
Superfamilia Neritoidea Rafinesque 1815
Familia Neritidae Rafinesque 1815
Subfamilia Neritinae Rafinesque 1815

Genus *Theodoxus* Montfort 1810
Subgenus *Theodoxus* Montfort 1810

***Theodoxus (Theodoxus) baeticus* (Lamarck 1822)**

= *boeticus* Mermod 1853
= *hispalensis* Martens 1879
= *mixta* Westerlund 1892

***Theodoxus (Theodoxus) fluviatilis fluviatilis* (Linnaeus 1758)**

= *atratopurpureus* V. Martens 1879
= *blauneri* Lindholm
= *dalmatica* Rossmässler 1835
= *dniestrovienensis* Put 1972
= *gadianiensis* Morelet 1845
= *intexta* Villa 1841
= *lutetianus* Montfort 1810
= *mittreana* Recluz 1842
= *moreleti* Allen 1856
= *orsinii* V. Martens 1879
= *parreyssii* Villa & Villa 1841
= *porroi* Stabile 1859
= *pustulatus* V. Martens 1879
= *reynesiana* Dubreuil 1869
= *rhodocolpa* De Cristofori & Jan 1830
= *salernitana* Rossmässler
= *scutariensis*
= *ticinensis* Villa 1841
= *trifasciata* Menke 1828
= *vedox* Anistranenko in A., S. & A. 1999
= *zebrina* Recluz 1841

***Theodoxus (Theodoxus) valentinus* (Graells 1846)**

***Theodoxus (Theodoxus) velascoi* (Graells 1846)**
= *hidalgoi* Crosse 1880

Superfamilia Hydrocenoidea

Familia Hydrocenidae

Genus *Hydrocena* L. Pfeiffer 1847
Subgenus *Hydrocena* L. Pfeiffer 1847

***Hydrocena (Hydrocena) gutta* (Shuttleworth 1852)**

= *minor* Wollaston 1878

Superordo Caenogastropoda Cox 1960
Ordo Architaenioglossa Haller 1890
Superfamilia Cyclophoroidea J.E. Gray 1847

Familia Cyclophoridae

Subfamilia Craspedomatinae

Genus *Craspedopoma* L. Pfeiffer 1847

***Craspedopoma costatum* (Shuttleworth 1852)**

= *annulatum* Lowe 1860

***Craspedopoma hespericum* (Morelet & Drouet 1857)**

***Craspedopoma lyonnnetianum* (Lowe 1852)**

***Craspedopoma monizianum* Lowe 1860**

***Craspedopoma mucronatum* (Menke 1839)**

= *conoidea* Küster 1852
= *lucidum* Lowe 1831
= *polita* Lowe 1860

= *rustica* Lowe 1860

***Craspedopoma neritoides* Lowe 1860**

= *flavescens* Lowe 1860

***Craspedopoma trochoideum* Lowe 1860**

Familia Cochlostomatidae Kobelt 1902

Genus *Cochlostoma* Jan 1830

Subgenus *Turritus* Westerlund 1883

***Cochlostoma (Turritus) fontqueri* (Haas 1924)**

Genus *Obscurella* Clessin 1889

***Obscurella asturica* (Raven 1990)**

***Obscurella bicostulata* Gofas 1989**

= *azpeitianum* Ortiz de Zárate

= *cantabricum* Raven

***Obscurella gigas* Gofas & Backeljau 1994**

***Obscurella hidalgoi* (Crosse 1864)**

= *hispanicus* Bourguignat 1869

***Obscurella martorelli martorelli* (Bourguignat 1880)**

= *bolosianus* Salvaña 1888

= *bofilli* Fagot 1891

= *labrosa* Westerlund 1883 var.

= *montserraticus* Fagot 1891

= *mouganicus* Fagot 1891

= *noguerae* Fagot 1888

= *ripacurcicus* Fagot 1891

= *sanctilaurentii* Bofill 1917

***Obscurella martorelli esserana* (Fagot 1887)**

***Obscurella martorelli montsicciana* (Bofill 1890)**

= *alopioides* Fagot 1905

= *montsicci* Fagot 1888

= *organiacus* Fagot 1905

= *rudicosta* Fagot 1888

***Obscurella obscurum laburdensis* (Folin & Berillon 1877)**

= *angustus* Bourguignat 1894

= *bearnicus* Bourguignat 1891

= *berilloni* Fagot 1880

= *crassilabris* Saint-Simon 1867

= *crassilabrum* Dupuy 1849

= *daralli* Bourguignat 1894

= *fagoti* Bourguignat 1880

= *filicium* Fagot 1889

= *frossardi* Bourguignat 1870

= *harlei* Fagot 1888

= *isabanus* Fagot 1889

= *isoicus* Fagot 1889

= *jetschini* Wagner 1897 var.

= *kobelti* Wagner 1897 var.

= *mabillianus* Saint-Simon 1855

= *saucyi* Bourguignat 1891

= *spelaeus* Fagot 1876

= *ventricosus* Salvaña 1887

***Obscurella oscitans* Gofas 1989**

***Obscurella partioti* (SaintSimon 1848)**

= *crosseana* Saint-Simon 1867 var.

= *lapurdensis* Fagot 1880

= *loebbeckeii* Kobelt 1902

= *neglectus* Fagot 1891

Familia Aciculidae J.E. Gray 1850

Genus *Acicula* W. Hartmann 1821

***Acicula fusca* (Montagu 1803)**

= *alba* Jeffreys 1862 var.

= *diezi* Flach 1889

= *flachi* Clessin 1911

= *frici* Flach 1889

= *inchoata* Ehrmann 1933

***Acicula norrisi* Gittenberger & Boeters 1977**

= *lineata* AA non Draparnaud

= *minutus* Brown 1827

= *pyrenaica* De Folin & Berillon 1877

= *sinistrorsa* Jeffreys 1862 var.

= *sturarii* Schlickum & Strauch 1979

Genus *Platyla* MoquinTandon 1856

***Platyla callostoma* (Clessin 1911)**

***Platyla cryptomena* (De Folin & Bérillon 1877)**

***Platyla dupuyi* (Paladilhe 1868)**

***Platyla hedionda* Torres 2012**

***Platyla jordai* Altaba 2013**

***Platyla lusitanica* (Holyoak & Seddon 1985)**

***Platyla polita polita* (W. Hartmann 1840)**

= *fusca* Bielz

= *lineata* AA non Draparnaud

= *lubrica* Held 1847

= *oedogyra* Paladilhe 1868

Genus *Menkia* Gittenberger & Subai 1985

***Menkia dewinteri* Gittenberger 1991**

***Menkia horsti* Boeters, Gittenberger & Subai 1985**

***Menkia rolani* Gittenberger 1991**

Superfamilia Ampullarioidea J.E. Gray 1824

Familia Viviparidae J.E. Gray 1847 (1833)

Subfamilia Viviparinae J.E. Gray 1847 (1833)

Genus *Viviparus* Montfort 1810

***Viviparus viviparus viviparus* (Linnaeus 1758)**

= *batava* Boettger 1912

= *bourguignati* Servain 1880

= *crassa* Hilbert 1905

= *diluvianiformis* Hilbert 1905

= *fennica* Kobelt 1909

= *forbesi* Bourguignat 1880

= *imperialis* Bourguignat 1884

= *nevilli* Bourguignat 1880

= *rhenana* Boettger 1912

= *vistulae* Kobelt 1907

= *visurgensis* Kobelt 1907

Ordo Neotaenioglossa Haller 1892

Superfamilia Cerithioidea A. Férussac 1822

Familia Thiaridae Troschel 1857 (1823)

Subfamilia Thiarinae Troschel 1857 (1823)

Genus *Melanoides* Olivier 1804

***Melanoides tuberculatus tuberculatus* (O.F. Müller 1774)**

= *tamsi* Dunker 1853

= *tamsiana* Reibisch 1865

Familia Melanopsidae H. & A. Adams 1854

Subfamilia Melanopsinae H. & A. Adams 1854

Genus *Melanopsis* A. Ferussac 1807

***Melanopsis cariosa* (Linnaeus 1766)**

= *costellata* Ferussac 1823

= *harpa* Westerlund 1892, var.

= *huidobroi* Azpeitia 1929

= *macrostoma* Bourguignat 1884

= *nicollei* Pallary

= *ovula* Bourguignat 1884

= *pleuroplagia* Bourguignat 1884

= *rossmaessleri* Bourguignat 1884

= *seurati* Pallary 1920

= *sevillensis* Grateloup 1840

= *turrita* Rossmässler 1854, var.

= *vanrossommi* Pallary

***Melanopsis lorcana* Guirao 1854**

= *aynensis* Azpeitia 1929 var.

= *bleicheri* Paladilhe

= *bofilliana* Bourguignat 1886

***Melanopsis praemorsa praemorsa* (Linnaeus 1758)**

= *algerica* Pallary 1904

= *chodanica* Tourneour

= *doufourii* Pons & Palmer 1996

= *dufourii* Gasull 1964

= *etrusca* Bourguignat 1884 non Brot 1862

= *fusulinata* Sacco 1895

= *latastei* Bourguignat

= *mingrelica* Bay.

= *myosotidea* Bourguignat 1884

= *pesari* Pallary

= *pleurotomoidea* Bourguignat 1884

= *praerosa* Linnaeus

= *pseudofallax* Sacco 1895
= *ricardi* Pallary 1918

= *sobriewskii* Rossmässler
= *vespertina* Bourguignat 1884

***Melanopsis tricarinata tricarinata* (Bruguiere 1789)**

= *acutespira* Bourguignat 1884
= *annulatum* Chemnitz 1795
= *graellsii* Villa in Morelet 1846

***Melanopsis tricarinata coronata* Ahuir 2015**

***Melanopsis tricarinata dufourii* (Ferussac 1823)**

= *aprica* Bourguignat 1884
= *carinata* Gentiluomo 1868
= *elata* Issel 1866
= *guiraoi* Bourguignat 1884
= *isseli* Bourguignat 1884
= *maroccana* Chemnitz 1784

= *obesa* Bourguignat 1884
= *obesa* Guirao 1868
= *striata* Pantanelli 1866
= *striatacarinata* Pantanelli 1866
= *striatasulcata* Pantanelli 1866
= *sulcata* Woodward 1953

Superfamilia Littorinoidea Children 1834

Familia Pomatiidae Newton 1891 (1828)

Subfamilia Pomatiinae Newton 1891 (1828)

Genus *Pomatias* S. Studer 1789

***Pomatias canariensis* (D'Orbigny 1840)**

= *adjutus* Mousson 1872

†*Pomatias caravacensis* Jodot 1958 –

†*Pomatias conicum* Klein 1853 –

†*Pomatias draparnaudi* Math 1900 –

***Pomatias elegans elegans* (O.F. Müller 1774)**

= *apennina* Kobelt 1903
= *corsicana* Kobelt 1903
= *kobelti* Westerlund 1890
= *lutetianus* Bourguignat 1869
= *piniana* Pollonera 1885
= *siculus* Kobelt 1879
= *striatus* Donovan 1779
= *tumidus* Pennant 1776

***Pomatias laevigatus* (Webb & Berthelot 1833)**

***Pomatias lanzarotensis* (Wollaston 1878)**

***Pomatias palmensis* (Wollaston 1878)**

***Pomatias raricosta* (Wollaston 1878)**

= *inaequalis* Wollaston 1878
= *praecursor* Boettger 1908

Genus *Leonia* J.E. Gray 1850

***Leonia mamillaris mamillaris* (Lamarck 1822)**

= *voltzianum* Michaud 1831

Genus *Tudorella* P. Fischer 1885

***Tudorella ferruginea* (Lamarck 1822)**

***Tudorella mauretana* (Pallary 1898)**

***Tudorella sulcata sulcata* (Draparnaud 1801)**

= *affinis* Risso 1826
= *fasciata* Gassies 1856
= *reticulatus* Kobelt 1879
= *sicula* Sowerby 1847
= *subturriculatum* Pallary 1938
= *tenella* Sowerby 1847

Superfamilia Rissooidea J.E. Gray 1847

Familia Bithyniidae J.E. Gray 1857

Genus *Bithynia* Leach 1818

Subgenus *Bithynia* Leach 1818

***Bithynia (Bithynia) kobalkai* Glöer & Beckmann 2007**

***Bithynia (Bithynia) majorquina* Glöer & Rolán 2007**

= *pauli* Altaba 2007

= *tentaculata* Gasull 1964 (non Linnaeus 1758)

***Bithynia (Bithynia) nakeae* Glöer & Beckmann 2007**

***Bithynia (Bithynia) quintanai* Glöer & Beckmann 2007**

***Bithynia (Bithynia) tentaculata* (Linnaeus 1758)**

= *anapensis* Benoit 1882

= *bourguignati* Paladilhe 1869

= *carvalhoi* Castro in Locard 1894

= *codia* Bourguignat 1862

= *decipiens* Millet 1843

= *gallaeciana* Castro in Locard 1894

= *gorgyi* Bourguignat

= *impura* Draparnaud 1801

= *jaculator* Müller 1774

= *janitor* Vallot 1801

= *lusitanica* Castro in Locard 1894

= *majewskyi* Frauenfeld 1862

= *matritensis* Graells 1846 var.

= *meridionalis* Frauenfeld 1862

= *minuta* Risso 1826

= *nucleus* Da Costa 1778

= *obscurata* Benoit 1875

= *patavina* Betta & Mortillet 1855

= *pellucidus* Schrötter 1779

= *producta* Menke 1828

= *producta* Moquin-Tandon 1855

= *rubens* Menke 1830

= *salinesii* Philippi 1849

= *sebethiana* Blanc 1881

= *segestana* Benoit 1882

= *sphaerica* Bourguignat in Locard 1894

= *tagina* Servain in Locard 1894

= *vestita* Paulucci 1878

= *zamorensis* Bourguignat in Locard 1894

Subgenus *Codiella* Locard 1894

***Bithynia (Codiella) leachii* (Sheppard 1823)**

= *acuta* Stein 1850

= *anatinum* Millet 1813

= *cazioti* Locard

= *celtica* Bourguignat

= *hispanica* Servain 1880

= *inflata* Hansen 1845

= *kickxii* Westendorp 1835

= *michaudi* Duval 1845

= *rumelica* Wohlberedt 1911

= *similis* Michaud 1831

= *umbratica* Frauenfeld 1862

= *ventricosa* Gray 1821

Familia Amnicolidae Tryon 1862

Subfamilia Amnicolinae Tryon 1862

Genus *Bythinella* MoquinTandon 1856

***Bythinella batalleri* (Bofill 1925)**

= *alonsoae* Bech 1979

= *cadevalli* Bech & Fernández 1986

= *españolii* Bech 1979

= *fernandesi* Bech 1979

= *perilongata* Altimira 1959

***Bythinella baudonii andorrensis* (Paladilhe 1875)**

= *andorrca* Fagot 1892

?*Bythinella brosi* Bech 1993

?*Bythinella gonzalezi* Bech 1993

***Bythinella reyniesii* (Dupuy 1851)**

***Bythinella rufescens rufescens* (Küester 1852)**

= *artiasensis* Fagot 1887

***Bythinella rufescens persuturata* Bofill, Haas & AguilarAmat 1921**

Familia Hydrobiidae Stimpson 1865

Subfamilia Belgrandiinae de Stefani 1877

Tribus Belgrandiellini Radoman 1983

Genus *Arganiella* Giusti & Pezzoli 1980

***Arganiella wolfi* (Boeters & Glöer 2007)**

= *tartessica* Arconada & Ramos 2007

Genus *Belgrandiella* A.J. Wagner 1928

***Belgrandiella saxatilis* (Reyniés 1844)**

= *elliptica* Paladilhe

= *finalina*

= *rayensis* Caziot 1910

Tribus Belgrandiini de Stefani 1877

Genus *Alzoniella* Giusti & Bodon 1984
Subgenus *Alzoniella* Giusti & Bodon, 1984

***Alzoniella (Alzoniella) asturica* (Boeters & Rolán 1988)**
***Alzoniella (Alzoniella) cantabrica* (Boeters 1983)**
***Alzoniella (Alzoniella) edmundi* (Boeters 1984)**
= *saxatilis* Moolenbeek 1980 (non Reynies 1844)
***Alzoniella (Alzoniella) galaica* (Boeters & Rolán 1988)**
***Alzoniella (Alzoniella) iberopyrenaica* Arconada, Rolán & Boeters 2007**
***Alzoniella (Alzoniella) lucensis* (Rolán 1992)**
***Alzoniella (Alzoniella) marianae* Arconada, Rolán & Boeters 2007**
***Alzoniella (Alzoniella) montana* (Rolán 1992)**
***Alzoniella (Alzoniella) murita* Boeters 2003**
***Alzoniella (Alzoniella) onatensis* Boeters 2003**
***Alzoniella (Alzoniella) ovetensis* (Rolán 1992)**
***Alzoniella (Alzoniella) rolani* (Boeters 1986)**
***Alzoniella (Alzoniella) somiedoensis* Rolan, Arconada & Boeters 2009**

Subgenus *Navarriella* Boeters 2000

***Alzoniella (Navarriella) elliptica* (Paladilhe 1874)**
***Alzoniella (Navarriella) pellitica* Arconada, Rolán & Boeters 2007**

Genus *Belgrandia* Bourguignat 1869

***Belgrandia alcoaensis* Boeters 1963**
***Belgrandia boscae* (Salvaña 1887)**
***Belgrandia heussi* Boeters 1963**
***Belgrandia lusitanica* (Paladilhe 1867)**
= *gibba* Draparnaud in Nobre 1930
= *occidentalis* Clessin 1887
***Belgrandia silviae* Rolán & Oliveira 2009**

Genus *Guadiella* Boeters 2003

***Guadiella andalucensis* (Boeters 1983)**
***Guadiella ballesterosi* Alba & al. 2009**
***Guadiella arconadae* Boeters 2003**
***Guadiella ramosae* Boeters 2003**

Genus *Iberhoratia* Arconada, Delicado & Ramos 2007

***Iberhoratia aurorae* Arconada, Delicado & Ramos 2007**
***Iberhoratia gatoa* (Boeters 1980)**
***Iberhoratia morenoi* Arconada, Delicado & Ramos 2007**

Tribus Islamiini Radoman 1974

Genus *Islamia* Radoman 1974

***Islamia archeducis* Boeters & Beckmann 2007**
= *laiae* Altaba 2007
***Islamia ateni* (Boeters 1969)**
***Islamia azarum* (Boeters & Rolán 1988)**
***Islamia coronadoi* (Bourguignat 1870)**
***Islamia globulus* (Bofill 1909)**
= *similis* Haas 1929 (non Draparnaud)
***Islamia henrici henrici* Arconada & Ramos 2006**

***Islamia henrici giennensis* Arconada & Ramos 2006**
?*Islamia herreroi* Bech 1993
***Islamia lagari* (Altimira 1960)**
***Islamia latina* Radoman 1973**
***Islamia minuta minuta* (Draparnaud 1805)**
***Islamia pallida* Arconada & Ramos 2006**

Genus *Corbellaria* Callot-Girardi & Boeters 2012

***Corbellaria celtiberica* Carot-Girardi & Boeters 2012**

Genus *Josephus* Arconada & Ramos 2006

***Josephus aitanica* Arconada & Ramos 2006**

Genus *Milesiana* Arconada & Ramos 2006

***Milesiana schueleii* Boeters 1981**

Genus *Spathogyna* Arconada & Ramos 2002

***Spathogyna fezi* (Altimira 1960)**

Tribus Pseudohoratiini Radoman 1973

Genus *Tarraconia* Ramos & Arconada 2000

***Tarraconia gasulli* (Boeters 1981)**

***Tarraconia rolani* Ramos, Arconada & Moreno 2000**

Subfamilia Tateinae Thiele 1925

Genus *Potamopyrgus* Stimpson 1865

***Potamopyrgus antipodarum* (J.E. Gray 1843)**

= *alexenkoae* Anist. in A. & Stad. 1995

= *carinata* Marshall 1889

= *corolla* Gould

= *cumingiana* Fischer 1860

= *fischeri* Dunker 1862

= *jenkinsi* Smith 1889

= *lanceolata* Cherbonnier 1952

= *polistchuki* Anistranenko 1991

= *reevei* Frauenfeld 1865

= *salleana* Fischer 1860

= *septentrionalis* Boettger

= *spelaea* Frauenfeld 1865

Subfamilia Hydrobiinae Stimpson 1865

Genus *Ecrobia* Stimpson 1865

***Ecrobia ventrosa* (Montagu 1803)**

= *arenarum* Bourguignat 1876

= *atuca* Boeters 1988

= *cissana* Radoman 1977

= *convexa* Logvinenko & Starobogatov 1966

= *eichwaldiana* Golikov & Starobogatov 1966

= *lineumicra* Bourguignat 1876

= *paludinelliformis* Bourguignat 1876

= *pusilla* Eichwald 1841

= *pontieuxini* Radoman 1973

= *spalatiana* Radoman 1973

= *vitrea* Risso 1826

Genus *Hydrobia* W. Hartmann 1821

***Hydrobia acuta* (Draparnaud 1805)**

= *brevispira* Paladilhe 1870

= *cornea* Risso 1826

= *minoricensis* Paladilhe 1875

= *panescorsei* Berengier 1892

= *pontieuxini* Radoman 1977

= *procera* Paladilhe 1874

= *procerula* Paladilhe 1869

= *salaria* Radoman 1973

= *testadura* Radoman 1973

= *tetropsodes* Paladilhe 1870

†***Hydrobia dubia* Schlosser 1907**

***Hydrobia glyca* (Servain 1880)**

= joosei A., M. & G. 1984

†*Hydrobia iberica* Jodot 1953

Genus *Mercuria* Boeters 1971

Mercuria balearica (Paladilhe 1869)

Mercuria edmundi (Boeters 1984)

Mercuria emiliana (Paladilhe 1869)

= *cerulea* Massot 1869

= *compacta* Paladilhe 1869

Mercuria similis (Draparnaud 1805)

= *bythinopsis* Letourneux & Bourguignat 1887

= *cocchii* Kobelt 1891

= *confusa* Frauenfeld 1863

= *kobelti* Westerlund 1892

= *melitensis* Paladilhe 1869

Mercuria tachoensis (Frauenfeld 1865)

= *obesa* Westerlund 1886

= *obtusa* Paulucci 1882

= *saharica* Letourneux & Bourguignat 1887

= *subscalaris* Letourneux & Bourguignat 1887

Genus *Peringia* Paladilhe 1874

Peringia ulvae (Pennant 1777)

= *albida* Jeffreys 1867 var.

= *castroi* Locard 1899

= *cyclolabris* Bourguignat 1876

= *lusitanica* Locard 1899

= *paulinoi* Locard 1899

= *recta* Locard 1899

Genus *Pseudamnicola* Paulucci 1878

Subgenus *Pseudamnicola* Paulucci 1878

Pseudamnicola (Pseudamnicola) artanensis Altaba 2007

Pseudamnicola (Pseudamnicola) beckmanni Glöer & Zettler 2007

= *tramuntanae* Altaba 2007

Pseudamnicola (Pseudamnicola) gasulli Boetters 1981

Pseudamnicola (Pseudamnicola) granjaensis Glöer & Zettler 2007

Pseudamnicola (Pseudamnicola) meloussensis Altaba 2007

Pseudamnicola (Pseudamnicola) subproducta (Paladilhe 1869)

= *spirata* Paladilhe 1869

Subgenus *Corrosella* Boeters 1970

Pseudamnicola (Corrosella) andalusica Delicado, Machordorm & Ramos 2012

Pseudamnicola (Corrosella) ballestae Delicado 2013

Pseudamnicola (Corrosella) bareai Delicado, Machordorm & Ramos 2012

Pseudamnicola (Corrosella) collingi Boeters, Callot-Girardi & Knebelsberger 2015

Pseudamnicola (Corrosella) falkneri Boeters 1970

Pseudamnicola (Corrosella) hauffei Delicado & Ramos 2012

Pseudamnicola (Corrosella) hinzi Boeters 1986

Pseudamnicola (Corrosella) hydrobiopsis Boeters 1998

Pseudamnicola (Corrosella) iruritai Delicado, Machordorm & Ramos 2012

Pseudamnicola (Corrosella) luisi Boeters 1984

Pseudamnicola (Corrosella) manueli Delicado, Machordorm & Ramos 2012

Pseudamnicola (Corrosella) marisolae Delicado, Machordorm & Ramos 2012

Pseudamnicola (Corrosella) navasiana (Fagot 1907)

Pseudamnicola (Corrosella) tajoensis Boeters, Callot-Girardi & Knebelsberger 2015

= *hinzi* Soler & al. 2006 (non Boeters 1986)

Pseudamnicola (Corrosella) valladolensis valladolensis Boeters, Callot-Girardi & Knebelsberger 2015

Pseudamnicola (Corrosella) valladolensis kahbei Boeters, Callot-Girardi & Knebelsberger 2015

incertae sedis

Genus *Boetersiella* Arconada & Ramos 2001

Boetersiella davisii (Arconada & Ramos 2000)

Boetersiella sturmi (Rosenhauer 1856)

Genus *Chondrobasis* Arconada & Ramos 2001

Chondrobasis levantina (Arconada & Ramos 2000)

Familia Cochliopidae Tryon 1866

Genus *Heleobia* Stimpson 1865

Subgenus *Semisalsa* Radoman 1974

Heleobia (Semisalsa) canariensis (Mousson 1872)

Heleobia (Semisalsa) macei (Paladilhe 1867)

= *peracuta* Paladilhe 1869

Heleobia (Semisalsa) stagnorum (Gmelin 1791)

= *dalmatica* Radoman 1974

= *graeca* Radoman 1974

= *rausiana* Radoman 1974

= *scamandri* Boeters, Monod & Vala 1977

= *stagnalis* Linnaeus 1767

Familia Moitessieriidae Bourguignat 1863

Genus *Baldufa* Alba, Tarruella, Prats, Guillén & Corbella 2010

Baldufa fontinalis Alba, Tarruella, Prats, Guillén & Corbella 2010

Genus *Moitessieria* Bourguignat 1863

Moitessieria aurea Tarruella & al. 2012

Moitessieria barrinae Alba & al. 2007

Moitessieria collellensis Corbella & al. 2006

Moitessieria dexteri Corbella & al. 2012

Moitessieria foui Boeters 2003

Moitessieria guadelopensis Boeters 2003

Moitessieria juvenisanguis Boeters & Gittenberger 1980

Moitessieria lludrigaensis Boeters 2003

Moitessieria locardi Coutagne 1883

= *elongata* Coutagne 1892

Moitessieria meijersae Boeters 2003

Moitessieria mugae Corbella & al. 2006

Moitessieria notenboomi Boeters 2003

Moitessieria ollerii Altimira 1960

Moitessieria pasterae Corbella & al. 2009

Moitessieria prioratensis Corbella & al. 2009

Moitessieria punctata Alba & al. 2010

Moitessieria ripacurtiae Tarruella, Corbella, Guillén, Prats & Alba 2013

Moitessieria robresia Boeters 2003

Moitessieria rolandiana Bourguignat 1863

= *gervaisiana* Bourguignat 1863

= *monspessulana* Coutagne 1883

Moitessieria sanctichristophori Corbella & al. 2011

Moitessieria seminiana Boeters 2003

Moitessieria servaini Bourguignat 1880

Moitessieria simoniana (SaintSimon 1848)

= *fagoti* Coutagne 1883

Genus *Palaospeum* Boeters 1999

Palaospeum hispanicum hispanicum Boeters 2003
Palaospeum hispanicum ondaense Boeters 2003
Palaospeum septentrionalis (Rolán & Ramos 1995)

Genus *Sardopaladilhia* Manganelli, Bodon, Cianfanelli, Talenti & Giusti 1998

Sardopaladilhia buccina Rolán & MartínezOrtí 2003
Sardopaladilhia distorta Rolán & MartínezOrtí 2003
Sardopaladilhia mariannae Rolán & MartínezOrtí 2003
Sardopaladilhia subdistorta Rolán & MartínezOrtí 2003

Genus *Spiralix* Boeters 1972
Subgenus *Spiralix* Boeters 1972

Spiralix (Spiralix) calida Corbella, Guillén, Prats, Tarruella & Alba 2014
Spiralix (Spiralix) gloriae (Rolán & MartínezOrtí 2003)
Spiralix (Spiralix) pequenoensis Boeters 2003
Spiralix (Spiralix) valenciana valenciana Boeters 2003
Spiralix (Spiralix) valenciana castellonica Boeters 2003

Subgenus *Burgosia* Boeters 2003

Spiralix (Burgosia) affinitatis Boeters 2003
Spiralix (Burgosia) burgensis Boeters 2003

Familia Truncatellidae J.E: Gray 1840
Subfamilia Truncatellinae J.E. Gray 1840

Genus *Truncatella* Risso 1826

***Truncatella subcylindrica* (Linnaeus 1767)**

= *costulata* Risso 1826
= *debilis* Mousson 1874
= *hammersmithi*
= *laevigata* Risso 1826
= *lowei* Shuttleworth 1852
= *microlena* Monterosato 1878

= *montagui* Lowe 1829
= *punctata* Monterosato 1878
= *sublaevigata* B.D.D. 1896 var.
= *truncata* Montagu 1810
= *truncatula* Philippi 1844

Familia Assimineidae H. & A. Adams 1856
Subfamilia Assimineinae H. & A. Adams 1856

Genus *Assiminea* Fleming 1828

***Assiminea avilai* Van Aartsen 2008**
***Assiminea glaubrechtii* Van Aartsen 2008**
= *eliae* Thiele 1927
***Assiminea rolani* Van Aartsen 2008**

Genus *Paludinella* L. Pfeiffer 1841

***Paludinella littorina* (Delle Chiaje 1828)**

= *littorea* Nordsieck 1982

***Paludinella sicana* (Brugnone 1876)**

= *blanci* Paladilhe 1877
= *coeni* Coen 1933
= *elegans* Paladilhe 1877
= *letourneuxi* Monterosato 1906
= *lhotellerii* Monterosato 1906
= *siciliensis* Paladilhe 1877

Assimineidae speciae dubiae

= *cardonae* Paladilhe 1875
= *eliae* Paladilhe 1875

Superordo Heterobranchia J.E. Gray 1840
Ordo Ectobranchia P. Fischer 1884
Superfamilia Valvatoidea J.E. Gray 1840
Familia Valvatidae J.E. Gray 1840

Genus *Valvata* O.F. Müller 1773
Subgenus *Valvata* O.F. Müller 1773

***Valvata (Valvata) cristata* O.F. Müller 1774**

= *delpretiana* Paulucci 1878
= *hagenmuelleri* Caziot 1902
= *intermedia* Locard 1888
= *planorbis* Draparnaud 1801
= *spirorbis* Draparnaud 1805

† ***Valvata (Valvata) schlosseri* Royo Gómez 1992**

= *vallestris* Schlosser (non Fontannes)

Subgenus *Tropidina* H. & A. Adams 1854

***Valvata (Tropidina) macrostoma* Mörch 1864**

= *syracusana* Locard 1888
= *umbilicalis* Westerlund 1878

Subgenus *Cincinna* Hübner 1810

***Valvata (Cincinna) piscinalis piscinalis* (O.F. Müller 1774)**

= *contorta* Menke 1845
= *discors* Westerlund 1897
= *fascicularis*
= *obtusa* Draparnaud 1805
= *opaca*
= *pulchella* Studer 1789

Ordo Pulmonata Cuvier in Blainville 1814
Subordo Basommatophora Keferstein 1864
Superfamilia Acroloxoidea Thiele 1931
Familia Acroloxidae Thiele 1931

Genus *Acroloxus* H. Beck 1838

***Acroloxus lacustris* (Linnaeus 1758)**

= *velkovrhi* Bole 1965

Superfamilia Lymnaeoidea Rafinesque 1815
Familia Lymnaeidae Rafinesque 1815
Subfamilia Lymnaeinae Rafinesque 1815

Genus *Galba* Schrank 1803

***Galba schirazensis* (Küster 1862)**

***Galba truncatula truncatula* (O.F. Müller 1774)**

= *calabrica* Clessin 1879
= *camuna* Adami 1876
= *fossaria* Montagu 1803
= *fossarum* Studer 1789
= *gingivata* Goupil 1835
= *grimaldii* Caziot 1910
= *lafayi* Caziot 1910
= *mandraliscai* Benoit 1882
= *minetus* Draparnaud 1801
= *minuta* Draparnaud 1801
= *moquini* Locard 1893
= *neapolitana* Bellini 1904
= *obscurus* Poirret 1801
= *piniana* Westerlund 1885
= *pumila* Locard 1893
= *subtruncata* Caziot 1910
= *teneriffae* Mabilie 1881
= *thiesseae* Clessin 1879
= *zrmanjae* Brusina

? ***Galba truncatula subulata* (Kichx 1870)**

Genus *Lymnaea* Lamarck 1799

***Lymnaea stagnalis* (Linnaeus 1758)**

= *arenaria* Colbeau 1865
= *borealis* Bourguignat 1862
= *callopleura* Locard 1883
= *colpodia* Bourguignat 1862
= *coutagnei* Locard 1893
= *elophila* Bourguignat 1882
= *fossarina* Paulucci 1881
= *fucinensis* Paulucci 1881
= *lagodeschina* Locard 1883

= *locardi* Coutagne in Locard 1893
= *major* Jeffreys 1830
= *taurinensis* Pollonera 1889
= *tomasellii* Menegassi 1855
= *turgida* Locard 1893
= *variegata* Hazay 1881 var.
= *violacea* Paulucci 1881
= *vulgaris* Hartmann 1840
= *westerlundi* Locard 1893

Genus *Omphiscola* Rafinesque 1819

***Omphiscola glabra glabra* (O. F. O.F. Müller 1774)**

= *contadita*

***Omphiscola glabra cantabra* (Álvarez 1965)**

Genus *Pseudosuccinea* F.C. Baker 1908

***Pseudosuccinea columella* (Say 1817)**

Genus *Radix* Montfort 1810

***Radix auricularia auricularia* (Linnaeus 1758)**

= *acronicus* Studer 1820
= *ampulla* Küster 1862
= *auricula* Müller 1774
= *canalis* Graells in Dupuy 1851
= *multizonata* Bourguignat in Servain 1881
= *ribeirensis* Reibisch 1865
= *stricta* Locard 1893
= *trencaleonis* Gassies

***Radix balthica* (Linnaeus 1758)**

= *attica* Roth 1855
= *medium* Studer in Coxe 1789
= *meridionalis* Locard 1893
= *ovata* Draparnaud 1805
= *plagiostoma* Bourguignat in Servain 1881
= *prolata* Locard 1893

***Radix lilli* Glöer & Beckmann 2007**

Genus *Stagnicola* Jeffreys 1830

***Stagnicola palustris palustris* (O.F. Müller 1774)**

= *communis* Leach 1831
= *contorta* Bourguignat in Servain 1881
= *crassa* Razoumowski 1789
= *pallaryi* Petrbok 1942
= *renoufi* Servain 1881
= *syriacensis* Germain 1921
= *syriacus* Mousson 1861

***Stagnicola fuscus* (C. Pfeiffer 1821)**

= *disjuncta* Puton 1847
= *leachiana* Risso 1826
= *truncata* Buvignier 1833
= *variabilis* Millet 1854
= *vogesiacae* Puton 1847
= *vulnerata* Küster 1862

Superfamilia Planorboidea Rafinesque 1815

Familia Physidae Fitzinger 1833

Subfamilia Aplexinae Starobogatov 1967

Genus *Aplexa* Fleming 1820

***Aplexa hypnorum* (Linnaeus 1758)**

= *achajae* Westerlund

= *etrurica* Porro

Subfamilia Physinae Fitzinger 1833

Genus *Haitia* Clench & Aguayo 1932

Haitia acuta acuta (Draparnaud 1805)

= *acroxa* Fagot 1884
= *brevispira* Paulucci 1882
= *canariensis* Bourguignat 1856
= *castanea* Moquin-Tandon 1843 var.
= *castroi* Locard 1899
= *dilucida* Bourguignat in Servain 1880
= *fluviatilis* Ferussac 1807
= *fuerteventurae* Mousson 1872
= *gallica* Bourguignat in Locard 1893
= *gomerana* Mousson 1872
= *grancanariae* Mousson 1872
= *mamoi* Benoit 1875
= *martorelli* Servain 1880

= *massoti* Penchinat in Locard 1893
= *melitensis* Becher 1884
= *palmaensis* Mousson 1872
= *rivalis* Brown 1827
= *saint-simonis* Fagot 1883
= *salieta* Saint-Simon in Locard 1893
= *solidior* Costa 1882
= *subopaca* Lamarck 1822
= *syriaca* Germain 1911
= *teneriffae* Mousson 1872
= *teneriffa* Frias-Martins 1966
= *teneriffae* Furtado 1881

Haitia heterostropha (Say 1817)

Genus *Physa* Draparnaud 1801

Physa fontinalis fontinalis (Linnaeus 1758)

= *dalmatina* Küster 1844

Familia Planorbidae Rafinesque 1815

Subfamilia Bulininae P. Fischer & Crosse 1880

Genus *Bulinus* O.F. Müller 1781

Subgenus *Isidora* Ehrenberg 1831

Bulinus (Isidora) truncatus contortus (Michaud 1829)

Subgenus *Pyrgophysa* Crosse 1879

Bulinus (Pyrgophysa) forskali (Ehrmann 1831)

= *apiculata* Morelet 1868
= *clavulata* Morelet 1868
= *lamellosa* Roth 1855
= *schmidti* Dunker 1853
= *semiplicata* Morelet 1868
= *wahlbergi* Krauss 1848

Genus *Afrogyrus* Brown & MandahlBarth 1973

Subgenus *Afrogyrus* Brown & MandahlBarth 1973

Afrogyrus (Afrogyrus) coretus (Blainville 1826)

= *adansonii* Gray 1850

Genus *Ferrissia* Walker 1903

Subgenus *Kincaidilla* Hannibal 1912

Ferrissia (Kincaidilla) fragilis (Tryon 1863)

= *clessiniana* Jickeli 1882
= *wautieri* Mirolli 1960

Genus *Helisoma* Swainson 1840

Helisoma trivolvis (Say 1817)

Genus *Menetus* H. & A. Adams 1855

Subgenus *Dilatata* Clessin 1885

***Menetus (Dilatata) dilatatus* (Gould 1841)**

Genus *Planorbarius* Duméril 1806

†*Planorbarius alcalalensis* Jodot 1958

= *atrophius* Jodot 1958

***Planorbarius corneus corneus* (Linnaeus 1758)**

= *banaticus* Bourguignat 1859

= *cornuarietis* Da Costa 1778

= *etruscus* Bourguignat 1855

= *gredleri* Clessin 1887

= *helophilus* Bourguignat 1859

= *maritzanus* Drenski 1947

= *nana* Pennanat 1776

= *purpurea* Müller 1774

= *similis* Bielz 1851

***Planorbarius metidjensis* (Forbes 1839)**

= *aclopus* Bourguignat 1856

= *carvalhoi* Da Silva

= *dufourii* Graells 1846

Genus *Planorbella* Haldeman 1843

***Planorbella duryi* (Wetherby 1879)**

Subfamilia Planorbinae Rafinesque 1815

Genus *Ancylus* O.F. Müller 1773

***Ancylus aduncus* Gould 1847**

= *depauperatus* Wollaston 1878

***Ancylus fluviatilis* O.F. Müller 1774**

= *annicola* Stefani 1883

= *artificiosus* Pallary 1920

= *benoitianus* Bourguignat 1862

= *brondeli* Bourguignat 1862

= *caliculatus* Bourguignat 1862

= *capuliformis* Moquin-Tandon 1855

= *capuloides* Porro 1838

= *cariosa* Paulucci 1882

= *compressiusculus* Moquin-Tandon

= *costatum* Ferussac 1822

= *costulatum* Küster 1843

= *costulatus* Bourguignat 1853

= *daganeanus* Petrbok 1946

= *deperditum* Dupuy 1850

= *dickinianum* Benoit 1882

= *djurjurenensis* Debeaux 1863

= *drouetianus* Bourguignat 1864

= *ellipticus* Clessin 1881

= *epipedus* Bourguignat 1862

= *gibbosum* Bourguignat in Baudon 1852

= *hispanicus* G.

***Ancylus milleri* Dohrn 1869**

***Ancylus striatus* Quoy & Gaimard 1834**

= *rupicola* Mousson 1872

= *jani* Pini 1876

= *janinensis* Bourguignat 1862

= *letteroni* Caziot 1902

= *libanicus* Nägele 1897

= *meridionale* Bourguignat 1852

= *moreleti* Bourguignat

= *obtusus* Morelet 1845

= *peraudieri* Bourguignat 1862

= *pileolus* Ferussac 1822

= *platylenus* Bourguignat 1862

= *raymondi* Bourguignat 1853

= *recurvum* Dupuy 1850

= *recurvum* Küster 1893

= *recurvus* Martens 1873

= *riparius* Desmarest 1814

= *simplex* Buc'Hz 1771

= *striatulus* Clessin 1881

= *strictum* Morelet 1845

= *tiberianum* Bourguignat 1862

= *tinei* Bivona 1839

= *vitraceus* Morelet 1845

Genus *Anisus* S. Studer 1820

Subgenus *Anisus* S. Studer 1820

***Anisus (Anisus) leucostoma leucostoma* (Millet 1813)**

= *rotundatus* AA.

***Anisus (Anisus) spirorbis* (Linnaeus 1758)**

= *rotundatus* Poiret 1801

= *tiberii* Stefani 1883

Genus *Gyraulus* Charpentier 1837
Subgenus *Gyraulus* Charpentier 1837

***Gyraulus (Gyraulus) albus albus* (O.F. Müller 1774)**

- = *crosseanus* Bourguignat 1862
- = *hispidus* Draparnaud 1805
- = *microombilicatus* Grossu 1987
- = *pseudocostulatus* Grossu 1987
- = *villosus* Poiret 1801

***Gyraulus (Gyraulus) chinensis* (Dunker 1848)**

Subgenus *Nautilus* Mousson 1872

***Gyraulus (Nautilus) clymene* (Shuttleworth 1852)**

- = *reissi* Mousson 1872

Subgenus *Torquis* Dall 1905

***Gyraulus (Torquis) laevis* (Alder 1838)**

- = *glaber* AA.
- = *planoconcavus* Westerlund 1897
- = *regularis* Hartmann 1844
- = *thermalis* Westerlund 1885

***Gyraulus (Torquis) parvus* (Say 1817)**

Subgenus *Armiger* W. Hartmann 1843

***Gyraulus (Armiger) crista* (Linnaeus 1758)**

- = *arcticus* Mörch
- = *bielzi* Kimakowicz 1884
- = *cristatus* Draparnaud 1805
- = *devians* Porro 1838
- = *imbricatus* Müller 1774
- = *nautilius* Linnaeus 1767
- = *paladilhi* Moitessier 1867
- = *spinulosus* Clessin 1873

Genus *Hippeutis* Charpentier 1837

***Hippeutis complanatus* (Linnaeus 1758)**

- = *colchica* Lindholm
- = *euphaeus* Bourguignat 1864
- = *fontanus* Lightfoot 1786
- = *fragilis* Mousson in Moquin-Tandon 1855
- = *janinensis* mss
- = *lenticularis* Allen 1812
- = *nitidus* Gray in Turton 1840

Genus *Planorbis* O.F. Müller 1773

Subgenus *Planorbis* O.F. Müller 1773

***Planorbis (Planorbis) carinatus* O.F. Müller 1774**

***Planorbis (Planorbis) moquini* Requier 1848**

***Planorbis (Planorbis) planorbis* (Linnaeus 1758)**

- = *antiochianus* Locard 1883
- = *complanatus* Stein 1850
- = *graeca* Clessin
- = *marginatus* Draparnaud 1805
- = *orientalis* Olivier
- = *philippianus* Caziot 1903
- = *philippii* Germain 1908
- = *subangulatus* Philippi 1844
- = *subcarinatus* Pfeiffer 1894
- = *submarginatus* De Cristofori & Jan 1832
- = *umbilicatus* Müller 1774

Genus *Segmentina* Fleming 1818

***Segmentina nitida* (O.F. Müller 1774)**

- = *clausulatus* Ferussac 1820
- = *complanatus* Poiret 1801
- = *lacustris* Lightfoot 1768

= *lineata* Fleming 1828
= *microcephala* Bourguignat in Servain 1881
= *montgazoniana* Bourguignat in Servain 1881
= *servaini* Bourguignat in Servain 1881

Subordo Systellommatophora Pilsbry 1948
Superfamilia Otinoidea H. & A. Adams 1855
Familia Otinidae H. & A. Adams 1855

Genus *Otina* J.E. Gray 1847

***Otina ovata* (Th. Brown 1827)**

= *candida* Jeffreys 1869 var.
= *otis* Turton 1819
= *turtoni* Locard 1886

Superfamilia Onchidioidea Rafinesque 1815
Familia Onchidiidae Rafinesque 1815

Genus *Onchidiella* J.E. Gray 1850

***Onchidiella celtica* (Cuvier 1817)**

Subordo Acteophila Dall 1885
Superfamilia Ellobioidea L. Pfeiffer 1854 (1822)
Familia Ellobiidae L.L. Pfeiffer 1854 (1822)
Subfamilia Pythiniinae Odhner 1925

Genus *Myosotella* Monterosato 1906

***Myosotella myosotis* (Draparnaud 1801)**

= *algerica* Bourguignat 1864
= *balearica* Dohrn & Heynemann 1862
= *biasoletiana* Küster 1844
= *bicolor* Morelet 1860
= *cossoni* Bourguignat 1887
= *elongata* Pallary 1900 var.
= *enhalia* Bourguignat 1887
= *hiriarti* Folin 1889 var.
= *incrassata* Pallary 1900 var.
= *kutschigiana* Küster 1844
= *loweana* Pfeiffer 1866
= *obsoleta* Pfeiffer 1854
= *parva* Locard 1893
= *payraudeaui* Pfeiffer 1854
= *pechaudi* Bourguignat 1887
= *salentina* Palazzi & Curini Galletti 1982
= *scrobiculata* Wollaston 1878
= *subarmata* Wollaston 1878
= *varicosa* Fenaux 1939 var.
= *vespertina* Morelet 1860
= *watsoni* Wollaston 1878

? ***Myosotella denticulata* (Montagu 1803)**

? = *armoricana* Bourguignat 1887
? = *gracilis* Lowe 1832
? = *letourneuxi* Bourguignat 1886
? = *loweana* Pfeiffer 1866
? = *oranica* Pallary 1900
? = *ringicula* Locard 1893

? **Genus *Ovatella* Bivona 1832**

? ***Ovatella aequalis* (Lowe 1835)**

? = *albescens* Wollaston 1878
? = *rufocastanea* Wollaston 1878

? ***Ovatella firminii* (Payraudeau 1826)**

? = *punctata* Bivona 1832

? ***Ovatella vulcani* (Morelet 1860)**

Subfamilia Ellobiinae L. Pfeiffer 1854 (1822)

Genus *Leucopythia* Winckworth, 1949

***Leucopythia bidentata* (Montagu 1808)**

- = *bivonae* Philippi 1844
- = *exilis* Locard 1893
- = *kobelti* Caruana 1890
- = *paivana* Pfeiffer 1866

Subfamilia Pedipedinae P. Fischer & Crosse 1880

Genus *Pediper* Scopoli 1777

Pedipes pedipes (Bruguiere 1789)

- = *afra* Gmelin 1791
- = *pictin* Dautzenberg 1910

Genus *Pseudomelampus* Pallary 1900

Pseudomelampus exiguus (R.T. Lowe 1832)

- = *biscayensis* Fischer 1899
- = *canariensis* Nords. & Talavera 1979
- = *jolyi* Pallary 1900
- = *kochi* Pallary 1900

Familia Carychiidae Jeffreys 1830

Genus *Carychium* O.F. Müller 1773

Subgenus *Carychium* O.F. Müller 1773

Carychium (Carychium) minimum O.F. Müller 1774

- = *carychium* Gmelin 1791
- = *gracilis* Morelet 1845
- = *inflata* Hartmann 1841
- = *passiriensis* Schrott 1935
- = *rayianum* Bourguignat 1857
- = *sianicum* Caziot 1910

Subgenus *Saraphia* Risso 1826

Carychium (Saraphia) ibazoricum Bank & Gittenberger 1985

- = *gracilis* Morelet 1860

Carychium (Saraphia) tridentatum (Risso 1826)

- = *elongatum* Villa 1841
- = *nanum* Küster 1841
- = *striolatum* Bourguignat 1857

Genus *Zospeum* Bourguignat 1856

Zospeum bellesi E. Gittenberger 1973

Zospeum biscaiense Gómez & Prieto 1983

Zospeum schaufussi (Frauenfeld 1862)

Zospeum suarezi Gittenberger 1980

Zospeum vasconicum Prieto, De Winter, Weigand, Gómez & Jochum 2015

Zospeum zaldivarae Prieto, De Winter, Weigand, Gómez & Jochum 2015

Subordo Stylommatophora A. Schmidt 1855

Superfamilia Succineoidea H. Beck 1837

Familia Succineidae H. Beck 1837

Subfamilia Succineinae H. Beck 1837

Genus *Succinea* Draparnaud 1801

Succinea putris (Linnaeus 1758)

- | | |
|-----------------------------------|---|
| = <i>amphibia</i> Draparnaud 1801 | = <i>ferussaci</i> Locard 1894 |
| = <i>angusta</i> Kobelt 1880 | = <i>ferussina</i> Moquin-Tandon 1855 |
| = <i>charpentieri</i> D. 1874 | = <i>gigantea</i> Baudon 1877 |
| = <i>charpyi</i> Baudon 1879 | = <i>haliotidea</i> Picard 1840 |
| = <i>fagoti</i> Bourguignat 1870 | = <i>joinvillensis</i> Bourguignat 1860 |
| = <i>falsiana</i> Locard 1897 | = <i>limnoidea</i> Picard 1840 |

= *mabillei* Jousseaume 1877
= *malafossi* Locard 1894
= *mariafiri* Grossu 1987
= *milneedwarsi* Bourguignat 1877
= *mimatensis* Bourguignat 1894
= *muelleri* Leach 1831
= *olivula* Baudon 1877
= *pascali* Baudon 1879
= *regnebertensis* Locard 1879
= *renei* Locard 1894
= *subglobosa* Pascal 1874

= *succinea* Müller 1774
= *trianfracta* Costa 1778
= *tuberculata* Baudon 1877
= *ventricosa* Baudon 1877
= *vetula* Klein. 1753
= *vitracea* Paulucci 1882
= *vitrea* Moquin-Tandon 1855
= *vitreola* Bourguignat 1894
= *vranceana* Grossu 1987
= *webbia* Moquin-Tandon 1855
= *xantheleae* Bourguignat 1877

Genus *Succinella* J. Mabilite 1871

Succinella oblonga (Draparnaud 1801)

= *abbreviata* Morelet 1845
= *agonostoma* Küster 1853
= *armenica* Mousson 1880
= *droueti* Dumont & Mortillet 1857
= *gracillima* Locard 1894

= *humilis* Drouet 1855
= *kobelti* Hazay 1881
= *lutetiana* Mabilite 1870
= *michaudi* Locard 1878
= *szinnyeiana* Hazay 1881

Genus *Oxyloma* Westerlund 1885

Subgenus *Oxyloma* Westerlund 1885

Oxyloma (Oxyloma) elegans elegans (Risso 1826)

= *acrambleia* Mabilite 1870
= *angusta* Studer 1789
= *aperta* Baudon 1802
= *baudoniana* Pini 1879
= *benoiti* Paulucci 1881
= *bonii* Picaglia 1891
= *bourguignati* Mabilite 1877
= *cenisia* Mortillet 1864
= *colbeauiana* Malzine 1867
= *contortula* Baudon 1877
= *debilis* Pfeiffer 1859
= *elata* Baudon 1877
= *elongatula* Pini 1840
= *esichia* Servain 1881
= *hordacea* Bourguignat 1877
= *inconcinna* Paulucci 1881
= *intricata* Paulucci 1882
= *italica* Jan in Villa 1841
= *levantina* Deshayes 1835
= *longiscata* Morelet 1841
= *major* Risso 1826

= *mamillata* Mabilite 1869
= *mediolanensis* Pfeiffer 1853
= *megalonyxia* Bourguignat 1870
= *moreleti* Baudon 1877
= *mortilleti* Stabile 1864
= *ochracea* Betta 1852
= *pfeifferi* Rossmässler 1835
= *polonica* Westerlund 1885
= *putris* Ferussac 1821
= *pyrenaica* Bourguignat 1877
= *recta* Baudon 1877
= *rubiginea* Paulucci 1881
= *sophiae* Benoit 1882
= *stagnalis* Gassies 1867
= *strepholena* Bourguignat in Servain 1880
= *sublongiscata* Bourguignat 1877
= *subsulcatus* Pini
= *suburbana* Westerlund 1885
= *succinea* Studer 1820
= *thermalis* Boubee 1877
= *virescens* Morelet 1845

Oxyloma (Oxyloma) sarsii (Esmark 1886)

= *berilloni* Baudon 1879
= *breviuscula* baudon 1877
= *corsica* Shuttleworth 1843
= *elongata* Hartmann 1831
= *folini* Baudon 1879
= *subcuneolata* Servain 1881
= *valcourti* Bourguignat 1869

Subfamilia Catinellinae Odhner 1950

Genus *Quickia* Odhner 1950

Quickia wollastoni (Dohrn 1869)

Genus *Quickella* C. Boettger 1939

Quickella arenaria (Potiez & Michaud 1835)

= *bettae* Gredler 1856
= *brachya* Bourguignat 1877
= *callifera* Baudon 1877
= *chroabsinthina* Bourguignat 1877
= *crosseana* Baudon 1877
= *saintsimonis* Bourguignat 1877

Superfamilia Cochlicopoidea Pilsbry 1900 (1879)
Familia Cochlicopidae Pilsbry 1900 (1879)

Genus Cochlicopa A. Férussac 1821

Cochlicopa lubrica (O.F. Müller 1774)

- = *azorica* Albers 1852
- = *crassula* Fagot 1879
- = *locardi* Pollonera 1885
- = *repentina* Hudec 1960
- = *subcylindrica* Linnaeus 1767

Cochlicopa lubricella (Porro 1838)

- = *collina* Drouet 1855
- = *columna* Clessin 1875
- = *exigua* Menke 1830
- = *lubricoides* Potiez & Michaud 1838
- = *minima* Siemaschko 1847
- = *pulchella* Hartmann 1821

Cochlicopa nitens (M. von Gallenstein 1848)

Familia Azecidae H. Watson 1920

Genus Azeca Fleming 1828

Azeca goodalli (A. Ferussac 1821)

- = *alzenensis* Locard 1894
- = *britannica* Ken. 1829
- = *mabilliana* Fagot 1876
- = *matoni* Leach 1831
- = *menkeanum* Pfeiffer 1821
- = *menkei* Pfeiffer 1821
- = *nouleti* Germain 1913
- = *nouletianus* MoquinTandon 1855
- = *politum* Jeffreys 1829
- = *silvicola* Benoit 1882
- = *tridens* Pulteney 1799
- = *trigonostoma* Fagot 1870

Genus Hypnophila Bourguignat 1858

Hypnophila boissii (Dupuy 1850)

- = *cylindrica* Locard 1894
- = *dupuyana* Locard 1894
- = *fusiformis* Moquin-Tandon 1855

Hypnophila malagana Gittenberger 1983

Genus Cryptazeca de Folin & Bérillon 1877

Cryptazeca elongata Gómez 1990

Cryptazeca monodonta (de Folin & Bérillon 1877)

- = *crystallina* Folin 1841
- = *kobelti* Gittenberger 1983
- = *subcylindrica* Folin 1891
- = *subcylindrica* Poiret 1801

Cryptazeca spelaea Gómez 1990

Cryptazeca subcylindrica de Folin & Bérillon 1877

- = *vasconica* Kobelt 1896

Superfamilia Pupilloidea Turton 1831

Familia Lauriidae Steenberg 1925

Genus Hemilauria Walden 1983

Hemilauria limnaeana (R.T. Lowe 1852)

Genus Lauria J.E. Gray 1840

Subgenus Lauria J.E. Gray 1840

Lauria (Lauria) cylindracea (Da Costa 1778)

- = *anconostoma* Lowe 1831
- = *bocconiana* Benoit 1857

= *cristula* Mousson 1858
= *curta* Lowe 1831
= *dohrni* Pfeiffer 1877
= *edentula* Gray
= *gracilis* Issele 1866
= *grevillei* Chitty 1853
= *gyrata* Lowe 1831
= *inaequalis* Westerlund 1887
= *inermis* Westerlund
= *maugieri* Cazier
= *milleri* Dohrn 1869

= *minuta* Favre 1927
= *misella* Paulucci 1882
= *perdubia* Wollaston 1878
= *sabaudina* Locard 1894
= *translucida* Paulucci 1882
= *tubularis* Melvill & Ponsonby 1893
= *umbilicata* Draparnaud 1801
= *unidentatus* Vallot 1801
= *villae* Küster 1849
= *vulcanica* Küster 1849

***Lauria (Lauria) fanalensis* (Lowe 1852)**

= *curta* Mousson 1872
= *debilis* Mousson 1872
= *pyramidula* Ponsonby & Sykes 1894

***Lauria (Lauria) gomerensis* Holyoak & Holyoak 2009**

***Lauria (Lauria) sempronii* (Charpentier 1837)**

= *caspia* Pfeiffer 1871
= *dilucida* Rossmässler 1837
= *vallisnerii* Stefani 1879

Subgenus *Senilauria* Pilsbry 1928

***Lauria (Senilauria) fasciolata* (Morelet 1860)**

= *hortana* Pilsbry 1923

Genus *Leiostyla* R.T. Lowe 1852

Subgenus *Azoripupa* Pilsbry 1923

***Leiostyla (Azoripupa) tessellata* (Morelet 1860)**

Subgenus *Craticula* R.T. Lowe 1852

***Leiostyla (Craticula) abbreviata* (Lowe 1852)**

***Leiostyla (Craticula) calathiscus* (Lowe 1831)**

***Leiostyla (Craticula) corneocostata* (Wollaston 1878)**

= *resticula* Wollaston 1878

***Leiostyla (Craticula) degenerata* (Wollaston 1878)**

†*Leiostyla (Craticula) espigaoensis* Seddon 1990

***Leiostyla (Craticula) ferraria* (Lowe 1852)**

***Leiostyla (Craticula) fusca* (Lowe 1852)**

***Leiostyla (Craticula) millegrana* (Lowe 1852)**

***Leiostyla (Craticula) monticola* (Lowe 1831)**

= *pumilio* Wollaston 1878

***Leiostyla (Craticula) revelata* (Wollaston 1878)**

†*Leiostyla (Craticula) subcorneocostata* Seddon 1990

Subgenus *Leiostyla* R.T. Lowe 1852

***Leiostyla (Leiostyla) anglica* (A. Ferussac 1821)**

= *capellini*

= *castanea*

= *contra* Bourguignat 1864

= *gottschiki* Wenz 1922

= *gunhildae* Watson 1887

= *isserica* Letourneux 1870

= *numidica* Bourguignat 1864

= *pallida*

= *paulinoi* Locard 1899

= *priscilla* Paladilhe 1873

= *ringens* Jeffreys 1862

= *unizonata* Bourguignat 1869

= *zonata*

***Leiostyla (Leiostyla) arborea* (Lowe 1853)**

***Leiostyla (Leiostyla) cassidula* (Lowe 1852)**

***Leiostyla (Leiostyla) castanea* (Shuttleworth 1852)**

***Leiostyla (Leiostyla) cheilogona* (Lowe 1831)**

***Leiostyla (Leiostyla) colvillei* Seddon & Killeen 1996**

***Leiostyla (Leiostyla) concinna* (Lowe 1852)**

***Leiostyla (Leiostyla) falkneorum* Bank, Groh & Ripken 2002**

= *laevigata* Lowe 1852

***Leiostyla (Leiostyla) filicum* Holyoak & Seddon 1986**

***Leiostyla (Leiostyla) fuscidula* (Morelet 1860)**
 = *hexodon* Pilsbry 1923
 = *lexodon* Pilsbry 1923

***Leiostyla (Leiostyla) heterodon* (Pilsbry 1923)**

***Leiostyla (Leiostyla) irrigua* (Lowe 1852)**

***Leiostyla (Leiostyla) laurinea* (Lowe 1852)**

***Leiostyla (Leiostyla) loweana loweana* (Wollaston 1878)**
 = *deformis* Wollaston 1878
 = *wollastoni* Lowe 1867

***Leiostyla (Leiostyla) loweana transiens* (Wollaston 1878)**

***Leiostyla (Leiostyla) minax* (O. Boettger 1889)**
 = *microdoma* Boettger 1889

***Leiostyla (Leiostyla) priscilla* (Paladilhe 1873)**

***Leiostyla (Leiostyla) recta recta* (Lowe 1852)**

***Leiostyla (Leiostyla) recta macilenta* (Lowe 1852)**

***Leiostyla (Leiostyla) rugulosa* (Morelet 1860)**

***Leiostyla (Leiostyla) simulator* (Pilsbry 1923)**

***Leiostyla (Leiostyla) sphinctostoma* (Lowe 1831)**
 = *rupestris* Lowe 1855

***Leiostyla (Leiostyla) taeniata* (Shuttleworth 1852)**
 = *pythiella* Mousson 1872

***Leiostyla (Leiostyla) vermiculosa* (Morelet 1860)**

***Leiostyla (Leiostyla) vincta vincta* (Lowe 1854)**

***Leiostyla (Leiostyla) vincta maui* Walden 1983**

***Leiostyla (Leiostyla) vincta watsoniana* (Pilsbry 1923)**

***Leiostyla (Leiostyla) wollastoni* (Paiva 1866)**
 = *canicalensis* Paiva 1867

Subgenus *Mastula* R.T. Lowe 1852

***Leiostyla (Mastula) lamellosa* (Lowe 1854)**

Subgenus *Scarabella* R.T. Lowe 1855

***Leiostyla (Scarabella) cassida* (Lowe 1831)**

Subgenus *Wollastonula* Pilsbry 1922

***Leiostyla (Wollastonula) gibba* (Lowe 1852)**

Familia Orculidae Pilsbry 1918
Subfamilia Orculinae Pilsbry 1918

Genus *Orculella* Steenberg 1925

***Orculella aragonica* (Westerlund 1897)**

Genus *Sphyradium* Charpentier 1837

***Sphyradium doliolum* (Bruguière 1792)**

= *alpinum* Bourguinat
 = *bifilaris* Mousson 1873
 = *bourguignati* Macè
 = *coronata* Studer 1789
 = *dolioliformis* Locard 1894
 = *excessiva* Pirona 1865
 = *klemmi* Altimira 1959
 = *macei* Bourguinat 1864

= *macrotriodon* Locard 1894
 = *saintsimonis* Bourguinat 1881
 = *singularis* Monterosato 1907
 = *spinosa* Ferussac 1821
 = *sublaevis* Bourguinat 1844
 = *tereticollis* Westerlund 1896
 = *unifilaris* Boettger 1879

Familia Argnidae Hudec 1965

Genus *Argna* Cossmann 1889

***Argna biplicata biplicata* (Michaud 1831)**

- = *locardi* Bourguignat
- = *margidens* Westerlund 1887
- = *pollonerae* Flach 1890
- = *toscaniae* Pollonera 1887

***Argna ferrarii blanci* (Bourguignat 1874)**

Familia Valloniidae Morse 1864
Subfamilia Valloniinae Morse 1864

Genus *Vallonia* Risso 1826

***Vallonia costata* (O.F. Müller 1774)**

- = *costellata* Sandberger 1875
- = *crenella* Montagu 1803
- = *cyclostoma* Westerlund 1881
- = *helacinus* Lightfoot 1786
- = *helvetica* Sterki 1893
- = *jurassica* Geyer 1908
- = *pyrenaica* Sterki 1893

***Vallonia enniensis* (Gredler 1856)**

- = *csorensis* Kormos 1909

***Vallonia excentrica* Sterki 1893**

- = *excentricoides* Weiss 1894
- = *paludosa* Costa 1780

***Vallonia pulchella* (O.F. Müller 1774)**

- = *adela* Westerlund 1874
- = *crystallina* Dillwyn 1817
- = *extrema* Westerlund 1898
- = *globulosa* Bourguignat 1864
- = *inornata* Stabile 1859
- = *laevigata* Moquin-Tandon 1855
- = *minuta* Say 1817
- = *petricola* Clessin 1908
- = *potua* Nardo 1847
- = *rosalia* Risso 1826

Genus *Plagyrona* E. Gittenberger 1977

***Plagyrona angusta* Holyoak & Holyoak 2012**

***Plagyrona placida* (Shuttleworth 1852)**

- = *bussacona* Da Silva & Castro 1887
- = *debeauxiana* Bourguignat 1863
- = *luseana* Paiva 1866
- = *paupillieri* Bourguignat 1864
- = *sericina* Lowe 1855

Genus *Gittenbergia* Giusti, Castagnolo & Manganelli 1985

***Gittenbergia sororcula* (Benoit 1859)**

- = *aranea* Pfeiffer 1870
- = *astoma* Boettger 1909
- = *marthae* Ancey 1894
- = *pollinensis* Westerlund 1890

Subfamilia Acanthinulinae Steenberg 1917

Genus *Acanthinula* H. Beck 1847

***Acanthinula aculeata* (O.F. Müller 1774)**

- = *albina* Westerlund 1889
- = *delectabilis* Montagu 1803
- = *granatellii* Bivona 1839
- = *holoserica* Miller 1830
- = *spinulosa* Lightfoot 1786

***Acanthicula azorica* Pilsbry 1926**

***Acanthinula spinifera* (Mousson 1872)**

Genus *Spermodea* Westerlund 1903

***Spermodea lamellata* (Jeffreys 1830)**

- = *scarburgiensis* Bean 1829

= *spermatia* Da Silva & Castro 1857
Spermodea monas (Morelet 1860)

Familia Pupillidae Turton 1831

Genus *Pupilla* Fleming 1828
Subgenus *Pupilla* Fleming 1828

***Pupilla (Pupilla) alpicola* (Charpentier 1837)**

= *halleriana* Charpentier 1855
= *madida* Gredler 1856

***Pupilla (Pupilla) bigranata* (Rossmässler 1839)**

***Pupilla (Pupilla) muscorum muscorum* (Linnaeus 1758)**

= *bidentata* Pfeiffer 1821
= *caucasica* Boettger 1879
= *edentula* Slavik 1933
= *elongata* Clessin 1876
= *emigrata* Westerlund 1897
= *glis* Westerlund 1873
= *inops* Reinhardt 1877
= *leprevieri* Pallary 1927
= *marginata* Draparnaud 1801
= *masclaryana* Boettger 1889
= *milashevitschi* Lindholm 1911
= *saliniensis* Locard 1894
= *simplex* Locard
= *transsilvanica* Kimakowicz 1890
= *unidentata* Pfeiffer 1821

***Pupilla (Pupilla) triplicata* (S. Studer 1820)**

= *bibaca* Kimakowicz 1890
= *bidentata* Westerlund 1876
= *edentata* Westerlund 1876
= *luxurians* Reinhardt 1877
= *parvula* Mousson 1876
= *pyrenaica* Westerlund 1889
= *suboviformis* Boettger 1879
= *tardyana* Locard 1894
= *tridentalis* Michaud 1831
= *unidentata* Westerlund 1876

Genus *Gibbulinopsis* Germain 1919
Subgenus *Gibbulinopsis* Germain 1919

***Gibbulinopsis (Gibbulinopsis) fontana gorgonica* (Dohrn 1869)**

= *brevior* Dohrn 1869
= *minor* Dohrn 1869
= *subalutacea* Wollaston 1878

Genus *Pupoides* L. Pfeiffer 1854

***Pupoides coenopictus coenopictus* (Hutton 1837)**

= *aethiopicus* Bourguignat 1883
= *asteranis* Dupuy 1849
= *cerealis* Paladilhe 1872
= *doriae* Issel 1865
= *euphraticus* Bourguignat 1876
= *fabianus* Gredler 1875
= *fallax* Jickeli 1874
= *gemmula* Benson 1856
= *hauti* Tristram 1891
= *hoggariensis* Pallary 1929
= *kursiensis* Bourguignat 1876
= *lardeus* Pfeiffer 1852
= *maharasicus* Bourguignat 1876
= *marebiensis* Bourguignat 1876
= *putillas* Shuttleworth 1852
= *ragius* Jousseuame 1889
= *reboudi* Bourguignat 1876
= *samavensis* Paladilhe 1872
= *senaaricus* Bourguignat 1883
= *senaariensis* Pfeiffer 1855
= *soror* Preston 1912
= *tutulus* Benson mss.
= *vermiformis*

***Pupoides gemmula* (Benson 1856)**

†***Pupoides orzolae* Gittenberger & Ripken 1985**

Familia Pyramidulidae Kennard & B.B. Woodward 1914

Genus *Pyramidula* Fitzinger 1833

***Pyramidula jaenensis* (Clessin 1887)**

***Pyramidula pusilla* Gittenberger & Bank 1998**

***Pyramidula rupestris* (Draparnaud 1801)**

= *dalmatina* Clessin 1887
= *hierosolymitana* Bourguignat 1852
= *humilis* Hutton & Benson 1838
= *rupicola* Stabile 1869
= *saxatilis* hartmann 1842
= *trochoides* Ferussac

***Pyramidula umbilicata* (Montagu 1803)**

Familia Chondrinidae Steenberg 1925
Subfamilia Chondrininae Kokshoorn & Gittenberger 2008

Genus *Chondrina* Reichenbach 1828

***Chondrina aguilar* Altimira 1967**

***Chondrina altimirai* Gittenberger 1973**

***Chondrina arigonoides* Kokshoorn & Gittenberger 2010**

***Chondrina arigonis* (Rossmässler 1839)**

= *arigo* Westerlund 1887

= *isodon* Bofill & Aguilar 1904

= *microstoma* Altimira 1961

***Chondrina ascendens* (Westerlund 1878)**

= *aragonica* Fagot 1889

= *gorbeana* Pilsbry 1918

= *ignota* Fagot 1888

= *longini* Fagot 1906

= *saltus* Fagot 1888

= *speluncae* Locard 1894

***Chondrina avenacea avenacea* (Bruguère 1792)**

= *apuana* Issel 1866

= *avena* Draparnaud 1805

= *aveniculum* Clessin 1887

= *cerealis* Locard 1881

= *cereana* Küster 1843

= *cocchi* Benoit 1882

= *cylindrica* Studer in Coxe 1789

= *domicella* Westerlund 1882

= *duplicata* Küster 1850

= *elatior* Paulucci 1881

= *eupora* Westerlund 1887

= *ferruginea* Westerlund 1878

= *hassiac* Pfeiffer 1841

= *lucana* Delle Chiaje 1850

= *minima* Locard 1881

= *onusta* Adami 1886

= *sabina* Stefani 1883

= *septemdentata* Risso 1826

= *sicula* De Gregorio 1895

= *subcornea* Aguilar-Amat 1932

= *transiens* Clessin 1887

***Chondrina bigorriensis* (Des Moulins 1835)**

= *aureacensis* Locard 1894

= *baregiensis* Locard 1894

= *gracilis* Rossmässler 1842

= *hospitii* Fagot 1888

= *moquiniana* Küster 1843

= *oparea* Locard 1894

= *pusilla* Des Moulins 1835

***Chondrina calpica calpica* (Westerlund 1872)**

= *algesirae* Kobelt 1882

= *tingitana* Kobelt 1882

***Chondrina centralis* (Fagot 1891)**

***Chondrina cliendentata* Gittenberger 1973**

***Chondrina dertosensis* (Bofill 1886)**

= *montrealensis* Altimira 1959

***Chondrina farinesii* (Des Moulins 1835)**

= *alfarae* Altimira 1961

= *angustata* Westerlund 1867

= *bidens* Altimira 1961

= *biplicata* Bourguignat 1863

= *bourgeoui* Shuttleworth 1853

= *brandti* Altimira 1961

= *confusa* Altimira 1961

= *cornudellae* Altimira 1961

= *dentiens* Moquin-Tandon 1836

= *español* Altimira 1961

= *farinesiana* Chatenier 1888

= *farta* Aguilar-Amat 1932

= *ignota* Fagot 1888

= *klemmi* Altimira 1961

= *microdon* Westerlund 1897

= *nosae* Altimira 1961

= *obesa* Bourguignat 1863

= *simplex* Altimira 1859

= *subcarianta* Bourguignat 1863

= *tarraconensis* Fagot 1888

= *toscari* Altimira 1961

= *triplex* Altimira 1959

= *triplicata* Fagot 1888

= *unidentata* Altimira 1960

= *vidali* Bech 1978

***Chondrina gasulli* Gittenberger 1973**

***Chondrina granatensis* Alonso 1974**

***Chondrina guiraoensis* Pilsbry 1918**

= *guiraois* Pilsbry 1918

= *jumillensis* Rossmässler 1859

***Chondrina ingae* Kokshoorn & Gittenberger 2010**

***Chondrina jumillensis* (L. Pfeiffer 1853)**

***Chondrina kobelti* (Westerlund 1878)**

= *ordunensis* Pilsbry 1918

Chondrina kobeltoides E. Gittenberger 1973

Chondrina lusitanica (L. Pfeiffer 1848)

- = *obliterata* Küster 1847
- = *megacheloides* Clessin 1887
- = *plicatula* Adami 1885
- = *rivana* Schröder 1913
- = *tirolica* Westerlund 1897
- = *transiens* Westerlund 1887

Chondrina maginensis Arrébola & Gómez 1998

Chondrina marjae Kokshoorn & Gittenberger 2010

Chondrina massotiana massotiana (Bourguignat 1863)

- = *penchinatiana* Bourguignat 1863

Chondrina massotiana sexplicata (Bofill 1886)

- = *agerensis* Altimira 1967
- = *aguilari* Altimira 1967
- = *bofilliana* Altimira 1967
- = *ilerdensis* Fagot 1888
- = *manotiana* Westerlund 1894
- = *minor* Haas 1926
- = *montsicciana* Altimira 1967
- = *pulchella* Bofill 1886

Chondrina pseudoavenacea Kokshoorn & Gittenberger 2010

Chondrina ripkeni Gittenberger 1973

Chondrina soleri Altimira 1960

Chondrina tenuimarginata (Des Moulins 1835)

- = *adeodati* Fagot 1906
- = *angulata* Fagot 1888
- = *aucta* Westerlund 1887
- = *badia* Moquin-Tandon 1856
- = *crassata* Fagot 1888
- = *elongatissima* Des Moulins 1835
- = *flaccida* Aguilar-Amat 1932
- = *gigantea* Rossmässler 1859
- = *goniostoma* Küster 1843
- = *leptocheilus* Fagot 1879
- = *macrochila* Bofill 1917
- = *macrochilus* Bofill 1909
- = *rufula* Moquin-Tandon 1856
- = *ventricosa* Dupuy 1879

Genus Abida Turton 1831

Abida attenuata (Fagot 1886)

- = *leptospira* Westerlund 1887

Abida bigerrensis (MoquinTandon 1856)

- = *alba* Folin & Berillon 1877
- = *bailensii* Dupuy 1842
- = *bigoriensis* Rossmässler 1837
- = *disjuncta* Moquin-Tandon 1856
- = *elongata* Folin & Berillon 1877
- = *elongata* Moquin-Tandon 1856
- = *fagotiana* Locard 1881

- = *garumnica* Fagot 1877
- = *gourdoniana* Fagot 1882
- = *pulchella* Moquin-Tandon 1856
- = *pyrenaica* Boubee 1833
- = *ringens* Michaud 1838
- = *rossmaessleri* Fagot & Nansouty 1875
- = *subringens* Fagot 1891

Abida cylindrica (Michaud 1829)

- = *corrugata* Locard 1894
- = *curta* Moquin-Tandon 1856
- = *curtata* Pilsbry 1918
- = *cylindriciformis* Locard 1894
- = *dufourii* Dupuy 1850

- = *echthrodes* Westerlund 1887
- = *elongatissima* Dupuy 1879
- = *longa* Moquin-Tandon 1856
- = *polyodon* Moquin-Tandon 1856

Abida gittenbergeri Bössneck 2000

Abida occidentalis (Fagot 1888)

Abida partioti (SaintSimon 1848)

- = *cadica* Fagot 1902
- = *cristella* Westerlund 1887
- = *dupuyi* Westerlund 1875
- = *escudiei* Geniez & Bertrand 2001
- = *lallemanthiana* Bourguignat 1864
- = *letourneuxi* Bourguignat 1864

Abida polyodon (Draparnaud 1801)

- = *ameliae* Locard 1894
- = *attrita* Moquin-Tandon 1856
- = *exilis* Moquin-Tandon 1856
- = *gracillima* Beck 1837
- = *lopezi* Bech 1973
- = *monsjoivica* Aguilar-Amat 1932

- = *montserratica* Fagot 1889
- = *polyodonta* Chatenier 1888
- = *ringicula* Küster 1859
- = *ventricosa* Locard 1881
- = *vidali* Aguilar-Amat 1932

Abida pyrenaearia (Michaud 1831)

- = *aulusensis* Fagot 1789
- = *bipalatalis* Westerlund 1883

- = *boubeeii* Fagot & Nansouty 1875
- = *clausiliformis* Locard 1894

= *clausilioides* Boubee 1835
= *clausilioides* Locard 1894
= *curta* Moquin-Tandon 1843
= *hospitii* Pilsbry 1918
= *nansoutyi* Fagot 1880
= *novemplicata* Moquin-Tandon 1843

***Abida secale secale* (Draparnaud 1801)**

= *appeliusi* Westerlund 1892
= *bourguetica* Bourguignat 1864
= *columella* Locard 1894
= *cylindrica* Locard 1881
= *cylindricus* Hartmann 1807
= *cylindroides* Moquin-Tandon 1856
= *decemplicata* Locard 1881
= *duodecimcostata* Locard 1881
= *edentula* Taylor 1879
= *gracilior* Kreglinger 1870
= *juniperi* Montagu 1803
= *kraliki* Letourneux 1877
= *lasallei* Locard 1894
= *michelii* Küster 1847

***Abida secale affinis* (Rossmässler 1839)**

= *catalonica* Bofill 1890
= *clausilioides* Pfeiffer 1848
= *cylindrella* Moquin-Tandon 1856
= *eudochila* Bourguignat 1883
= *freseriana* Fagot 1888

***Abida secale andorrensis* (Bourguignat 1863)**

= *andorrca* Fagot 1891
= *juliensis* Bourguignat 1863
= *luxensis* Fagot 1902

***Abida secale bofilli* (Fagot 1884)**

***Abida secale brauniopsis* Altimira 1963**

***Abida secale brongersmai* Gittenberger 1973**

***Abida secale cadica* (Westerlund 1902)**

***Abida secale cadiensis* Gittenberger 1973**

***Abida secale elegantissima* Gittenberger 1973**

***Abida secale liliensis* (Bofill 1866)**

= *montsiciana* Bofill 1890
= *valida* Aguilar-Amat 1932
= *vidalis* Maluquer 1904

***Abida secale margaridae* Bech 1993**

***Abida secale meridionalis* MartínezOrtí, Gómez & Faci 2004**

***Abida secale merijni* Kokshoorn & Gittenberger 2010**

***Abida secale peteri* Kokshoorn & Gittenberger 2010**

***Abida secale tuxensis* (Westerlund 1902)**

***Abida secale vilellai* Kokshoorn & Gittenberger 2010**

***Abida vasconica* (Kobelt 1882)**

***Abida vergniesiana* (Küster 1850)**

= *provida* Westerlund 1902

= *petrophila* Locard 1894
= *pyrenaica* Boubee 1832
= *ringens* Pilsbry 1918
= *saeva* Westerlund 1887
= *saxicola* Moquin-Tandon 1849
= *transitus* Boubee 1833

= *novemplicata* Locard 1881
= *olearum* Locard 1894
= *oryzana* Locard 1894
= *oyonnaxia* Locard 1881
= *phymata* Westerlund 1887
= *rusticula* Locard 1894
= *secaliformis* Chatenier 1888
= *secalina* Locard 1894
= *siliigo* Roth 1855
= *sublevigata* Bourguignat 1884
= *valcourtiana* Locard 1894
= *variabilis* Pfeiffer 1821

= *fusiformis* Gourdon 1889
= *longurio* Moquin-Tandon 1856
= *perlonga* Fagot 1888
= *phthisica* Bofill 1890

Genus *Rupestrella* Monterosato 1894

***Rupestrella dupotetii* (Terver 1839)**

***Rupestrella philippii moraguesi* (Kobelt 1886)**

Subfamilia Granariinae Kokshoorn & Gittenberger 2008

Genus *Granaria* Held 1838

***Granaria braunii braunii* (Rossmässler 1842)**

= *conispira* Westerlund 1893
= *crassilabrum* Bourguignat 1864
= *cycloides* Moquin-Tandon 1856
= *labiosa* Moquin-Tandon 1856
= *multidens* Moquin-Tandon 1856

***Granaria braunii marcusii* Gittenberger & Ripken 1993**

***Granaria variabilis* (Draparnaud 1801)**

= *angularis* Westerlund 1887
= *arctespira* Locard 1894
= *charlotia* Risso 1826
= *crimoda* Locard 1894
= *delphinensis* Locard 1894
= *ebrodunensis* Locard 1894
= *ischurostoma* Locard 1894
= *labiosa* Moquin-Tandon 1856
= *mea* Locard 1894
= *multidentata* Risso 1826
= *mutabilis* Ferussac 1821
= *nova* Locard 1894

= *obliqua* Nevill 1880
= *orthostoma* Piersanti 1927
= *ovularis* Moquin-Tandon 1856
= *ovulina* Locard 1894
= *pachygaster* Moquin-Tandon 1856
= *plagiostoma* Locard 1894
= *polita* Risso 1826
= *praematura* Favre 1927
= *producta* Favre 1927
= *sabaudina* Bourguignat 1864
= *sillarensis* Piersanti 1927

Genus *Granopupa* O. Boettger 1889

Granopupa granum (Draparnaud 1801)

= *aemula* Martens 1872
= *bulimiformis* Mousson 1872
= *columnella* Locard 1894
= *diluta* Westerlund 1878
= *graniformis* Chatenier 1888
= *gratiosa* Westerlund 1898
= *krueperi* Westerlund 1894
= *lopedusae* Monterosato 1892
= *meridionalis* Adami 1886

= *poulsenii* Westerlund 1887
= *profuga* Westerlund 1898
= *retracta* Westerlund 1892
= *sardoa* Cantraine 1840
= *saucyi* Bourguignat 1852
= *semidens* Westerlund 1892
= *subulata* Bivona 1840
= *tetrodon* Westerlund 1887
= *turbiana* Caziot 1910

Genus *Solatopupa* Pilsbry 1917

Solatopupa similis similis (Bruguière 1792)

= *cinerea* Draparnaud 1801
= *dissimilis* Westerlund 1887
= *fasciata* Caziot & Fagot 1904
= *isabellae* Caziot 1913
= *laevigata* Westerlund 1887
= *minoricensis* Westerlund 1887
= *monterosatoi* Aguilar-Amat 1932
= *octoplicata* Lessona 1880
= *olivetorum* Locard 1894

= *plagionixa* Locard 1894
= *porcellata* Westerlund 1890
= *quinquedentatus* Dillwyn 1817
= *quinquelamellata* Risso 1826
= *septemplicata* Lessona 1880
= *turriculata* Bourguignat 1860
= *unifasciata* Caziot 1910
= *varia* Beck 1837
= *variegella* Pfeiffer 1848

Familia Vertiginidae Fitzinger 1833 Subfamilia Truncatellininae Steenberg 1925

Genus *Columella* Westerlund 1878

Columella aspera Waldén 1966

Columella columella (G. von Martens 1830)

= *gredleri* Clessin 1873
= *inornata* Küster 1850

Columella edentula (Draparnaud 1805)

= *exigua* Studer 1789
= *inornata* Clessin 1873
= *lepidula* Held 1837
= *microspora* Albers 1854
= *nana* Boettger 1880
= *nitida* Ferussac 1821
= *offtonensis* Sheppard 1823
= *revoluta* Jeffreys 1830
= *simplex* Gould 1890

Columella microspora (Lowe 1852)

Genus *Truncatellina* R.T. Lowe 185

Truncatellina atomus (Shuttleworth 1852)

† *Truncatellina biscoitoi* Hutterer & Groh 1993

Truncatellina callicratis (Scacchi 1833)

= *brandti* Zilch 1962
= *britannica* Pilsbry 1921
= *dentiens* Moquin-Tandon 1855
= *dinii* De Stefani 1883
= *doumeti* Letourneux & Bourguignat 1887

= *laevistriata* Retowski 1888
= *lussinensis* Stamol 1995
= *marcuccii* De Stefani 1883
= *nodosaria* De Stefani 1883
= *rivierana* Benson 1854

= *rothi* Reinhardt 1916
= *scharffi* Boettger 1879
= *simii* De Stefani 1883

***Truncatellina claustralis* (Gredler 1856)**

= *anodus* Gredler 1856
= *clavella* Kobelt 1899
= *corcyrensis* Boettger 1883
= *salurnensis* Reinhardt 1877

***Truncatellina cylindrica* (A. Férussac 1807)**

= *arcyrensis* Klemm 1943
= *costigerella* Lindholm 1926
= *micula* Mousson 1876
= *minima*
= *minuta* Müller 1774
= *minutissima* Hartmann 1821

***Truncatellina linearis* (Lowe 1852)**

= *minutissima* Watson 1876
= *striata* Gredler 1856

***Truncatellina molecula* (Dohrn 1869)**

† ***Truncatellina portosanctana* Hutterer & Groh 1993**

† ***Truncatellina prainhana* Hutterer & Groh 1993**

***Truncatellina purpuraria* Hutterer & Groh 1993**

= *strobili* Gredler 1856
= *triplicata* Bourguignat 1864 var.
= *zanellia* Benoit 1858

= *monodonta* Pollonera 1885
= *muscorum* Draparnaud 1801
= *odontostoma* Westerlund 1875
= *pupula* Held 1837
= *tauricola* Lindholm 1926

Subfamilia Vertigininae Fitzinger 1833

Genus *Vertigo* O.F. Müller 1773

Subgenus *Vertigo* O.F. Müller 1773

***Vertigo (Vertigo) alpestris* Alder 1838**

= *leontina* Gredler 1856
= *parcedentata* Sandberger 1875
= *shuttleworthiana* Pfeiffer 1847
= *tatrica* Hazay 1885

***Vertigo (Vertigo) antivertigo* (Draparnaud 1801)**

= *aequidentata* Polonera 1885
= *cisalpina* Pollonera 1885
= *cornea* Locard 1881
= *discheila* Bourguignat 1864
= *ferox* Westerlund 1887
= *irregularis* Pollonera 1885
= *maresi* Bourguignat 1864
= *novemplicata* Locard 1881

= *octodentata* Studer 1820
= *padana* Pollonera 1885
= *palustris* Jeffreys 1830
= *seminulum* Westerlund 1871
= *septemdentata* Ferussac 1821
= *sexdentata* Montagu 1803
= *sinuata* Mousson 1873

***Vertigo (Vertigo) lilljeborgi* (Westerlund 1871)**

***Vertigo (Vertigo) modesta modesta* (Say 1824)**

***Vertigo (Vertigo) modesta arctica* (Wallenberg 1858)**

= *eggeri* Gredler 1890
= *major* Bütikofer 1920
= *tirolensis* Gredler 1869
= *zschokkei* Bütikofer 1920

***Vertigo (Vertigo) moulinsiana* (Dupuy 1849)**

= *acheila* Servain 1880
= *anglica* Moquin-Tandon 1843
= *charpentieri* Küster 1850
= *codia* Bourguignat 1864
= *desmoulinsi* Germain 1913
= *graellsiana* Servain 1880
= *kuesteriana* Westerlund 1874

= *laevigata* Gallenstein 1848
= *limbata* Moquin-Tandon 1855
= *moulinsi* Moquin-Tandon 1855
= *octodentata* Westerlund 1878
= *personata* Moquin-Tandon 1856
= *ventrosa* Heynemann 1862

***Vertigo (Vertigo) pusilla* O.F. Müller 1774**

= *clevei* Westerlund 1887
= *collina* Westerlund 1871
= *heterostropha* Turton 1831
= *otostoma* Westerlund 1871
= *pinii* Adami 1886
= *spirula* Villa 1841
= *tumida* Westerlund 1876 V
= *vertigo* Draparnaud 1801

***Vertigo (Vertigo) pygmaea* (Draparnaud 1801)**

= *athesina* Gredler 1856
= *ausonia* De Stefani 1883
= *briobia* Bourguignat 1864

= *cylindrica* Gray 1821
= *etrusca* Boettger 1905
= *microlena* Bourguignat 1864

= *quadridens* Westerlund 1871
= *quadridentata* Moquin-Tandon 1856
= *quinquedentata* Studer 1820
= *rubella* Locard 1881

***Vertigo (Vertigo) substriata* (Jeffreys 1833)**

= *curta* Held 1837
= *sextana* Gredler 1872

= *sarena* Gredler 1856
= *sexplicata* Locard 1881
= *similis* Ferussac 1821
= *vulgaris* Jeffreys 1830

Subgenus *Vertilla* MoquinTandon 1856

***Vertigo (Vertilla) angustior* Jeffreys 1830**

= *gothorum* Westerlund 1878
= *hamata* Held 1837
= *nana* Michaud 1831
= *obesa* Blanckenhorn 1889
= *plicata* Müller 1838
= *porrecta* Pallary 1939
= *producta* Westerlund 1878
= *venetzi* Charpentier 1847
= *wolteri* Kilius 1969

Subfamilia Nesopupinae Steenberg 1925

Genus *Staurodon* R.T. Lowe 1852

***Staurodon seminulum* (Lowe 1852)**

= *saxicola* Lowe 1852

Familia Gastrocoptidae Pilsbry 1918

Genus *Gastrocopta* Wollaston 1878

Subgenus *Gastrocopta* Wollaston 1878

***Gastrocopta (Gastrocopta) acarus* (Benson 1856)**

Superfamilia Enoidea B.B. Woodward 1903 (1880)

Familia Enidae B.B. Woodward 1903 (1880)

Subfamilia Eninae B.B. Woodward 1903 (1880)

Tribus Chondrulini Wenz 1923

Genus *Mastus* H. Beck 1837

†*Mastus gymnesica* Quintana 2006

***Mastus pupa pupa* (Linnaeus 1758)**

= *hispaniensis* Westerlund 1892
= *lopadusae* Monterosato 1892
= *minor* Issel 1868
= *ovoideaminor* Monterosato 1892
= *regularis* Monterosato 1892
= *usticensis* Monterosato 1892

Genus *Zebrina* Held 1838

***Zebrina detrita detrita* (O.F. Müller 1774)**

= *arnouldi* Fagot 1894
= *cilicica* Kobelt 1901
= *inflata* Kobelt 1877
= *locardi* Bourguignat 1881
= *mea* Forcart 1940
= *oblonga* Kobelt 1877

= *radiata* Bruguiere 1789
= *sabaudina* Bourguignat 1881
= *sepium* Gmelin 1791
= *tumidus* Mousson 1859
= *turbinata* Olivier 1791

Tribus Enini B.B. Woodward 1903 (1880)

Genus *Ena* Turton 1831

***Ena montana* (Draparnaud 1801)**

= *carpathica* Clessin 1887
= *collinii* Michaud 1831
= *lackhamensis*
= *sylvestris* Studer 1789
= *virescens* Grossu 1987

Genus *Jaminia* Risso 1826

***Jaminia quadridens quadridens* (O.F. Müller 1774)**

= *atticus* Westerlund 1887
= *dextrorsa* Gredler 1877
= *heterostropha* Risso 1826
= *nicollii* Sturany 1907
= *niso* Risso 1826
= *planilabris* Boettger 1885
= *volensis* Westerlund 1897

***Jaminia quadridens elongata* (MoquinTandon 1856)**

= *loewii* Rossmässler 1859
= *prolixus* Pini 1879

Genus *Napaeus* Albers 1850

Subgenus *Napaeus* Albers 1850

***Napaeus (Napaeus) alucensis* Santana & Yanes 2011**
***Napaeus (Napaeus) arinagaensis* Artiles, Deniz & Martín 2011**
***Napaeus (Napaeus) avaloensis* Groh 2006**
***Napaeus (Napaeus) badiusus* (Webb & Berthelot 1833)**
***Napaeus (Napaeus) baeticatus* (Webb & Berthelot 1833)**
= *halmyris* Mabille 1883
= *subbaeticatus* Mabille 1883
***Napaeus (Napaeus) bajamarensis* Ibáñez & Alonso 2009**
***Napaeus (Napaeus) barquini* Alonso & Ibáñez 2006**
***Napaeus (Napaeus) beguirae* Henríquez 1995**
***Napaeus (Napaeus) bertheloti* (L. Pfeiffer 1848)**
***Napaeus (Napaeus) boucheti* Alonso & Ibáñez 1993**
***Napaeus (Napaeus) consecoanus* (Mousson 1872)**
***Napaeus (Napaeus) delicatus* Alonso, Yanes & Ibáñez 2011**
***Napaeus (Napaeus) doloresae* Santana 2013**
***Napaeus (Napaeus) elegans* Alonso & Ibáñez 1995**
***Napaeus (Napaeus) encaustus* (Shuttleworth 1852)**
***Napaeus (Napaeus) estherae* Artiles 2013**
***Napaeus (Napaeus) flavoterminalis* (Wollaston 1878)**
***Napaeus (Napaeus) gomerensis* Holyoak & Holyoak 2011**
***Napaeus (Napaeus) grohi* Alonso, Ibáñez & Santana 2011**
***Napaeus (Napaeus) gruereanus* (Grasset 1857)**
***Napaeus (Napaeus) helvolus* (Webb & Berthelot 1833)**
= *hedeus* Mabille 1883
***Napaeus (Napaeus) inflatiusculus* (Wollaston 1878)**
***Napaeus (Napaeus) isletae* Groh & Ibáñez 1992**
***Napaeus (Napaeus) josei* Santana, Alonso & Ibáñez 2011**
†*Napaeus (Napaeus) lajaensis* Castillo, Yanes, Alonso & Ibáñez 2006
***Napaeus (Napaeus) maculatus* Goodacre 2006**
***Napaeus (Napaeus) magnus* Yanes, Deniz, Alonso & Ibáñez 2013**
***Napaeus (Napaeus) minimus* Holyoak & Holyoak 2011**
***Napaeus (Napaeus) moroi* Martín, Alonso & Ibáñez 2011**
***Napaeus (Napaeus) myosotis* (Webb & Berthelot 1833)**
***Napaeus (Napaeus) ocellatus* (Mousson 1872)**
***Napaeus (Napaeus) orientalis* Henríquez 1995**
***Napaeus (Napaeus) ornamentatus* Moro 2009**
***Napaeus (Napaeus) osoriensis* (Wollaston 1878)**
***Napaeus (Napaeus) palmensis* (Mousson 1872)**
***Napaeus (Napaeus) procerus* Emerson 2006**
***Napaeus (Napaeus) propinquus* (Shuttleworth 1852)**
***Napaeus (Napaeus) pygmaeus* Henríquez & Alonso 1993**

Napaeus (Napaeus) roccellicola (Webb & Berthelot 1833)
Napaeus (Napaeus) rupicola (Mousson 1872)
 = *rupivaga* Mabilie 1885
Napaeus (Napaeus) savinosa (Wollaston 1878)
Napaeus (Napaeus) servus (Mousson 1872)
Napaeus (Napaeus) severus Mabilie 1898
Napaeus (Napaeus) subgracilior (Wollaston 1878)
Napaeus (Napaeus) subsimplex (Wollaston 1878)
Napaeus (Napaeus) tafadaensis Yanes 2009
Napaeus (Napaeus) tagamichensis Henríquez 1993
Napaeus (Napaeus) taguluchensis Henríquez 1993
Napaeus (Napaeus) tenoensis Henríquez 1993
Napaeus (Napaeus) teobaldoi Martín 2009
Napaeus (Napaeus) terverianus (Webb & Berthelot 1833)
Napaeus (Napaeus) texturatus (Mousson 1872)
Napaeus (Napaeus) torilensis Artiles & Deniz 2011
Napaeus (Napaeus) validoi Ibáñez, Alonso & Martín 2011
Napaeus (Napaeus) variatus (Webb & Berthelot 1833)
 = *roccellicola* AA. non Webb & Berthelot 1832
Napaeus (Napaeus) venegueraensis Artiles, Santana & Deniz 2011
Napaeus (Napaeus) voggenreiteri Hutterer 2006

Subgenus *Napaeinus* P. Hesse, 1933

Napaeus (Napaeinus) bechi Alonso & Ibáñez 1993
Napaeus (Napaeinus) chrysaloides (Wollaston 1878)
Napaeus (Napaeinus) doliolum Henríquez 1993
Napaeus (Napaeinus) esbeltus Ibáñez & Alonso 1995
Napaeus (Napaeinus) exilis Henríquez 1995
Napaeus (Napaeinus) huttereri Henríquez 1991
Napaeus (Napaeinus) indifferens (Mousson 1872)
Napaeus (Napaeinus) interpunctatus (Wollaston 1878)
Napaeus (Napaeinus) lichenicola Alonso & Ibáñez 2007
Napaeus (Napaeinus) maffioteanus (Mousson 1872)
Napaeus (Napaeinus) moquinianus (Webb & Berthelot 1833)
Napaeus (Napaeinus) nanodes (Shuttleworth 1852)
 = *nanus* Shuttleworth 1852
Napaeus (Napaeinus) obesatus (Wollaston 1878)
Napaeus (Napaeinus) rufobrunneus (Wollaston 1878)
Napaeus (Napaeinus) tabidus (Shuttleworth 1852)
 = *anaga* Grasset 1857 ?
 = *delendus* Mabile 1883
 = *lowei* Wollaston 1878
 = *tarnierianus* Grasset 1856
 = *teneriffae* Mabilie 1883

Subgenus *Macaronapaeus* Kobelt 1899

Napaeus (Macaronapaeus) alabastrinus FríasMartins 1989
Napaeus (Macaronapaeus) atlanticus (L. Pfeiffer 1853)
 = *forbesianus* Morelet & Drouet 1857
Napaeus (Macaronapaeus) delibutus (Morelet & Drouet 1857)
Napaeus (Macaronapaeus) hartungi (Morelet & Drouet 1857)
Napaeus (Macaronapaeus) pruninus (Gould 1847)
 = *cyaneus* Albers 1852
Napaeus (Macaronapaeus) tremulans (Mousson 1858)
Napaeus (Macaronapaeus) vulgaris (Morelet & Drouet 1857)

Tribus Multidentulini Schileyko 1978

Genus *Merdigera* Held 1838

***Merdigera obscura* (O.F. Müller 1774)**

- = *centralis* Locard 1894
- = *columellaris* Westerlund 1887
- = *edentula* Risso 1826
- = *excessivus* Pirona 1865
- = *peregrilis* Locard 1894
- = *vupium* Costa 1778

Superfamilia Clausilioidea J.E. Gray 1855

Familia Clausiliidae J.E. Gray 1855

Subfamilia Alopiinae A.J. Wagner 1913

Tribus Cochlodini Lindholm 1925 (1923)

Genus *Cochlodina* A. Férussac 1821

Subgenus *Cochlodina* A. Férussac 1821

***Cochlodina* (*Cochlodina*) *laminata laminata* (Montagu 1803)**

- = *bidens* Draparnaud 1801
- = *bidens* Müller 1774
- = *plagiostoma* Bourguignat 1877
- = *sequanica* Bourguignat 1877
- = *silanica* Bourguignat 1877
- = *silensis* Pini 1884
- = *tertia* Boettger 1907

Tribus Delimini R. Brandt 1956

Genus *Papillifera* W. Hartmann 1842

***Papillifera papillaris papillaris* (Müller 1774)**

- = *aegusina* Monterosato 1892
- = *aliena* Monterosato 1892
- = *capillaris* Monterosato 1892
- = *herculea* Bourguignat 1877
- = *mediterranea* Wood 1828
- = *monilifera* Pfeiffer 1868
- = *muta* Westerlund 1901
- = *papillaris* Müller 1774
- = *peculiaris* Monterosato 1892
- = *subpapillaris* Westerlund 1878
- = *tabarkana* Pallary 1927
- = *taeniata* Westerlund 1901

***Papillifera papillaris affinis* (Philippi 1836)**

- = *agrigentina* Westerlund 1890
- = *barcinensis* Westerlund 1893 var.
- = *brevissima* Benoît 1875
- = *catalonica* Fagot 1884
- = *cathalonica de Chia* 1887
- = *familiaris* Monterosato 1892
- = *mamertina* Benoît 1840
- = *virgata* Rossmässler 1836

Subfamilia Baleinae A.J. Wagner 1913

Genus *Balea* J.E. Gray 1824

Subgenus *Balea* J.E. Gray 1824

***Balea* (*Balea*) *heydeni* V. Maltzan 1881**

***Balea* (*Balea*) *nitida* Mousson 1858**

***Balea* (*Balea*) *perversa* (Linnaeus 1758)**

- = *deshayesiana* Bourguignat 1857
- = *elongata* Adami 1886
- = *fragilis* Draparnaud 1801
- = *illyrica* Westerlund 1878
- = *pyrenaica* Bourguignat 1857
- = *rayiana* Bourguignat 1857

Subfamilia Clausiliinae J.E. Gray 1855

Tribus Clausiliini J.E. Gray 1855

Subgenus *Andraea* L. Pfeiffer 1848

***Clausilia (Andraea) dubia geretica* Bourguignat 1877**

= *crinagria* Bourguignat 1877
= *eurystomia* Bourguignat 1877
= *fagotiana* Bourguignat 1877
= *gallica* Bourguignat 1877

Genus *Clausilia* Draparnaud 1805
Subgenus *Clausilia* Draparnaud 1805

***Clausilia (Clausilia) bidentata bidentata* (Strøm 1765)**

= *anceps* Schmidt 1856
= *apiostoma* Bourguignat 1877
= *elongata* Clessin 1878 var.
= *ennychia* Bourguignat 1877
= *erasa* Moquin-Tandon 1856
= *glyca* Bourguignat 1877
= *jurensis* Coutagne 1886
= *marcella* Risso 1826
= *nigricans* Maton & Rackett 1807
= *obscura* Moquin-Tandon 1856
= *obtusa* Pfeiffer 1821
= *septentrionalis* Schmidt 1857 var.
= *ventrosa* Bourguignat 1877

***Clausilia (Clausilia) bidentata abietina* Dupuy 1849**

= *andreaana* Fagot 1877
= *aurigerana* Bourguignat 1877
= *bertronica* Bourguignat 1877
= *bigorrensis* Bourguignat 1877
= *boxorum* Bourguignat 1877
= *buxorum* Bourguignat 1877
= *capellarum* Bourguignat 1877
= *debilis* Fagot 1905
= *druiditica* Bourguignat 1860
= *fuxumica* Bourguignat 1877
= *garbetica* Bourguignat 1877
= *greixensis* Fagot 1905
= *laevior* Bourguignat 1877
= *llavorsiana* Fagot 1884
= *mamillata* Bourguignat 1877
= *oreinos* Käufel 1929
= *orophila* Bourguignat 1877
= *pumicata* Paladilhe 1875
= *pyrenaica* Charpentier 1852
= *rupestris* Bourguignat 1877
= *saintsimonis* Bourguignat 1877
= *saxorum* Bourguignat 1877

***Clausilia (Clausilia) bidentata moniziana* Lowe 1852**

= *charpentieri* Charpentier 1852
= *courquiniana* Bourguignat 1876
= *lusitanica* Bourguignat 1876
= *subuliformis* Küster 1853

***Clausilia (Clausilia) rugosa magdalenica* Salvañá 1887**

***Clausilia (Clausilia) rugosa parvula* A. Férussac 1807**

= *arrosta* Bourguignat 1877
= *atratosuturalis* Mabille
= *atrosuturalis* Bourguignat 1877
= *dilophia* Bourguignat 1877
= *eumicra* Bourguignat 1877
= *fallax* Jousseume 1880
= *girathroa* Bourguignat 1877
= *micrtracta* Bourguignat 1877
= *moitessieri* Bourguignat 1877
= *pegorarii* Pollonera 1885

***Clausilia (Clausilia) rugosa penchinati* Bourguignat 1876**

***Clausilia (Clausilia) rugosa reboudii* Dupuy 1851**

= *agrestis* Moquin-Tandon 1856
= *companyoni* Bourguignat 1877
= *gallica* Westerlund 1878
= *hypochra* Coutagne 1886
= *microlena* Bourguignat 1877
= *nana* Küster 1850
= *perexilis* Bourguignat 1877
= *pleurasthena* Bourguignat 1877
= *vaucclusensis* Coutagne 1881

Genus *Macrogastra* W. Hartmann 1841
Subgenus *Macrogastra* W. Hartmann 1841

***Macrogastra (Macrogastra) ventricosa ventricosa* (Draparnaud 1801)**

= *angustae* Pollonera 1885
= *bosnica* Brancsik 1890
= *earina* Bourguignat 1877
= *helvetica* Bourguignat 1863
= *micropleuros* Bourguignat 1877
= *muscosa* Studer 1789
= *nana* Brancsik 1890

Subgenus *Pseudovestia* H. Nordsieck 1977

***Macrogastra (Pseudovestia) portensis* (Da Silva 1872)**

***Macrogastra (Pseudovestia) rolphii* (Turton 1826)**

= *armoricana* Bourguignat 1880
= *digostoma* Bourguignat 1877
= *euzieriana* Bourguignat 1869

= *onixiomicra* Bourguignat 1877

Subgenus *Pyrostoma* Vest 1867

***Macrogastrea (Pyrostoma) attenuata lineolata* (Held 1836)**

= *basileensis* Rossmässler 1835
= *milneedwarsi* Bourguignat 1877

***Macrogastrea (Pyrostoma) plicatula plicatula* (Draparnaud 1801)**

= *cruda* Rossmässler 1835
= *latecostata* Adami 1885
= *matronica* Bourguignat 1877
= *plicatulina* Pini 1878
= *sororcula* Stefani 1883
= *vallombrosana* Gentiluomo 1868

Subfamilia Laminiferinae Wenz 1923

Genus *Neniatlanta* Bourguignat 1876

***Neniatlanta pauli* (J. Mabilie 1865)**

= *atlantica* Bourguignat 1894
= *mabiliei* Westerlund 1884
= *plicatula* Mabilie 1858

Genus *Bofilliella* Ehrmann 1927

***Bofilliella subarcuata* (Bofill & Poch 1897)**

Subfamilia Mentissoideinae Lindholm 1924

Tribus Boettgeriini H. Nordseick 1979

Genus *Boettgeria* O. Boettger 1863

Subgenus *Boettgeria* O. Boettger 1863

***Boettgeria (Boettgeria) deltostoma deltostoma* (Lowe 1831)**

= *maderensis* Charpentier 1852
= *major* Küster 1860
= *maritima* Lowe 1855

***Boettgeria (Boettgeria) deltostoma crebistriata* (Lowe 1855)**

= *normalis* Lowe 1855

***Boettgeria (Boettgeria) jensi* Neubert & Groh 1998**

***Boettgeria (Boettgeria) lowei* (Albers 1852)**

= *angulata* Schmidt 1868
= *portosanctana* Lowe 1855
= *purpurina* Paiva 1867
= *raricosta* Lowe 1855
= *undulata* Küster 1852

Subgenus *Loosjesiella* Neubert & Groh 1998

***Boettgeria (Loosjesiella) crispa* (Lowe 1831)**

= *decolorata* Wollaston 1878

***Boettgeria (Loosjesiella) depauperata* (Lowe 1863)**

= *depauperata* Lowe 1855
= *gracillima* Paiva 1867

***Boettgeria (Loosjesiella) exigua* (Lowe 1831)**

† ***Boettgeria (Loosjesiella) lorenziana* Groh & Hemmen 1984**

***Boettgeria (Loosjesiella) obesuscula* (Lowe 1863)**

Superfamilia Achatinoidea Swainson 1840

Familia Ferussaciidae Bourguignat 1883

Subfamilia Ferussaciinae Bourguignat 1883

Genus *Amphorella* R.T. Lowe 1852

Subgenus *Amphorella* R.T. Lowe 1852

Amphorella (Amphorella) cimensis Walden 1983
 = *subula* Lowe 1855
Amphorella (Amphorella) grabhami (Pilsbry 1908)
Amphorella (Amphorella) gracilis (Lowe 1854)
 = *vitrea* Lowe 1855
Amphorella (Amphorella) hypselia (Pilsbry 1909)
 = *producta* Lowe 1852
Amphorella (Amphorella) intermedia (Wollaston 1878)
Amphorella (Amphorella) iridescens (Wollaston 1878)
 = *laurentiana* Pilsbry 1908
 = *ventricosa* Paiva 1867
Amphorella (Amphorella) melampoides (Lowe 1854)
 = *maxima* Paiva 1867
Amphorella (Amphorella) mitriformis (Lowe 1852)
 †**Amphorella (Amphorella) talaverai** Hutterer & Groh 2014
Amphorella (Amphorella) tornatellina (Lowe 1831)
 = *major* Paiva 1867
 = *minor* Paiva 1867

Subgenus *Fusillus* R.T. Lowe 1852

Amphorella (Fusillus) oryza (Lowe 1852)
 = *edentula* Lowe 1831
 = *lowei* Paiva 186
 = *pulchellus* Shuttleworth 1852
 = *tandoniana* Shuttleworth 1852
 = *terebella* Lowe 1852
Amphorella (Fusillus) triticea (Lowe 1831)
 = *biplicata* Lowe 1831
 = *paroliniana* Webb & Berthelot 1833
Amphorella (Fusillus) tuberculata (Lowe 1852)

Genus *Cecilioides* A. Férussac 1814

Subgenus *Cecilioides* A. Férussac 1814

Cecilioides (Cecilioides) acicula (O.F. Müller 1774)
 = *aciculoides* De Cristofori & Jan 1832
 = *acuta* Aleron
 = *aglena* Bourguignat 1860
 = *amoenitanum* Dohrn 1869
 = *belonideus* Servain 1880
 = *eburnea* Risso 1826
 = *enhalia* Bourguignat 1860
 = *gattoi* Westerlund 1862
 = *gracilis* Paiva 1867
 = *lactea* Moitessier 1868
 = *lauta* Paulucci 1886
 = *lupensis* Caziot 1909
 = *maderensis* Pilsbry 1908
 = *major* Paiva 1867
 = *maurei* Caziot 1910
 = *mauriana* Bourguignat 1869
 = *melitensis* Westerlund 1882
 = *merimeana* Bourguignat 1869
 = *merimeii* Caziot 1910
 = *nodosaria* Boettger 1889
 = *nyctelia* Bourguignat 1856
 = *pollonerae* Westerlund 1892
 = *prealpina* Caziot 1909
 = *pusilla* Scacchi 1836
 = *ribeiroi* Servain 1880
 = *spiculum* Benson 1856
 = *terrestris* Montagu 1803
 = *uniplicata* Bourguignat 1864
 = *vandalitiae* Servain 1880
Cecilioides (Cecilioides) connollyi Tomlin 1943
Cecilioides (Cecilioides) petitiana (Benoit 1862) [sensu Ložek]
Cecilioides (Cecilioides) raphidia (Bourguignat 1856)
Cecilioides (Cecilioides) veneta (Strobel 1855)
 = *aciculoides* Betta 1932
 = *cazioti* Locard 1894
 = *gredleri* Küster 1870
 = *janii* De Betta & Mortillet 1855
 = *moitessieri* Bourguignat 1866
 = *pedemontana* Pollonera 1885

Subgenus *Raphidiella* Von Maltzan 1886

Cecilioides (Raphidiella) eulima (Lowe 1855)

Subgenus *Terebrella* Von Maltzan 1886

***Cecilioides (Terebrella) barbozae* (Von Maltzan 1886)**

= *nanodea* Bourguignat in Locard 1899

***Cecilioides (Terebrella) clessini* (Von Maltzan 1886)**

= *binodosa* Maltzan 1886

= *castroianus* Locard 1899

= *liesvillei* Bourguignat 1856

Genus *Coilostele* Benson 1864

***Coilostele akus* Servain 1880**

= *castroiana* Bourguignat 1880

= *hispanica* Bourguignat 1880

= *laevigata* Bourguignat 1880

= *letourneuxiana* Bourguignat 1880

= *raphidia* Bourguignat 1880

= *servaini* Bourguignat 1880

= *tumidula* Bourguignat 1880

Genus *Cylichnidia* R.T. Lowe 1852

†*Cylichnidia cylichna* (Lowe 1852)

***Cylichnidia ovuliformis* (Lowe 1831)**

= *pseudopsis* Wollaston 1878

Genus *Ferussacia* Risso 1826

Subgenus *Ferussacia* Risso 1826

***Ferussacia (Ferussacia) attenuata* (Mousson 1872)**

***Ferussacia (Ferussacia) folliculus* (Schröter 1784)**

= *caturigium* Draparnaud 1805

= *cincta* Locard 1894

= *denarensis* De Gregorio 1896

= *elongata* Monterosato 1892

= *elongatus* Monterosato 1892

= *forbesi* Bourguignat 1856

= *gravida* Flor. 1886

= *gronoviana* Risso 1826

= *lanceolata* Bourguignat 1864

= *nebrodensis* Benoit 1862

= *nitidissima* Forbes 1836

= *proechia* Bourguignat 1864

= *regularis* Bourguignat 1860

= *reissi* Mousson 1872

= *scaturigivium* Draparnaud 1805

= *splendidula* Costa 1836

= *subamblya* G. Nevill 1880

= *subforbesi* G. Nevill 1880

= *vescoi* Bourguignat 1856

= *wollastoni* Watson 1877

***Ferussacia (Ferussacia) fritschi* (Mousson 1872)**

***Ferussacia (Ferussacia) lanzarotensis* (Mousson 1872)**

***Ferussacia (Ferussacia) submajor* (Wollaston 1878)**

***Ferussacia (Ferussacia) tumidula* (Wollaston 1878)**

***Ferussacia (Ferussacia) valida* (Mousson 1872)**

***Ferussacia (Ferussacia) vitrea* (Webb & Berthelot 1833)**

Genus *Hohenwarthia* A. Lotourneux & Bourguignat 1887

***Hohenwarthia disparata* (Westerlund 1891)**

Genus *Pyrgella* R.T. Lowe 1855

***Pyrgella leacockiana* (Lowe 1852)**

Genus *Sculptiferussacia* Germain 1911

***Sculptiferussacia clausiliaeformis* Alonso & Ibáñez 1992**

Familia Subulinidae P. Fischer & Crosse 1877
Subfamilia Subulininae P. Fischer & Crosse 1877

Genus *Opeas* Albers 1850

Subgenus *Opeas* Albers 1850

***Opeas (Opeas) hannensis* (Rang 1831)**

- = *clavulus* Ferussac 1821
- = *goodallii* Miller 1822
- = *greeffi* Panelius 1958
- = *pumilus* Pfeiffer 1840

***Opeas (Opeas) micra* (D'Orbigny 1835)**

Genus *Pseudopeas* Putzeys 1899

Subgenus *Pseudopeas* Putzeys 1899

***Pseudopeas (Pseudopeas) saxatile* (Morelet 1885)**

Genus *Lamellaxis* Strobel & Pfeiffer 1882

Subgenus *Allopeas* H.B. Baker 1935

***Lamellaxis (Allopeas) gracilis* (Hutton 1834)**

Subfamilia Rumininae Wenz 1923

Genus *Rumina* Risso 1826

***Rumina decollata* (Linnaeus 1758)**

- = *ciuda* Monterosato 1892
- = *cruda* Monterosato 1892
- = *cylindrica* Monterosato 1892
- = *incomparabilis* Risso 1826
- = *pellucida* Monterosato 1892
- = *solida* Monterosato 1892
- = *truncatella* Risso 1826

***Rumina saharica* (Pallary 1901)**

- = *gracilis* Pfeiffer 1856
- = *minima* Kaltenbach 1951
- = *truncatula* Mousson 1854

Genus *Zootecus* Westerlund 1887

***Zootecus insularis* (Ehrenberg 1831)**

- = *bamboucha* Ferussac 1827
- = *subdiaphana* King 1831

Superfamilia streptaxoidea J.E. Gray 1860

Familia Streptaxidae J.E. Gray 1860

Subfamilia Orthogibbinae

Genus *Gibbulinella* Wenz 1820

***Gibbulinella dealbata* (Webb & Berthelot 1833)**

***Gibbulinella dewinteri* Bank, Groh & Ripken 2002**

- = *minor* Mousson 1872

†*Gibbulinella macrogira* (Mousson 1872)

Superfamilia Testacelloidea J.E. Gray 1840

Familia Testacellidae J.E. Gray 1840

Genus *Testacella* Cuvier 1800

Subgenus *Testacella* Cuvier 1800

***Testacella (Testacella) haliotidea* Lamarck 1801**

- = *barcinonensis* Pollonera 1888
- = *dubia* Pollonera 1888
- = *esserana* Fagot 1892
- = *europaea* Roissy 1805
- = *galliae* Oken 1810

- = *leucophaea* Boissy 1805
- = *pascali* Bourguignat in Massot 1870
- = *servaini* Massot 1870
- = *subterranea* Lafon. 1806

***Testacella (Testacella) maugei* A. Férussac 1819**

= *aurigaster* Watson 1915
= *burdigalensis* Grateloup 1868
= *canariensis* Grateloup 1855
= *deshayesi* Michaud 1835
= *dilatata* Pollonera 1899

= *drymonia* Bourguignat 1862
= *haliotoides* Lamarck 1801
= *oceanica* Grateloup 1855
= *subtrigona* Pollonera 1888
= *trigona* Gassies & Fischer 1856

***Testacella (Testacella) scutulum* G.B. Sowerby I 1820**

= *anglica* Grateloup 1855
= *beccari* Issel 1868
= *canigonensis* Grateloup 1855
= *catalonica* Pollonera 1888
= *companyonii* Dupuy 1850
= *episcia* Bourguignat 1861
= *hungarica* Soòs 1908
= *pecchiolii* Bourguignat 1861

Superfamilia Papillodermatoidea Wiktor, Martin & Castillejo 1990
Familia Papillodermatidae Wiktor, Martin & Castillejo 1990

Genus Papilloderma Wiktor, Martin & Castillejo 1990

***Papilloderma altonagai* Wiktor, Martin & Castillejo 1990**

Superfamilia Punctoidea Morse 1864
Familia Punctidae Morse 1864

Genus *Punctum* Morse 1864
Subgenus *Punctum* Morse 1864

***Punctum (Punctum) azoricum* De Winter 1988**
***Punctum (Punctum) pygmaeum* (Draparnaud 1801)**
= *massoti* Bourguignat 1863
= *saintsimoni* Locard 1894
= *simoniana* Bourguignat 1870

Genus *Paralaoma* Iredale 1913

***Paralaoma servilis* (Shuttleworth 1852)**
= *annulata* Lowe 1855
= *caputspinulae* Reeve 1852
= *elachia* Bourguignat 1865
= *hypocrita* Dohrn 1867
= *luseana* Paiva 1867
= *micropleuros* Paget 1854
= *poupillieri* Westerlund 1892
= *pusilla* Lowe 1831
= *tenuicostata* Pfeiffer 1846

PUNCTIDAE SPECIAE DUBIAE

= *servaini* Bourguignat 1864

Familia Charopidae
Subfamilia Charopinae

Genus *Discocharopa* Iredale 1913

***Discocharopa aperta* (Möllendorff 1888)**

Familia Helicodiscidae H.B. Baker 1927

Genus *Helicodiscus* Morse 1864

***Helicodiscus parallelus* (Say 1821)**

Genus *Lucilla* R.T. Lowe 1852

***Lucilla scintilla* (R.T. Lowe 1852)**
= *riparbelli* Giusti 1976
***Lucilla singleyana* (Pilsbry 1890)**

= *inermis* Baker 1929

Familia Discidae Thiele 1931

Genus *Discus* Fitzinger 1833

Subgenus *Discus* Fitzinger 1833

***Discus (Discus) ruderatus* (W. Hartmann 1821)**

= *flavina* Pini 1889

Subgenus *Gonyodiscus* Fitzinger 1833

***Discus (Gonyodiscus) rotundatus rotundatus* (O.F. Müller 1774)**

= *abietinus* Bourguignat 1864

= *azorica* Mousson 1858

= *brocchii* Calcara 1845

= *machadoi* Milne-Edwards 1885

= *megerlei* Mabilite 1865

= *radiatus* Costa 1778

= *spelaeus* Kobelt in Rossmässler 1907

= *supracostatus* Sandberger 1874

Genus *Canaridiscus* Alonso & Ibáñez 2011

***Canaridiscus anagaensis* Ibáñez & Holyoak 2011**

***Canaridiscus engonatus* (Shuttleworth 1852)**

= *pallidior* Mousson 1872

***Canaridiscus ganodus* (Mabilite 1882)**

***Canaridiscus gomerensis* (Rähle 1994)**

***Canaridiscus kompsus* (Mabilite 1883)**

= *concinna* Lowe 1861

***Canaridiscus laurisilvae* Allgaier & Klemm 2012**

***Canaridiscus putrescens* (Lowe 1861)**

***Canaridiscus retextus* (Shuttleworth 1852)**

***Canaridiscus rupivagus* Rähle & Allgaier 2011**

***Canaridiscus saproxylophagus* Alonso, Holyoak & Yanes 2011**

***Canaridiscus scutululus* (Shuttleworth 1852)**

***Canaridiscus textilis* (Shuttleworth 1852)**

Genus *Keraea* Gude 1911

***Keraea bertholdiana* (L. Pfeiffer 1852)**

† ***Keraea deflorata* (Lowe 1854)**

***Keraea garachicoensis* (Wollaston 1878)**

= *agrestis* Wollaston 1878

= *submarmorata* Wollaston 1878

***Keraea gorgonarum* (Dohrn 1869)**

= *aluta* Albers in Reibisch 1865

= *bouvieri* Morelet 1873

= *major* Dohrn 1869

Superfamilia Gastrodontoidea Tryon 1866

Familia Euconulidae H.B. Baker 1928

Subfamilia Euconulinae H.B. Baker 1928

Genus *Euconulus* Reinhardt 1883

Subgenus *Euconulus* Reinhardt 1883

***Euconulus (Euconulus) callopisticus* (Bourguignat 1890)**

= *vesperalis* Bourguignat in Servain 1880

***Euconulus (Euconulus) fulvus* (O.F. Müller 1774)**

= *bourguignati* Stefani 1883

= *gallica* Bourguignat 1880

= *improperus* Bourguignat 1880

= *mandralisci* Bivona 1839

= *mortonii* Jeffreys 1830
= *terrestris* Costa

***Euconulus (Euconulus) praticola* (Reinhardt 1883)**

Familia Gastrodontidae Tryon 1866

Genus *Janulus* Lowe 1852

***Janulus bifrons* (Lowe 1831)**

***Janulus pompylius* (Shuttleworth 1852)**

***Janulus stephanophorus* (Deshayes 1835)**

= *calathus* Lowe 1852

***Janulus traviesus* Castro & al. 2014**

Genus *Vermetum* Wollaston 1878

***Vermetum festinans* (Shuttleworth 1852)**

***Vermetum tamadabaensis* Holyoak & al. 2014**

Genus *Atlantica* Ancey 1887

***Atlantica gueriniana* (Lowe 1852)**

= *semiplicatus* Pfeiffer 1852

***Atlantica calathoides* (Lowe 1863)**

Genus *Zonitoides* Lehmann 1862

Subgenus *Zonitoides* Lehmann 1862

***Zonitoides (Zonitoides) arboreus* (Say 1817)**

= *azoricus* Riedel 1964

***Zonitoides (Zonitoides) excavatus* (Alder 1830)**

***Zonitoides (Zonitoides) jaccetanicus* (Bourguignat 1870)**

***Zonitoides (Zonitoides) nitidus* (O.F. Müller 1774)**

= *chauveliana* Locard 1899

= *lucidus* Draparnaud 1805

= *machoi* Servain 1880

= *nitidiformis* Locard 1899

= *parisiacus* Mabilie 1869

Genus *Striatura* Morse 1864

Subgenus *Striatura* Morse 1864

***Striatura (Striatura) milium* (Whittemore 1859)**

Familia Oxychilidae P. Hesse 1927 (1879)

Subfamilia Godwiniinae C.M. Cooke 1921

Genus *Aegopinella* Lindholm 1927

***Aegopinella epipedostoma epipedostoma* (Fagot 1879)**

= *cyclotus* Bofill 1909

= *hiulca* Moquin-Tandon 1855

***Aegopinella minor* (Stabile 1864)**

= *alpina* Dumont & Mortillet 1856

= *inermis* Wagner 1907

***Aegopinella nitens* (Michaud 1831)**

= *alliariformis* Locard 1899

= *amiatae* Paulucci 1878

= *apocryptus* Fagot 1884

= *apronensis* Caziot 1910

= *atonolena* Locard 1894

= *basilica* Locard 1899

= *bourguetica* Lcoard 1894

= *cellaria* Studer 1820

= *cuzyensis* Locard 1894

= *demiranda* Locard 1894

= *dutaillyanus* Mabilie 1878

= *epipedostomus* Bourguignat 1869

= *jourdheuillei* Ray. 1880

= *lenaploa* Locard 1894

= *nitida* Studer 1789

= *nitidula* Faure 1927

= *nitidula* Lozek 1956

= *piniana* Pollonera 1885

= *sicula* Benoit 1857
= *stilpna* Locard 1894

= *subnitens* Bourguignat 1871

***Aegopinella nitidula* (Draparnaud 1805)**

= *helmii* Alder 1837
= *margaritacea* Schmidt 1851
= *oltisana* Fagot 1883

***Aegopinella pura* (Alder 1830)**

= *callarabdota* Castro 1890
= *lenarrosta* Bourguignat 1894
= *lenticula* Held 1837
= *lenticularis* Held 1837
= *macrasolvina* Bourguignat 1894
= *nitidosa* Ferussac 1821
= *pilaticus* Bourguignat 1862

Genus *Retinella* P. Fischer 1877

Subgenus *Retinelloides* Riedel 1977

***Retinella (Retinelloides) incerta* (Draparnaud 1805)**

= *algira* Dillwyn 1817
= *macrobiotus* G. Nevill
= *olivatorum* AA. non Gmelin 1789
= *subincerta* G. Nevill
= *vasconica* Locard 1894
= *vasconicus* Bourguignat 1880

Subgenus *Lyrodiscus* Pilsbry 1893

***Retinella (Lyrodiscus) circumsessa* (Shuttleworth 1852)**

***Retinella (Lyrodiscus) hierroensis* Alonso & Ibáñez 2013**

***Retinella (Lyrodiscus) lenis* (Shuttleworth 1852)**

***Retinella (Lyrodiscus) osoriensis* (Wollaston 1878)**

***Retinella (Lyrodiscus) rochebruni* (Mabille 1882)**

Genus *Nesovitrea* C. M. Cooke 1921

Subgenus *Perpolita* H.B. Baker 1928

***Nesovitrea (Perpolita) hammonis* (Strøm 1765)**

= *mixta* Westerlund 1886
= *radiatula* Alder 1830
= *striatula* Gray 1821
= *subradiatula* Fagot 1879
= *viridula* Menke 1830

***Nesovitrea (Perpolita) petronella* (L. Pfeiffer 1853)**

= *cenisia* Pollonera 1885
= *pura* Martens 1856

Subfamilia *Oxychilinae* P. Hesse 1927 (1879)

Genus *Mediterranea* Clessin 1880

***Mediterranea hydatina hydatina* (Rossmässler 1838)**

= *anceyi* Westerlund 1886
= *calderonii* Westerlund 1890
= *eudedalaeus* Bourguignat 1856
= *exaequata* Locard 1894
= *hypogaea* Bourguignat 1884
= *illauta* Bourguignat 1880
= *latebricola* Bourguignat 1856
= *noctuabunda* Bourguignat 1880
= *othonia* Bourguignat 1894
= *pisana* Westerlund 1887
= *pseudohydatinus* Bourguignat 1853
= *sedentaria* Bourguignat 1880
= *subhydatina* Pollonera 1885
= *umbraticus* Bourguignat 1880
= *vermiculum* Lowe 1861
= *zancleus* Bourguignat 1880

Genus *Morlina* A.J. Wagner 1914

***Morlina glabra glabra* (Rossmässler 1835)**

= *barraudi* Moquin-Tandon 1855
= *eroica* Paulucci 1879
= *lucidus* Studer 1820

***Morlina glabra harlei* (Fagot 1884)**

Genus *Oxychilus* Fitzinger 1833
Subgenus *Atlantoxychilus* Riedel 1964

***Oxychilus (Atlantoxychilus) spectabilis* (MilneEdwards 1885)**
= richardi Ponsonby in Kobelt 1889

Subgenus *Drouetia* Gude 1911

***Oxychilus (Drouetia) agostinhoi* Martins 1981**
***Oxychilus (Drouetia) atlanticus* (Morelet & Drouet 1857)**
= batalhana De Winter 1989
***Oxychilus (Drouetia) brincki* Riedel 1964**
***Oxychilus (Drouetia) furtadoi* Martins 1989**
***Oxychilus (Drouetia) miceui* Martins 1989**
***Oxychilus (Drouetia) minor* Riedel 1964**

Subgenus *Ortizius* Forcart 1957

***Oxychilus (Ortizius) alliaris* (J.S. Miller 1822)**
= amplyopa Bourguignat 1894
= apothecia Bourguignat 1894
= arcasianus Servain 1880
***Oxychilus (Ortizius) altimirai* Riedel 1972**
***Oxychilus (Ortizius) anjana* Altonaga 1986**
***Oxychilus (Ortizius) basajauna* Altonaga 1988**
***Oxychilus (Ortizius) clarus* (Held 1838)**
***Oxychilus (Ortizius) courquini* (Bourguignat 1870)**
?*Oxychilus (Ortizius) francescae* Bech 1996
***Oxychilus (Ortizius) gardinii* Manganelli, Bodon & Giusti 1991**
***Oxychilus (Ortizius) juvenostriatus* Riedel 1964**
***Oxychilus (Ortizius) lentiformis* (Kobelt 1882)**
= brauni Westerlund 1887
***Oxychilus (Ortizius) lineolatus* Martins & Ripken 1991**
***Oxychilus (Ortizius) mercadali* Gasull 1970**
= cellarius Fez 1961
***Oxychilus (Ortizius) miguelinus* (L. Pfeiffer 1856)**
= vidaliana Morelet & Drouët 1857
***Oxychilus (Ortizius) navarricus navarricus* (Bourguignat 1870)**
= cantabrica Westerlund 1883
= dracica Bourguignat 1894
= neglecta Fagot 1896
= ollioulensis Bourguignat 1884
= sabaudina Bourguignat 1894
= servaini Bourguignat 1883
***Oxychilus (Ortizius) navarricus helveticus* (Blum 1881)**
= subglobosa Godet
***Oxychilus (Ortizius) ornatus* Riedel 1964**
***Oxychilus (Ortizius) pityusanus* Riedel 1969**
***Oxychilus (Ortizius) rateranus* (Servain 1880)**
= alhambrae Westerlund 1886
= granadensis Kobelt 1890
= kraliki Servain 1880
= sevilensis Westerlund 1890

Subgenus *Oxychilus* Fitzinger 1833

***Oxychilus (Oxychilus) beckmanni* Falkner 2007**
***Oxychilus (Oxychilus) cellarius* (O.F. Müller 1774)**
= blidahensis Locard 1899
= chersa Bourguignat 1889
= lauta Locard 1899
= lucidus Montagu 1803
= lusitanica Locard 1899
= montsicci Bofill 1909
= navaxica Jeannel 1926
= nitens Sheppard 1823
= rouvieri Locard 1899
= sancta Bourguignat 1853
= subfarinesianus Bourguignat 1894
= sylvestris Fagot & Nansouty 1875

***Oxychilus (Oxychilus) draparnaudi draparnaudi* (H. Beck 1837)**

- = *achyophila* Locard 1899
- = *algarvensis* Locard 1899
- = *amiatae* Westerlund 1886
- = *austriaca* Wagner 1907
- = *barbozana* Castro 1894
- = *blaueneri* Pallary 1898
- = *blondianus* Bourguignat 1880
- = *calabrica* Paulucci 1879
- = *canariae* Mousson 1872
- = *disculina* Locard 1893
- = *draparnaldi* Westerlund 1887
- = *eridanicus* Stefani 1883
- = *farinesiana* Locard 1894
- = *fodereana* Bourguignat 1894
- = *gallica* Beck 1837
- = *gorgonianus* Giusti 1968
- = *gyrocurtopsis* Locard 1899
- = *gyrocurtus* Bourguignat 1880
- = *igilicus* Giusti 1968
- = *intermissa* Locard 1894
- = *lateranus* Servain 1880
- = *lucida* Draparnaud 1801
- = *lucidus* Moquin-Tandon 1855
- = *magonensis* Bourguignat 1894
- = *melitensis* Monterosato 1892
- = *molleriana* Locard 1899
- = *nitens* AA. non Michaud 1831
- = *nitida* Draparnaud 1805
- = *nitidula* Draparnaud 1805
- = *notha* Westerlund 1886
- = *pictonicus* Bourguignat 1870
- = *porroi* Paulucci 1882
- = *ralicus* Giusti 1968
- = *recta* Locard 1894
- = *scothophila* Stefani 1879
- = *septentrionalis* Bourguignat 1870
- = *staechadicus* Bourguignat 1877
- = *subfarinesiana* Bourguignat 1860
- = *subglabra* Bourguignat 1860
- = *tarvisianus* Stefani 1883
- = *terveri* Locard 1893
- = *themera* Mabilie 1882

Subgenus *Radiolus* Wollaston 1878

***Oxychilus (Radiolus) volutella* (L. Pfeiffer 1856)**

- = *brumalis* Morelet & Drouët 1857

Familia Pristilomatidae T. Cockerell 1891

Genus *Hawaiiia* Gude 1911

***Hawaiiia minuscula* (Binney 1840)**

Genus *Vitrea* Fitzinger 1833

***Vitrea contracta* (Westerlund 1871)**

- = *abchastica* Retowski 1914
- = *arnouldi* Castro 1893
- = *blanci* Hesse 1882
- = *botteri* Locard 1883
- = *dubreuili* Clessin 1877
- = *elegans* Locard 1895
- = *fuerteventurae* Wollaston 1878
- = *lepta* Westerlund 1902
- = *mica* Westerlund 1886
- = *permodesta* Bourguignat 1883
- = *permodestus* Servain 1880
- = *subcontractus* Wagner 1907
- = *vitreolus* Bourguignat 1880
- = *zapateri* Westerlund 1898

***Vitrea crystallina* (O.F. Müller 1774)**

- = *andreaei* Boettger 1880
- = *diaphana* Charpentier non Studer
- = *eburnea* Hartmann
- = *humicola* Mabilie 1870
- = *hydatinus* Moquin-Tandon 1855
- = *major* Morelet 1845
- = *orientalis* Kimakowicz 1883
- = *pellucida* pennant 1777
- = *podolica* Clessin 1880
- = *secretus* Bourguignat 1880
- = *subglobula* Ehrmann 1933
- = *subterraneus* Bourguignat 1856
- = *vitrea* Brown

***Vitrea diaphana diaphana* (S. Studer 1820)**

- = *contorta* Held 1837
- = *hyalina* Ferussac 1822
- = *lessonae* Pini 1884

***Vitrea gasulli* Riedel & Paul 1978**

***Vitrea inae* De Winter & Ripken 1991**

***Vitrea narbonensis* (Clessin 1877)**

- = *diaphana* Fez 1961
- = *secreta* Locard 1882

***Vitrea striata* Norris, Paul & Riedel 1988**

***Vitrea subrimata* (Reinhardt 1871)**

- = *aequegyra* Paulucci 1882
- = *apalisti* Couturier 1903
- = *apalustus* Bourguignat 1864
- = *bazzettae* Pollonera 1885
- = *clathrata* Kimakowicz 1890
- = *craverii* Pollonera 1885
- = *diaphana* Pechaud 1883
- = *hyblensis* Kobelt 1881
- = *inflata* Wagner 1907
- = *litoralis* Clessin 1877
- = *oxystoma* Westerlund 1888
- = *parthenica* Bourguignat 1883
- = *petricola* Paulucci 1882
- = *pseudodiaphana* Locard 1882

= reitteri Boettger 1880
= sphaeroconus Wagner 1907
= subumbilicata Locard 1880

= tarda Fagot 1887
= targioniana Paulucci 1882

?*Vitreola subvitrea* (Bourguignat 1880)

Superfamilia Parmacelloidea P. Fischer 1856
Familia Parmacellidae P. Fischer 1856

Genus *Cryptella* Webb & Berthelot 1833

***Cryptella alegranzae* Hutterer & Groh 1991**

= *callosa* Mousson 1872

***Cryptella auriculata* Mousson 1872**

= *ambigua* d'Orbigny 1839

***Cryptella canariensis* Webb & Berthelot 1833**

= *ambigua* d'Orbigny 1839

= *calyculata* Sowerby & Sowerby

***Cryptella famarae* Hutterer & Groh 1991**

***Cryptella parvula* Hutterer 1990**

***Cryptella susannae* Hutterer 1990**

***Cryptella tamaranensis* Hutterer 1990**

Genus *Drusia* Gray 1855

Subgenus *Drusia* Gray 1855

***Drusia (Drusia) teneriffensis* (Alonso 1985)**

***Drusia (Drusia) valencienni* (Webb & Van Beneden 1836)**

= *colosii* Gambetta 1929

= *paladilhei* Penchinat 1870

= *valenciennesi* Moquin-Tandon 1855

Familia Milacidae Ellis 1926

Genus *Milax* J.E. Gray 1855

***Milax gagates* (Draparnaud 1801)**

= *atratus* Mabilie 1868

= *azoricus* Milne-Edwards 1885

= *bedriagae* Lessona & Pollonera 1882

= *benoiti* Lessona & Pollonera 1882

= *canaria* Torres Minguez 1928

= *caremata* D'Orbigny 1839

= *drymonius* Bourguignat 1859

***Milax nigricans* (Philippi 1836)**

= *doderleini* Lessona & Pollonera 1882

= *ichnusae* Lessona & Pollonera 1882

= *insularis* Lessona & Pollonera 1882

= *pallidissima* Pollonera 1891

= *praioiae* Giusti 1968

= *provincialis* Coutagne 1886

= *sicula* Lessona & Pollonera 1882

= *similis* Cockerell 1891

= *gaimardi* Mabilie 1883

= *maderensis* Cockerell 1891

= *parryi* Collinge 1895

= *polyptyelus* Bourguignat 1859

= *santosi* Torres Minguez 1928

= *verneai* Mabilie 1883

Genus *Tandonia* Lessona & Pollonera 1882

***Tandonia rustica* (Millet 1843)**

= *marginatus* Draparnaud 1805

***Tandonia sowerbyi* (A. Férussac 1823)**

= *agrillaceus* Gassies 1856

= *barbarus* Mabilie 1869

= *carinatus* Risso 1826

= *casertanus* Lessona & Pollonera 1882

= *collingei* Hesse 1926

= *etruscus* Issel 1868

= *fulva* Paulucci 1879

= *hessei* Boettger 1882

= *insolutus* Lessona & Pollonera 1882

= *kobelti* Hesse 1882

= *maculata* Collinge 1895

= *mongianensis* Paulucci 1879

= *oreteus* Lessona & Pollonera 1882

= *pallidissimus* Lessona & Pollonera 1893

= *pallidula* Cockerell 1890

= *pratensis* Torres Minguez 1923

= *tyrrrena* Lessona & Pollonera 1882

Superfamilia Limacoidea Lamarck 1801
Familia Agriolimacidae H. A.J. Wagner 1935
Subfamilia Agriolimacinae H. A.J. Wagner 1935

Genus *Derocheras* Rafinesque 1820
Subgenus *Derocheras* Rafinesque 1820

***Derocheras (Derocheras) agreste* (Linnaeus 1758)**

- = *auratum* Lessona 1880
- = *bilobatus* Ferussac 1819
- = *fedtschenkoi* Koch & Heynemann 1874
- = *fusconotatum* Lessona & Pollonera 1882
- = *immaculatum* Lessona & Pollonera 1882
- = *minutus* Kaleniczenko 1851
- = *obliqua* Brard 1815
- = *pallidus* Schrenck 1848
- = *paradisiacus* Gambetta 1932
- = *pojoritensis* Husanu 1967
- = *pycnoblennius* Bourguignat 1862
- = *transcaucasicum* Simroth 1901

***Derocheras (Derocheras) altimirai* (van Regteren Altena 1969)**

***Derocheras (Derocheras) ercinae* De Winter 1985**

***Derocheras (Derocheras) laeve* (O.F. Müller 1774)**

- = *lacustre* Lessona & Pollonera 1882
- = *mentonicus* Nevill 1880
- = *renschii* Wagner 1934

***Derocheras (Derocheras) levisarcobelum* de Winter 1986**

***Derocheras (Derocheras) lombricoides* (Morelet 1845)**

- = *hispaniensis* Castillejo & Wiktor 1983
- = *immaculatus* Simroth 1891
- = *nigrescens* Simroth 1894

***Derocheras (Derocheras) nitidum* (Morelet 1845)**

- = *hilbrandi* Van Regteren Altena 1964
- = *maltzani* Simroth 1885

***Derocheras (Derocheras) panormitanum* (Lessona & Pollonera 1882)**

- = *caruanae* Pollonera 1905
- = *cecconi* Pollonera 1896
- = *dubius* Hoffmann 1941
- = *ilvatica* Pollonera 1905
- = *meridionale* Reygrobellet 1963
- = *pollonerae* Simroth 1889
- = *scharffi* Simroth 1910

***Derocheras (Derocheras) ponsonbyi* (Hesse 1884)**

***Derocheras (Derocheras) reticulatum* (O.F. Müller 1774)**

- = *altenai* Lupu 1976
- = *maculata* Lowe 1855
- = *punctata* Lowe 1855
- = *punctulata* Paiva 1867
- = *simrothi* Cockerell 1893

***Derocheras (Derocheras) roblesi* Borredà 2003**

***Derocheras (Derocheras) rodnae* Grossu & Lupu 1965**

- = *fatrense* Macha 1981
- = *juranum* Wüthrich 1993

***Derocheras (Derocheras) tarracense* Altena 1969**

***Derocheras (Derocheras) vascoanum* de Winter 1986**

Subgenus *Liolytopelte* Simroth 1902

***Derocheras (Liolytopelte) moldavicum* (Grossu & Lupu 1961)**

- = *huculorum* Babor & Frankenberger 1914
- = *hydrobius* Wagner 1943

Genus *Furcopenis* Castillejo & Wiktor 1983

***Furcopenis circularis* Castillejo & Mascato 1987**

***Furcopenis darioi* Castillejo & Wiktor 1983**

***Furcopenis gallaecensis* Castillejo & Wiktor 1983**

***Furcopenis geresiensis* (Rodríguez, Castillejo & Outeiro 1989)**

Familia Boettgerillidae Van Goethem 1972

Genus *Boettgerilla* Simroth 1910

***Boettgerilla pallens* Simroth 1912**

= *vermiformis* Wiktor 1959

Familia Limacidae Lamarck 1801
Subfamilia Limacinae Lamarck 1801

Genus *Ambigolimax* Pollonera 1887

***Ambigolimax valentiana* (A. Férussac 1822)**

= *poirieri* Mabille 1883

Genus *Lehmannia* Heynemann 1863

***Lehmannia marginata* (O.F. Müller 1774)**

= *arborum* Bouchard-Chantereaux 1838

= *balcanica* Wagner 1928

= *bettonii* Sordelli 1870

= *bielzi* Lupu 1973

= *dianae* Kimakowicz 1884

= *getica* Grossu 1970

= *helveticus* Bourguignat 1862

= *pallens* Lessona & Pollonera 1882

= *tigri* Lupu 1973

***Lehmannia nyctelia* (Bourguignat 1861)**

= *kervillei* Germain 1907

***Lehmannia rupicola* Lessona & Pollonera 1882**

= *alpestris* Lessona & Pollonera 1882

***Lehmannia valentiana* (A. Férussac 1822)**

= *poirieri* Mabille 1883

Genus *Limacus* Lehmann 1864

***Limacus flavus* (Linnaeus 1758)**

= *breckworthianus* Lehmann 1864

= *calendymus* Bourguignat 1859

= *canariensis* d'Orbigny 1839

= *horsti* Germain

= *rufa* Paiva 1867

= *rufescens* Moquin-Tandon 1855

= *umbrosus* Philippi 1844

= *variegatus* Draparnaud 1801

= *virescens* Lowe 1855

Genus *Limax* Linnaeus 1758

***Limax cinereoniger* Wolf 1803**

= *nubigenus* Bourguignat 1862

= *schulzei* Gerhardt 1941

= *transsylvanica* Heynemann 1862

= *zilchi* Grossu & Lupu 1960

***Limax maximus* Linnaeus 1758**

= *altenai* Grossu & Lupu 1960

= *bocagei* Castro 1873

= *cellarius* Lessona & Pollonera 1892

= *cinereus* Müller 1774

= *vulgaris* MoquinTandon 1855

Genus *Malacolimax* Malm 1868

***Malacolimax tenellus* (O.F. Müller 1774)**

= *tivgenius* Grossu 1969

***Malacolimax wiktori* Alonso & Ibáñez 1989**

Genus *Gigantolimax* O. Boettger 1883

Subgenus *Vitrinoides* Simroth 1891

***Gigantolimax (Vitrinoides) benjaminus* Borredà & Martínez-Ortí 2008**

***Gigantolimax (Vitrinoides) majoricensis* (Heynemann 1862)**

Familia Vitrinidae Fitzinger 1833

Subfamilia Plutoniinae T. Cockerell 1893

Genus *Oligolimax* P. Fischer 1878

Oligolimax annularis (S. Studer 1820)

- = *caucasicus* Westerlund 1886
- = *conoidea* Martens 1874
- = *komarowi* Boettger 1879
- = *persica* Boettger 1889
- = *plicosa* Bielz 1867
- = *raddei* Boettger 1889
- = *rugosa* Paulucci 1881
- = *scythica* Pusanow 1925
- = *sieversi* Mousson 1876
- = *striata* Bourguignat 1876
- = *subconica* Boettger 1878
- = *subglobosa* Michaud 1831
- = *tarraconensis* Westerlund 1893

Genus *Phenacolimax* Stabile 1859

Phenacolimax major (A. Férussac 1807)

- = *audebardi* Ferussac 1821
- = *austrasiae* Wagner 1915
- = *draparnaldi* Cuvier 1817
- = *draparnaudi* Locard 1882
- = *pellucida* Draparnaud 1801
- = *spreta* Fagot 1892

Genus *Plutonia* Stabile 1864

Subgenus *Plutonia* Stabile 1864

Plutonia (Plutonia ?) angulosa (Morelet 1860)

Plutonia (Plutonia) atlantica (Morelet 1860)

Plutonia (Plutonia ?) pelagica (Morelet 1860)

Subgenus *Azorivitrina* Giusti, Fiorentino, Benocci & Manganelli 2011

Plutonia (Azorivitrina) brevispira (Morelet 1860)

Plutonia (Azorivitrina) brumalis (Morelet 1860)

= *mollis* Morelet 1860

Plutonia (Azorivitrina) finitima (Morelet 1860)

Plutonia (Azorivitrina) laxata (Morelet 1860)

Subgenus *Guerrina* Odhner 1955

Plutonia (Guerrina) christinae (Groh 1993)

Plutonia (Guerrina) cuticula (Shuttleworth 1852)

Subgenus *Insulivitrina* P. Hesse 1923

Plutonia (insulivitrina) blauneri (Shuttleworth 1852)

= *latebasis* Mousson 1872

Plutonia (insulivitrina) canariensis (Mousson 1873)

Plutonia (insulivitrina) eceruensis (Alonso & Ibáñez 1988)

= *lamarcki* Mousson 1872

Plutonia (insulivitrina) emmersoni (Morales 1988)

Plutonia (insulivitrina) gomerensis (Alonso & Ibáñez 1988)

Plutonia (insulivitrina) lamarckii (Ferussac 1821)

= *teneriffae* Quoy & Gaimard 1832

Plutonia (insulivitrina) machadoi (Ibáñez & Alonso 1990)

Plutonia (insulivitrina) nogalesi (Alonso & Ibáñez 1990)

= *blauneri* AA. non Shuttleworth 1852

Plutonia (insulivitrina) oromii (Ibáñez & Alonso 1988)

Plutonia (insulivitrina) parryi (Gude 1896)

= *blauneri* Hoffmann 1929

= *blauneri* Odhner 1931

= *lamarcki* Lowe 1839

Plutonia (insulivitrina) raquelae Valido & al 2014

Plutonia (insulivitrina) reticulata (Mousson 1872)

Plutonia (insulivitrina) solemi (Ibáñez & Alonso 2001)

***Plutonia (insulivitrina) tamaranensis* (Valido 1990)**

= *canariensis* Mabilie 1884

***Plutonia (insulivitrina) tuberculata* (Ibáñez & Alonso 1987)**

Subgenus *Canarivitrina* Valido & Alonso 2000

***Plutonia (Canarivitrina) diana* Valido & Alonso 2000**

***Plutonia (Canarivitrina) falcifera* Ibáñez & Groh 2000**

***Plutonia (Canarivitrina) mascaensis* (Morales 1987)**

***Plutonia (Canarivitrina) ripkeni* Alonso & Ibáñez 2000**

***Plutonia (Canarivitrina) taburientensis* Groh & Valido 2000**

Subgenus *Madeirovitrina* Groh & Hemmen 1986

***Plutonia (Madeirovitrina) albopalliata* (Groh & Hemmen 1996)**

= *nitida* Hesse 1923

= *ruivensis simroth* 1890

***Plutonia (Madeirovitrina) behnii* (Lowe 1851)**

= *lamarcki* AA. non Ferussac 1821

= *ruivensis* AA. non Gould 1841

= *teneriffae* Lowe 1854

= *teneriffae* Paiva 1867

***Plutonia (Madeirovitrina) crassus* (Groh & Hemmen 1996)**

= *ruivensis* Albers 1854

= *ruivensis* Wollaston 1878

***Plutonia (Madeirovitrina) marcida* (Gould 1848)**

= *nitida* Albers 1853

***Plutonia (Madeirovitrina) media* (Lowe 1854)**

= *atlantica* Nordsieck 1982

= *lamarcki* Paiva 1867

= *marcida* Paiva 1867

= *marcida* Wollaston 1878

= *nitida* Albers 1854

***Plutonia (Madeirovitrina) nitida* (Gould 1848)**

= *lamarcki* AA. non Ferussac 1821

***Plutonia (Madeirovitrina) portosanctanus* (Groh & Hemmen 1996)**

***Plutonia (Madeirovitrina) ruivensis* (Gould 1848)**

= *behnii* Lowe 1851

= *teneriffae* Lowe 1854

= *teneriffae* Paiva 1867

Subfamilia *Vitrininae* Fitzinger 1833

Genus *Eucobresia* H.B. Baker 1929

***Eucobresia glacialis* (Forbes 1837)**

= *charpentieri* Locard 1892

Genus *Semilimax* Stabile 1859

***Semilimax pyrenaicus* (A. Férussac 1821)**

= *hibernica* Taylor 1908

= *penchinati* Bourguignat 1876

Genus *Vitrina* Draparnaud 1801

***Vitrina pellucida* (O.F. Müller 1774)**

= *alpina* Gredler 1856

= *annularis* AA non Studer

= *bellardii* Pollonera 1884

= *beryllina* Pfeiffer 1821

= *bielzi* Kimakowicz 1890

= *brunnensis* Ulicny 1883

= *depressa* Jeffreys 1830

= *diaphana* Poiret 1801

= *dillwynii* Jeffreys 1833

= *domestica* Ström 1765

= *elliptica* Brown 1818

= *elongata* Jeffreys 1830

= *globosa* Boettger 1880

= *hiemalis* Koch 1876

= *limacoides* Alten 1812

= *maceana* Bourguignat 1894

= *muelleri* Jeffreys 1830

= *perforata* Westerlund 1876

= *rhodopensis* Wagner 1911

= *servainiana* SaintSimon 1870

Superfamilia Helicoidea Rafinesque 1815
Familia Sphincterochilidae Zilch 1960

Genus *Sphincterochila* Ancey 1887
Subgenus *Albea* Pallary 1910

***Sphincterochila (Albea) candidissima candidissima* (Draparnaud 1801)**
= *maxima* Pfeiffer 1848
= *rimosa* De Crist. & Jan 1832
= *sardoa* Kob. in Rossm. 1888
= *sicula* Monterosato 1892

Subgenus *Cariosula* Pallary 1910

***Sphincterochila (Cariosula) baetica baetica* (Rossmässler 1854)**
***Sphincterochila (Cariosula) cariosula cariosula* (Michaud 1833)**
***Sphincterochila (Cariosula) cariosula hispanica* (Westerlund 1886)**

Familia Arionidae J.E. Gray 1840
Subfamilia Arioninae J.E. Gray 1840

Genus *Arion* A. Férussac 1819
Subgenus *Arion* A. Férussac 1819

***Arion (Arion) ater* (Linnaeus 1758)**
***Arion (Arion) flagellus* Collinge 1893**
= *lusitanicus* AA (non Mabilie)
***Arion (Arion) fuliginus* Morelet 1854**
***Arion (Arion) lusitanicus* J. Mabilie 1868**
= *collominiato* Torres Mínguez 1925
= *fulvipes* Torres Mínguez 1925
= *limbata* Lowe 1855
= *nigrachlamydae* Torres Mínguez 1925
= *nuriae* Torres Mínguez 1925
= *ruginosus* Torres Mínguez 1924
***Arion (Arion) magnus* Torres Mínguez 1923**
***Arion (Arion) rufus* (Linnaeus 1758)**
= *bocagei* Simroth 1888
= *cendreroi* Torres Mínguez 1925
= *empiricorum* Ferussac 1819

Subgenus *Carinarion* P. Hesse 1926

***Arion (Carinarion) circumscriptus* Johnston 1828**
= *ambiguus* Pollonera 1889
= *bourguignati* Mabilie 1868
= *miser* Pollonera 1887
= *subcarinatus* Pollonera 1885
***Arion (Carinarion) silvaticus* Lohmander 1937**

Subgenus *Kobeltia* Seibert 1873

***Arion (Kobeltia) anthracius* Bourguignat 1886**
***Arion (Kobeltia) distinctus* J. Mabilie 1868**
= *cottianus* Pollonera 1889
= *hortensis* AA (non Ferussac)
***Arion (Kobeltia) fagophilus* de Winter 1886**
***Arion (Kobeltia) hortensis* A. Férussac 1819**
= *pyrenaicus* Fagot 1881
***Arion (Kobeltia) intermedius* Normand 1852**
= *apennina* Pollonera 1889
= *aureus* Lessona 1880
= *hessei* Simroth 1893
= *minimus* Simroth 1885
= *molleri* Pollonera 1889

= *rhaeticus* Simroth 1910

***Arion (Kobeltia) luisae* Borredà & Martínez-Ortí 2014**

***Arion (kobeltia) wiktori* Parejo & Martin 1990**

Subgenus *Mesarion* P. Hesse 1926

***Arion (Mesarion) baeticus* Garrido, Castillejo & Iglesias 1994**

***Arion (Mesarion) gilvus* Torres Mínguez 1925**

***Arion (Mesarion) hispanicus* Simroth 1886**

***Arion (Mesarion) iratii* Garrido, Castillejo & Iglesias 1995**

***Arion (Mesarion) lizarrustii* Garrido, Castillejo & Iglesias 1995**

***Arion (Mesarion) molinae* Garrido, Castillejo & Iglesias 1995**

***Arion (Mesarion) nobrei* Pollonera 1889**

***Arion (Mesarion) paularensis* Wiktor & Parejo 1989**

***Arion (Mesarion) ponsi* Quintana 2007**

***Arion (Mesarion) subfuscus* (Draparnaud 1805)**

***Arion (Mesarion) urbiae* De Winter 1986**

= *anguloi* Martín & Gómez 1988

Genus *Geomalacus* Allman 1843

Subgenus *Geomalacus* Allman 1843

***Geomalacus (Geomalacus) maculosus* Allman 1843**

= *grandis* Simroth 1893

= *lusitanica* Da Silva & Castro 1873

Subgenus *Arrudia* Pollonera 1890

***Geomalacus (Arrudia) anguiformis* (Morelet 1845)**

= *squammantinus* Morelet 1854

= *viridis* Morelet 1845

***Geomalacus (Arrudia) oliveirae* Simroth 1891**

Genus *Letourneuxia* Bourguignat 1886

***Letourneuxia moreleti* (P. Hesse 1884)**

= *malagensis* Wiktor & Norris 1991

Familia Elonidae E. Gittenberger 1977

Genus *Elona* H. & A. Adams 1855

***Elona quimperiana* (Blainville 1821)**

= *kermorvani* Moquin-Tandon 1855

Genus *Norelona* H. Nordsieck 1986

***Norelona pyrenaica* (Draparnaud 1805)**

= *subpyrenaica* Locard 1894

= *xantheleae* Fagot 1879

Familia Helicodontidae Kobelt 1904 **Subfamilia Helicodontinae Kobelt 1904**

Genus *Atenia* E. Gittenberger 1968

***Atenia quadrasi* (Hidalgo 1875)**

Genus *Helicodonta* A. Férussac 1821

***Helicodonta obvoluta obvoluta* (O.F. Müller 1774)**

Familia Trissexodontidae H. Nordsieck 1987

Genus *Caracollina* H. Beck 1837

Subgenus *Caracollina* H. Beck 1837

***Caracollina (Caracollina) lenticula* (Ferussac 1821)**

= *clypaea* Pallary 1921

= *lenticulata*

= *major* Mousson 1872

= *probata* Mabilie 1898

= *subtilis* Lowe 1833

= *virilis* Mousson 1872

Genus *Gasullia* Ortiz de Zárate López 1961

***Gasullia gasulli* (Ortiz de Zárate 1961)**

= *onubensis* Ortiz de Zárate 1991

Genus *Gasulliella* E. Gittenberger 1980

***Gasulliella simplicula* (Morelet 1845)**

= *annai* Paladilhe 1875

Genus *Gittenbergeria* Schileyko 1991

***Gittenbergeria turriplana* (Morelet 1845)**

Genus *Hatumia* Arrébola, Prieto, Puente & Ruiz 2006

***Hatumia cobosi* (Ortiz de Zárate 1962)**

***Hatumia zapateri* (Hidalgo 1870)**

= *pseudogasulli* Arrébola, Prieto, Puente & Ruiz 2006

Genus *Mastigophallus* P. Hesse 1918

***Mastigophallus rangianus* (Ferussac in Deshayes 1830)**

= *rangi* Ferussac 1822

Genus *Oestophora* P. Hesse 1907

***Oestophora barbella* (Servain 1880)**

***Oestophora barbula* (Charpentier in Rossmässler 1836)**

***Oestophora calpeana* (Morelet 1852)**

= *finitima* Graells 1846

† ***Oestophora cuerdai* Quintana, Vicens & Pons 2006**

= *bellverica* Altaba 2007

† ***Oestophora dentata* Paul 1994**

***Oestophora dorotheae* Hesse 1930**

= *lenticularis* Morelet 1853

***Oestophora ebria* (Corbella 2004)**

***Oestophora granesae* Arrébola 1998**

***Oestophora lusitanica* (L. Pfeiffer 1841)**

***Oestophora mariae* Ruiz Arrébola & Puente 2008**

***Oestophora ortizi* De Winter & Ripken 1991**

***Oestophora prietoi* Ruiz Arrébola & Puente 2008**

***Oestophora silvae* Ortiz de Zárate 1962**

***Oestophora tarnieri* (Morelet 1854)**

Genus *Oestophorella* G. Pfeffer 1930

***Oestophorella buvignieri* (Michaud 1841)**

= *asturica* Pfeiffer 1854

= *gougeti* Pfeiffer 1839 non Terver 1839

Genus *Suboestophora* Ortiz de Zárate López 1961

***Suboestophora altimirai* Ortiz de Zárate 1962**

***Suboestophora boscae* (Hidalgo 1869)**

= *kuiperi gasull* 1966

***Suboestophora hispanica* (Gude 1910)**

= *lusitanica* AA. non Pfeiffer 1841

***Suboestophora jeresae* Ortiz de Zárate 1962**

***Suboestophora tarraconensis tarraconensis* (Aguilar-Amat 1935)**

= *foixi Altimira* 1967

= *lusitanica* AA. non Pfeiffer 1841

Genus *Trissexodon* Pilsbry 1895

***Trissexodon constrictus* (Boubée 1836)**

= *pitorrii Dupuy* 1850

Familia Cochlicellidae Schileyko 1972

Genus *Cochlicella* A. Ferussac 1821

Subgenus *Cochlicella* A. Ferussac 1821

***Cochlicella (Cochlicella) acuta* (O.F. Müller 1774)**

= *acutula* Ziegler

= *articulatus* Lamarck

= *bellucciana* Bourguignat

= *bifasciata* Pultney

= *cochlaeiformis* Monterosato 1892

= *cochleolina* Monterosato 1892

= *elongata* Cristofori & Jan 1832

= *fasciatus* Pennat 1777

= *litoralis* Brumati

= *macella* Monterosato 1892

= *maritima* Desmarest var.

= *maroccanus* Beck

= *meridionalis* Risso 1826

= *occidentalis* Pallary 1897

= *pratensis* Monterosato 1892

= *procerula* Monterosato 1892

= *teste* Westerlund

= *turricula* Risso 1826

= *turrita* Menke 1828

= *turritella* Andr.

= *variabilis* Hartmann

= *ventricosa* Turton

***Cochlicella (Cochlicella) conoidea* (Draparnaud 1801)**

= *calaritana* Paulucci 1882

= *cognata* Rossmässler 1837

= *fertoni* Caziot 1903

= *fibula* Wood

= *pringi* Pfeiffer 1848

= *solitarius* Poiret 1801

= *turbida* Küster

Subgenus *Prietocella* Schileyko & Menkhorst 1997

***Cochlicella (Prietocella) barbara* (Linnaeus 1758)**

= *acuta* Webb

= *bulimoides* Moquin-Tandon 1855

= *carinula* Gmelin

= *cretacea* Chemnitz

= *orientalis* Pallary 1929

= *ventricosus* Draparnaud 1801

= *ventrosus* Ferussac 1821

Genus *Monilearia* Mousson 1872

Subgenus *Monilearia* Mousson 1872

***Monilearia (Monilearia) argineguinensis* (Seddon & Aparicio 1998)**

***Monilearia (Monilearia) caementitia* (Shuttleworth 1852)**

= *umbilicata* Wollaston 1878 var.

***Monilearia (Monilearia) granostriata* (Mousson 1857)**

***Monilearia (Monilearia) inops* (Mousson 1872)**

***Monilearia (Monilearia) monilifera* (Webb & Berthelot 1833)**

***Monilearia (Monilearia) montigena* Bank, Groh & Ripken 2002**

= *lemniscata* Webb & Berthelot 1833

***Monilearia (Monilearia) oleacea* (Shuttleworth 1852)**

= *deusta* Lowe 1861

***Monilearia (Monilearia) persimilis* (Shuttleworth 1852)**

***Monilearia (Monilearia) phalerata* (Webb & Berthelot 1833)**

= *nivariensis* Shuttleworth 1852

= *devia* Mousson 1872

= *rosetti*

***Monilearia (Monilearia) praeposita* (Mousson 1872)**

***Monilearia (Monilearia) pulverulenta* (Lowe 1861)**

***Monilearia (Monilearia) tumulorum* (Webb & Berthelot 1833)**

= *arucasensis* Gude 1896 var.

= *pulchra* Gude 1896 var.

***Monilearia (Monilearia) umbilica* (Shuttleworth 1852)**

***Monilearia (Monilearia) watsoniana* (Wollaston 1878)**

***Monilearia (Monilearia) woodwardia* (Mousson 1872)**

Subgenus *Lyrula* Wollaston 1878

***Monilearia (Lyrula) loweana* (Wollaston 1878)**

= *torrefacta* Lowe 1861

= *usurpans* Furtado 1886

***Monilearia (Lyrula) multipunctata* (Mousson 1872)**

***Monilearia (Lyrula) tubaeformis* Alonso & Groh 2006**

Genus *Obelus* W. Hartmann 1842

***Obelus cyclodon* (D'Orbigny 1839)**

***Obelus despreauxi* (D'Orbigny 1839)**

= *immodica* Mousson 1872

= *preauxi* Hartmann 1843

***Obelus discogranulatus* Alonso & Groh 2003**

***Obelus mirandae* (Lowe 1861)**

= *nodosostriata* Mousson

***Obelus moderatus* (Mousson 1875)**

***Obelus moratus* (Mousson 1872)**

***Obelus pumilio* (Dillwyn 1817)**

Genus *Ripkeniella* Hutterer & E. Gittenberger 1998

***Ripkeniella petrophila* Hutterer & Gittenberger 1998**

Familia Hygromiidae Tryon 1866 Subfamilia Monachinae Wenz 1930 (1904) Tribus Euomphaliini Schileyko 1978

Genus *Euomphalia* Westerlund 1889

***Euomphalia strigella strigella* (Draparnaud 1801)**

= *briandi* Servain

= *buxetorum* Bourguignat 1878

= *ceysoni* Bourguignat in Locard 1882

= *colliniana* Bourguignat

= *cussetensis* Bourguignat in Locard 1882

= *dubreuili* Servain

= *frucescens* Moquin-Tandon 1855

= *fruticum* Mermet 1849

= *gueretini* Servain

= *lepidophora* Bourguignat 1878

= *nematuna* Bourguignat 1878

= *peregra* Brusina 1870

= *separica* Bourguignat 1878

= *solidula* Brusina 1870

= *vellavorum* Bourguignat in Locard 1882

***Euomphalia strigella ruscinea* (Bourguignat 1881)**

Tribus Monachini Wenz 1930 (1904)

Genus *Monacha* Fitzinger 1833

Subgenus *Monacha* Fitzinger 1833

***Monacha (Monacha) cantiana* (Montagu 1803)**

= *abebaia* Bourguignat

= *apuana* Mabilie 1881

= *ardesa* Mabilie 1881

= *bastitensis* Caziot 1903

= *campanica* Paulucci 1881
= *cantianiformis* Bourguignat in Ancey 1884
= *carfaniensis* Stefani 1883
= *charpentieri* Risso 1826
= *cotinophila* Bourguignat in Locard 1882
= *decampoi* Villa 1841
= *delacourti* Mabilie in Bourguignat 1873
= *euclastolena* Mabilie 1880
= *falconensis* Caziot 1910
= *galloprovincialis* Dupuy 1850
= *gaudefroyi* Bourguignat
= *iadola* Bourguignat in Locard 1882

***Monacha (Monacha) cartusiana* (O.F. Müller 1774)**

= *archimedeae* Benoit 1859
= *arvensis* Pini 1879
= *brunnea* Schröder 1911
= *carthusianella* Draparnaud 1801
= *depressa* Caziot 1910
= *diurna* Bourguignat in Locard 1880
= *episema* Bourguignat in Servain 1880
= *guerboisi* Bourguignat in Locard 1894
= *guittoni* Caziot
= *innoxia* Bourguignat in Locard 1882
= *lamalouensis* Reynes 1870
= *leptomphala* Bourguignat in Locard 1882
= *leucoloma* Stabile 1864

***Monacha (Monacha) cemenelea* (Risso 1826)**

= *almonis* Statuti 1882
= *alphabulleciana* Paulucci 1881
= *apennina* Kobelt 1877
= *danconae* Issel 1872
= *martensiana* Tiberi 1869

= *ischnia* Mabilie 1880
= *isseli* Stefani 1883
= *marchettii* Stefani 1883
= *monerebia* Bourguignat
= *ousterea* Bourguignat
= *putoniana* Mabilie in Locard 1880
= *riparia* Westerlund 1889
= *simplicita* Kobelt 1879
= *sobara* Mabilie 1881
= *spallanzanii* Stefani 1883
= *thomasinae* Caziot 1910

= *littoralis* Stossic
= *minima* Strobel 1853
= *olivieri* Ferussac 1821
= *parva* Porro 1838
= *radiata* Westerlund 1876
= *ressmanni* Clessin 1887
= *rufilabris* Jeffreys 1833
= *sarriensis* Martorell in Servain 1880
= *sotchensis* Hesse 1914 var.
= *stagnina* Bourguignat in Locard 1894
= *subsarriensis* Caziot 1910
= *taurinensis* Pollonera 1885
= *ventiensis* Bourguignat in Fagot 1879

= *mnema* Westerlund 1889
= *parreysi* Pfeiffer 1853
= *rubella* Risso 1826
= *suborbicularis* Martens 1879

Genus *Ashfordia* J.W. Taylor 1917

***Ashfordia granulata* (Alder 1830)**

= *occidentalis* Bofill & Haas 1919
= *psaturochaeta* Bourguignat 1860
= *sericia* Macho 1871

Subfamilia Geomitrinae C. Boettger 1909

Tribus Trochoideini H. Nordsieck 1987

Genus *Trochoidea* T. Brown 1827

***Trochoidea elegans* (Gmelin 1791)**

= *scitula* Cristofori & Jan 1832
= *solarium* Risso 1826
= *terrestris* Donovan 1801
= *trochillus* Poiret 1789
= *trochlea* Pfeiffer 1846

***Trochoidea pyramidata* (Draparnaud 1805)**

= *agnata* Ziegler
= *arenaria* Ziegler
= *depressa* Bourguignat 1864
= *despottii* Soès 1933
= *littoralis* Ziegler
= *lycabetica* Letourneux in Locard 1894
= *nova* Paulucci 1879
= *numidica* Moquin-Tandon in Pfeiffer 1847
= *platiensis* Sturany 1902
= *pseudonumidica* Caziot 1910

***Trochoidea trochoides* (Poiret 1789)**

= *algira* Chiereghin
= *conica* Draparnaud 1801
= *crenulata* Germain 1930
= *infulata* Paulucci 1882
= *pumilio* Pfeiffer var.
= *pyramidella* Jan var.
= *remissa* Parreys var.
= *rugosa* Aradas & Maggiore 1839
= *rugosula* Philippi 1844

= *pseudopyramidata* Caziot 1910
= *requieni* Mousson 1859
= *sabulosa* Ziegler
= *spectabilis* Ziegler
= *subplatiensis* Germain 1936
= *subpyramidata* Caziot 1910
= *tremesia* Bourguignat in Locard 1894
= *vardeorum* Bourguignat in Locard 1894
= *vernicaata* Westerlund 1902

= *saintsimoni* Caziot 1903
= *sulculata* Jan var.
= *turritella* Parreys var.

Genus *Xerocrassa* Monterosato 1892

Subgenus *Xerocrassa* Monterosato 1892

Xerocrassa (Xerocrassa) albarracinensis Faci 1991
Xerocrassa (Xerocrassa) barceloi (Hidalgo 1878)
Xerocrassa (Xerocrassa) cardonae (Hidalgo 1867)
Xerocrassa (Xerocrassa) caroli caroli (Dohrn & Heynemann 1862)
Xerocrassa (Xerocrassa) caroli alegriae Schröder 1984
Xerocrassa (Xerocrassa) caroli esparteriensis Schröder 1984
Xerocrassa (Xerocrassa) caroli formenterensis Schröder 1984
Xerocrassa (Xerocrassa) caroli jaeckeli (Altimira 1965)
†*Xerocrassa (Xerocrassa) caroli lidiae* (Sacchi 1954)
Xerocrassa (Xerocrassa) chiaie (Fagot 1886)
= *barcinensis* AA (non Bourguignat 1868)
Xerocrassa (Xerocrassa) cisternasi cisternasi (Hidalgo 1875)
Xerocrassa (Xerocrassa) cisternasi calasaladae (Jaeckel 1952)
Xerocrassa (Xerocrassa) cisternasi canae (Jaeckel 1952)
= *canaensis* Gasull 1963
Xerocrassa (Xerocrassa) cisternasi conjungens (Jaeckel 1952)
Xerocrassa (Xerocrassa) cisternasi hortae (Schröder 1978)
Xerocrassa (Xerocrassa) cisternasi margaritae (Jaeckel 1952)
Xerocrassa (Xerocrassa) cisternasi mesquidae (Schröder 1978)
Xerocrassa (Xerocrassa) cisternasi muradae (Jaeckel 1952)
Xerocrassa (Xerocrassa) cisternasi ortizi (Gasull 1964)
Xerocrassa (Xerocrassa) cisternasi redonae (Jaeckel 1952)
= *redonensis* Gasull 1963
Xerocrassa (Xerocrassa) cisternasi scopulicola (Bofill & AguilarAmat 1924)
Xerocrassa (Xerocrassa) cisternasi vedrae (Jaeckel 1952)
Xerocrassa (Xerocrassa) cisternasi vedranellensis (Jaeckel 1952)
= *vedranensis* Jaeckel 1952
Xerocrassa (Xerocrassa) cobosi (Ortiz de Zárate 1962)
†*Xerocrassa (Xerocrassa) cuerdoi* (Gasull 1963)
Xerocrassa (Xerocrassa) derogata (L. Pfeiffer 1859)
Xerocrassa (Xerocrassa) ebusitana ebusitana (Hidalgo 1869)
= *formenterae* Jaeckel 1952
Xerocrassa (Xerocrassa) ebusitana calderensis (Gasull 1963)
†*Xerocrassa (Xerocrassa) ebusitana canalensis* (Sacchi 1954)
†*Xerocrassa (Xerocrassa) ebusitana gasulli* (Paul 1984)
†*Xerocrassa (Xerocrassa) ebusitana ibizensis* (Sacchi 1954)
Xerocrassa (Xerocrassa) edmundi Martínez-Ortí 2006
? *Xerocrassa (Xerocrassa) escolai* Bech 1993
Xerocrassa (Xerocrassa) ferreri ferreri (Jaeckel 1952)
Xerocrassa (Xerocrassa) ferreri pobrensis (Gasull 1963)
Xerocrassa (Xerocrassa) ferrutxensis Forés & Altaba 2015
Xerocrassa (Xerocrassa) frater frater (Dohrn & Heynemann 1862)
= *amanda* Pfeiffer 1848
= *boissy* Terver 1839 (nomen nudum)
= *majoricensis* Dohrn & Heynemann 1862
Xerocrassa (Xerocrassa) frater newka (Dohrn & Heynemann 1862)
= *pagerae* von der Horst 1972
Xerocrassa (Xerocrassa) frater pollenzensis (Hidalgo 1878)
= *muntaneri* Gasull 1963
Xerocrassa (Xerocrassa) frater pulaensis Beckmann 2007
Xerocrassa (Xerocrassa) geyeri (Soós 1926)
= *arceuthophila* Mabille 1881
= *deana* Berthier 1884
= *llopsi* Gasull 1981
= *minor* Geyer 1917
= *pleurestha* Berthier 1884
= *striata* Geyer 1894
= *vicianica* Bourguignat in Locard 1882
= *ycaunica* Mabille 1881

***Xerocrassa (Xerocrassa) grata* (Haas 1924)**
***Xerocrassa (Xerocrassa) homeyeri* (Dohrn & Heynemann 1862)**
***Xerocrassa (Xerocrassa) jimenensis* (Puente & Arrébola 1996)**
***Xerocrassa (Xerocrassa) molinae* (Hidalgo 1883)**
***Xerocrassa (Xerocrassa) montserratensis montserratensis* (Hidalgo 1870)**
***Xerocrassa (Xerocrassa) montserratensis betulonensis* (Bofill 1879)**
***Xerocrassa (Xerocrassa) moraguesi* (Kobelt 1883)**
 = *claudinae* Gasull 1963
***Xerocrassa (Xerocrassa) nyeli* (Mittre 1844)**
***Xerocrassa (Xerocrassa) penchinati* (Bourguignat 1868)**
 = *blancae* Larraz & Jordana 1984
 = *miraculensis* Marcet 1906
 = *monistrolensis* Fagot 1888
 = *subpaladilhi* Fagot 1906
 = *zaragozensis* Servain 1880
***Xerocrassa (Xerocrassa) ponsi* (Hidalgo 1878)**
***Xerocrassa (Xerocrassa) prietoi prietoi* (Hidalgo 1878)**
***Xerocrassa (Xerocrassa) prietoi muronensis* Graack 2005**
***Xerocrassa (Xerocrassa) ripacurcica ripacurcica* (Bofill 1886)**
 = *arturi* Haas 1924
 = *bradygyra* Fagot 1888
 = *campoensis* Fagot 1888
 = *culmi* Fagot 1888
 = *mascarenasi* Fagot 1888
 = *montivaga* Fagot 1888
 = *segetum* Fagot 1888
 = *seirensis* Fagot 1888
 = *subiberica* Fagot 1888
 = *submontivaga* Locard 1894
 = *suboreina* Fagot 1888
***Xerocrassa (Xerocrassa) ripacurcica montsicciana* (Bofill 1890)**
 = *ordesae* Altimira 1970
***Xerocrassa (Xerocrassa) ripacurcica oreina* (Fagot 1888)**
***Xerocrassa (Xerocrassa) roblesi* MartínezOrtí 2000**
***Xerocrassa (Xerocrassa) subrogata* (L. Pfeiffer 1853)**
 = *angulata* Rossmässler 1854
 = *murcica* Guirao in Pfeiffer 1859
 = *murcida* Schmidt 1854
***Xerocrassa (Xerocrassa) turolensis* (Ortiz de Zárate 1963)**
***Xerocrassa (Xerocrassa) zaharensis* (Puente & Arrébola 1996)**

Tribus Geomitriini C. Boettger 1909

Genus *Actinella* R.T. Lowe 1852

Subgenus *Actinella* R.T. Lowe 1852

***Actinella (Actinella) actinophora actinophora* (Lowe 1831)**
***Actinella (Actinella) actinophora descendens* (Wollaston 1878)**
***Actinella (Actinella) arcinella* (Lowe 1854)**
***Actinella (Actinella) arcta* (Lowe 1831)**
 = *minor* Albers 1854
***Actinella (Actinella) arridens* (Lowe 1831)**
 = *capsella* Lowe 1854
***Actinella (Actinella) carinofausta* Walden 1983**
***Actinella (Actinella) crassiuscula* (Cockerell 1921)**
***Actinella (Actinella) fausta* (Lowe 1831)**
***Actinella (Actinella) laciniosa* (Lowe 1852)**
 = *minor* Paiva 1867
***Actinella (Actinella) lentiginosa lentiginosa* (Lowe 1831)**
 = *major* Paiva 1867
***Actinella (Actinella) lentiginosa stellaris* (Lowe 1852)**
 = *major* Paiva 1867
 † ***Actinella (Actinella) morenensis* Seddon, 1990**
***Actinella (Actinella) obserata* (Lowe 1852)**
 = *major* Paiva 1867
 = *minor* Paiva 1867
 † ***Actinella (Actinella) papillosculpta* Walden 1983**
***Actinella (Actinella) promontoriensis* Walden 1983**
 = *bipartita* Wollaston 1878
***Actinella (Actinella) robusta* (Wollaston 1878)**

= major Paiva 1867 (*fausta* var.)

Subgenus *Hispidella* R.T. Lowe 1852

***Actinella (Hispidella) armitageana* (Lowe 1852)**

Subgenus *Plebecula* R.T. Lowe 1852

***Actinella (Plebecula) anaglyptica* (Reeve 1852)**

= *deserticola* Wollaston 1878

= major Paiva 1867 (*vulgata* var.)

***Actinella (Plebecula) giramica* (Lowe 1852)**

***Actinella (Plebecula) littorinella* (Mabille 1883)**

= *effugiens* Waldén 1983

= *lurida* Lowe 1831

= minor Paiva 1867 (*lurida* var.)

***Actinella (Plebecula) nitidiuscula nitidiuscula* (Sowerby 1824)**

= *anaglyptica* Reeve

= *sublittoralis* Mabille 1883

= *canicalensis* Lowe 1852

= *subnitidiuscula* Mabille 1883

= *desserticola* Wollaston

= *subvulgata* Mabille 1883

= *minor* Paiva 1867

= *trifasciata* Lowe 1855

= *pulchra* Paiva 1867

= *vulgata* Lowe 1852

† ***Actinella (Plebecula) nitidiuscula saxipotens* (Wollaston 1875)**

Genus *Caseolus* R.T. Lowe 1852

Subgenus *Caseolus* R.T. Lowe 1852

***Caseolus (Caseolus) abjectus abjectus* (Lowe 1851)**

= *bicingulata* Lowe 1855

= *conuloidea* Lowe 1855

= *conulus* Lowe 1855

= *pergraphica* Mabille 1883

= *rufa* Paiva 1867

= *subdepressa* Lowe 1855

***Caseolus (Caseolus) abjectus candidatus* (L. Pfeiffer 1846)**

***Caseolus (Caseolus) abjectus nesiotus* (Wollaston 1878)**

***Caseolus (Caseolus) baixoensis* Walden 1983**

= *pusilla* Lowe 1855 (*conmixta* var.)

***Caseolus (Caseolus) betamajor* Walden 1983**

= *major* Lowe 1855 (*compacta* var.)

***Caseolus (Caseolus) calculus* (Lowe 1854)**

***Caseolus (Caseolus) calvus calvus* (Lowe 1831)**

***Caseolus (Caseolus) calvus galeatus* (Lowe 1862)**

***Caseolus (Caseolus) calvus veterinus* (Cockerell 1922)**

***Caseolus (Caseolus) conmixtus* (Lowe 1854)**

***Caseolus (Caseolus) consors* (Lowe, 1831)**

= *major* Paiva 1867

***Caseolus (Caseolus) innominatus innominatus* (Gray 1825)**

= *portosanctanus* Lowe 1855

***Caseolus (Caseolus) innominatus areiensis* Walden 1983**

= *pusilla* Lowe 1855 (*compacta* var.)

***Caseolus (Caseolus) innominatus compactus* (Lowe 1831)**

= *vulgaris* Lowe 1855

***Caseolus (Caseolus) innominatus pittae* (Paiva 1866)**

***Caseolus (Caseolus) innominatus vigiae* Walden 1983**

***Caseolus (Caseolus) sphaerulus* (Lowe 1852)**

***Caseolus (Caseolus) subcalliferus subcalliferus* (Reeve 1854)**

= *major* Lowe 1862

= *major* Paiva 1867 (*sphaerula* var.)

† ***Caseolus (Caseolus) subcalliferus majusculus* (Paiva 1867)**

= *minor* Paiva 1867 (*sphaerula* var.)

= *submajor* Waldén 1983

Subgenus *Helicomela* R.T. Lowe 1855

† ***Caseolus (Helicomela) bowdichianus* (Ferussac 1819)**

= *reducta* Cockerell 1921
= *solida* Lowe 1831
= *vargasiana* Pfeiffer 1849

***Caseolus (Helicomela) punctulatus punctulatus* (Sowerby 1824)**

= *lactescens* Cockerell 1921

***Caseolus (Helicomela) punctulatus avellanus* (Lowe 1855)**

***Caseolus (Helicomela) setulosus* (Lowe 1831)**

Subgenus *Leptostictea* MandahlBarth 1950

***Caseolus (Leptostictea) hartungi hartungi* (Albers 1852)**

= *cenourensis* Cockerell 1921
= *dealbata* Lowe 1831
= *granulata* Lowe 1831
= *laevis* Lowe 1831
= *laeviuscula* Paiva 1867
= *major* Paiva 1867 (*hartungi* var.)
= *minor* Paiva 1867 (*dealbata* var.)

***Caseolus (Leptostictea) hartungi fictilis* (Lowe 1851)**

= *major* Albers 1854

***Caseolus (Leptostictea) leptosticteus leptosticteus* (Lowe 1831)**

***Caseolus (Leptostictea) leptosticteus micromphalus* (Lowe 1852)**

Genus *Craspedaria* R.T. Lowe 1852

Subgenus *Craspedaria* R.T. Lowe 1852

†*Craspedaria (Craspedaria) delphinula* (Lowe 1831)

= *altispira* Paiva 1867
= *depressispira* Paiva 1867
= *planospira* Wollaston 1878

†*Craspedaria (Craspedaria) delphinuloides* (Lowe 1862)

Subgenus *Coronaria* R.T. Lowe 1852

†*Craspedaria (Coronaria) coronula* (Lowe 1852)

†*Craspedaria (Coronaria) grabhami* (Wollaston 1878)

†*Craspedaria (Coronaria) moniziana* (Paiva 1867)

= *minor* Paiva 1867

***Craspedaria (Coronaria) tiarella* (Webb & Berthelot 1833)**

†*Craspedaria (Coronaria) watsoni* (Johnson 1897)

Genus *Discula* R.T. Lowe 1852

Subgenus *Discula* R.T. Lowe 1852

***Discula (Discula) attrita* (Lowe 1831)**

= *contracta* Cockerell 1922
= *nigra* Cockerell 1922

***Discula (Discula) bulweri* (Wood 1828)**

= *albersii* Lowe 1852
= *albescens* Cockerell 1921
= *bulweriana* Lowe 1831
= *major* Paiva 1867 (*bulweriana* var.)
= *pallidior* Albers 1854
= *rota* Potiez & Michaud 1835
= *variegata* Menke

***Discula (Discula) calcigena calcigena* (Lowe 1831)**

= *albida* Albers 1854
= *monor* Paiva 1867
= *papilio* Lowe 1852

***Discula (Discula) calcigena barbozae* (Paiva 1866)**

***Discula (Discula) calcigena discina* (Lowe 1852)**

***Discula (Discula) calcigena gomesiana* (Paiva 1866)**

***Discula (Discula) calcigena maxima* MandahlBarth 1950**

***Discula (Discula) cheiranthicola cheiranthicola* (Lowe 1831)**

= *albida* Lowe 1831
= *maculata* Lowe 1831
= *spilospira* Lowe 1855

= *taeniospira* Lowe 1855
= *zonata* Lowe 1831

***Discula (Discula) cheiranthicola mustelina* (Reeve 1854)**

= *minor* Paiva 1867 (*cheiranticola* var.)

***Discula (Discula) lyelliana* (Lowe 1852)**

= *bifasciata* Paiva 1867
= *gigas* Wollaston 1878

***Discula (Discula) polymorpha polymorpha* (Lowe 1831)**

= *asperula* Reeve 1852
= *elegantula* Jan
= *irrasa* Lowe 1831
= *nigricans* Lowe 1855
= *pallescens* Lowe 1855
= *pallida* Albers 1854
= *saccharata* Reeve 1852
= *taeniata* Reeve

***Discula (Discula) polymorpha agostinhensis* Walden 1983**

***Discula (Discula) polymorpha alleniana* (Paiva 1866)**

= *minor* Paiva 1867

***Discula (Discula) polymorpha arenicola* (Lowe 1831)**

= *cinerea* Lowe 1855
= *efasciata* Lowe 1855

***Discula (Discula) polymorpha depressiuscula* (Lowe 1831)**

= *lincta* Lowe 1852
= *rosea* Lowe 1855

***Discula (Discula) polymorpha nebulata* (Lowe 1855)**

= *salebrosa* Lowe 1862
= *senilis* Lowe 1852
= *vittata* Lowe 1855

***Discula (Discula) polymorpha poromphala* (Lowe 1832)**

= *minor* Mandahl-Barth 1950
= *pusilla* Lowe 1855

***Discula (Discula) pulvinata* (Lowe 1831)**

= *major* Paiva 1867
= *parva* Paiva 1867

***Discula (Discula) tabellata* (Lowe 1852)**

***Discula (Discula) testudinalis testudinalis* (Lowe 1852)**

***Discula (Discula) testudinalis cockerelli* (Noronha 1923)**

= *inflata* Noronha 1923

***Discula (Discula) tetrica* (Lowe 1852)**

Subgenus *Callina* R.T. Lowe 1855

***Discula (Callina) rotula* (Lowe 1831)**

= *cerina* Paiva 1867
= *grisea* Cockerell 1922
= *major* Paiva 1867
= *minor* Paiva 1867
= *monstrosa* Paiva 1867

Subgenus *Mandahlia* Forcart 1965

***Discula (Mandahlia) tectiformis tectiformis* (Sowerby 1824)**

= *cingenda* Wollaston 1878
= *spadicea* Albers 1854
= *suffusa* Wollaston 1878

***Discula (Mandahlia) tectiformis ludovicii* (Albers 1854)**

Genus *Disculella* Plsbry 1895

***Disculella compar* (Lowe 1831)**

***Disculella maderensis maderensis* (Wood 1828)**

= *cyclostoma* Menke 1830

***Disculella maderensis taeniatus* (Webb & Berthelot 1833)**

***Disculella spirulina* (Cockerell 1921)**

= *neospirorbis* Forcart 1965
= *spirorbis* Lowe 1852

Genus *Geomitra* Swainson 1840

†***Geomitra bicarinata bicarinata* (Sowerby 1824)**

= *duplicata* Lowe 1831

***Geomitra bicarinata aucta* (Wollaston 1878)**

***Geomitra echinoderma* (Wollaston 1878)**

***Geomitra echinulata* (Lowe 1831)**

***Geomitra leacockiana* (Wollaston 1878)**

***Geomitra oxytropis oxytropis* (Lowe 1831)**

= *major* Paiva 1867

***Geomitra oxytropis subcarinatula* (Wollaston 1878)**

***Geomitra turricula* (Lowe 1831)**

= *pererosa* Wollaston 1878

†***Geomitra vermetiformis* (Lowe 1855)**

= *minor* Paiva 1867

Genus *Heterostoma* W. Hartmann 1843

***Heterostoma duplex* (MandahlBarth 1950)**

***Heterostoma dessertae* (MandahlBarth 1950)**

***Heterostoma paupercula* (Lowe 1831)**

= *semitecta* Hartmann 1843

= *trachelodes* Menke 1845

Genus *Serratorotula* Groh & Hemmen 1986

†***Serratorotula acarinata* (Hemmen & Groh 1985)**

†***Serratorotula gerberi* (Groh & Hemmen 1986)**

†***Serratorotula juliformis* (Lowe 1852)**

= *coronata* Deshayes 1850

= *minor* Paiva 1867

Genus *Lemniscia* R.T. Lowe 1855

***Lemniscia michaudi* (Deshayes 1854)**

= *bicolor* Lowe 1831

Genus *Moreletina* Frias Martins 2002

***Moreletina horripila* (Morelet & Draparnaud 1857)**

***Moreletina obruta* (Morelet 1860)**

***Moreletina vespertina* (Morelet 1860)**

Genus *Pseudocampylaea* L. Pfeiffer 1847

†***Pseudocampylaea lowei* (Ferussac 1835)**

= *gigantea* Lowe 1831

= *minor* Paiva 1867

***Pseudocampylaea portosanctana* (Sowerby 1829)**

= *cimensis* Wollaston 1878

= *evoluta* Cockerell 1921

= *limegia* Mabilie 1883

= *minor* Paiva 1867

= *nesicola* Mabilie 1883

= *parvula* Paiva 1867

= *vesicola* Mabilie 1883

= *vulgaris* Lowe 1831

Genus *Spirorbula* R.T. Lowe 1852

***Spirorbula depauperata* (Lowe 1831)**

= *altispira* Paiva 1867

= *castanea* Paiva 1867

= *depressispira* Paiva 1867

***Spirorbula latens* (Lowe 1852)**

†*Spirorbula latina* (Paiva 1866)
Spirorbula oblecta (Lowe 1831)
= *minor* Paiva 1867
Spirorbula squalida (Lowe 1852)
= *albida* Paiva 1867
= *rufescens* Paiva 1867

Subfamilia Ciliellinae Schileyko 1970

Genus *Canariella* P. Hesse 1918
Subgenus *Canariella* P. Hesse 1918

Canariella (Canariella) discobolus (Shuttleworth 1852)
= *afficta* Ferussac 1821
Canariella (Canariella) falkneri Ibáñez & PonteLira 2002
†*Canariella (Canariella) gittenbergeri* Hutterer & Groh 2008
Canariella (Canariella) giustii Ibáñez & Alonso 2006
Canariella (Canariella) gomerae (Wollaston 1878)
Canariella (Canariella) hispidula (Lamarck 1822)
= *barbata* Ferussac & Deshayes 1832
= *beata* Wollaston 1878
= *bertheloti* Ferussac 1835
= *everia* Mabilie 1882
= *fortunata* Shuttleworth 1852
= *lanosa* Ferussac 1835
= *lens* Ferussac 1821
= *salteri* Gude 1911
= *subhispidula* Mousson 1872
Canariella (Canariella) leprosa (Shuttleworth 1852)
†*Canariella (Canariella) lopezjuradoi* Hutterer & Groh 2008
†*Canariella (Canariella) mecoi* Hutterer & Groh 2008
†*Canariella (Canariella) molinai* Hutterer & Groh 2008
†*Canariella (Canariella) orzola* Gittenberger & Ripken 1995
Canariella (Canariella) planaria (Lamarck 1822)
Canariella (Canariella) pontelirae Hutterer 1994

Subgenus *Alvaradoa* Ibáñez & Alonso 1994

Canariella (Alvaradoa) huttereri PonteLira & Groh 1994
Canariella (Alvaradoa) multigranosa (Mousson 1872)
Canariella (Alvaradoa) pthonera (Mabilie 1883)
= *parryi* Ponsonby & Sykes 1895

Subgenus *Gara* Ibáñez & Alonso 2002

Canariella (Gara) bimbachensis Ibáñez & Alonso 2002
Canariella (Gara) ronceroi PonteLira 2002

Subgenus *Majorata* Alonso & Ibáñez 2006

Canariella (Majorata) eutropis (Shuttleworth 1861)
Canariella (Majorata) jandiaensis Ibáñez & Ponte-Lira 2006

Subgenus *Salvinia* Alonso, Ibáñez & PonteLira 2003

Canariella (Salvinia) squamata Alonso, Ibáñez & PonteLira 2003
Canariella (Salvinia) tenuicostulata Alonso, Ibáñez & PonteLira 2003
Canariella (Salvinia) tillieri Alonso, Ibáñez & PonteLira 2003

Subgenus *Simplicula* PonteLira & Alonso 1997

Canariella (Simplicula) plutonia (Lowe 1861)

Genus *Ciliella* Mousson 1872

Ciliella ciliata (W. Hartmann 1821)

- = *biformis* Beck 1837
- = *follicula* Risso 1826
- = *guevarriana* Bourguignat 1889
- = *hirsuta* Cristofori & Jan 1832
- = *stussineri* Boettger 1884

Genus *Montserratina* Ortiz de Zárate 1946

Montserratina bofilliana (Fagot 1884)

- = *bolosii* Salvaña 1888

Montserratina martorelli (Bourguignat 1870)

Subfamilia Hygromiinae Tryon 1866

Tribus Trochulini Lindholm 1927

Genus *Trochulus* Gmelin 1789

Subgenus *Trochulus* Gmelin 1789

Trochulus (Trochulus) hispidus (Linnaeus 1758)

- = *alixae* Bourguignat in Locard 1894
- = *barcelonettensis* Bourguignat in Locard 1894
- = *beaudouini* Locard 1887
- = *bellovacina* Mabille 1877
- = *circinnata* Studer
- = *coelata* Studer 1820
- = *coelatina* Locard 1888
- = *concinna* Jeffreys 1830
- = *cularensis* Bourguignat in Locard 1887
- = *deobrigana* Bourguignat in Servain 1880
- = *drunasiana* Locard 1894
- = *elaverana* Bourguignat in Mabille 1877
- = *foeni* Locard 1894
- = *globus* Lessona 1879
- = *goosensis* Mabille 1877
- = *gratianopolitana* Rambur
- = *haemisphaerica* Lessona 1879
- = *hispidella* Bourguignat in Locard 1882
- = *hispidosa* Bourguignat in Fagot 1879
- = *hypsellina* Pons in Locard 1882
- = *latiscensis* Bourguignat 1887
- = *lentiaca* Sayn 1888
- = *liberta* Westerlund 1871
- = *locardiana* Fagot
- = *matronica* Mabille 1877
- = *microgyra* Bourguignat in Locard 1882
- = *neyronensis* Fagot
- = *niverniaca* Locard 1894
- = *orzeskoi* Cazier
- = *pictavica* Bourguignat in Loar 1894
- = *ripularum* Lessona 1897
- = *rufescens* Montagu
- = *salinai* Bourguignat
- = *saporosa* Mabille 1877
- = *sericella* Servain 1880
- = *steneligma* Bourguignat in Mabille 1877
- = *subcaelata* Lessona 1879
- = *subniverniaca* Cazier
- = *subplebeia* Lessona 1879
- = *trochiformis* Lessona 1879
- = *vendeana* Letourneux 1869
- = *vendoperonensis* Bourguignat in Locard 1882
- = *vocoutiana* Bourguignat in Locard 1882
- = *vulgaris* Lessona 1879

Trochulus (Trochulus) plebeius (Draparnaud 1805)

- = *autumnalis* Bourguignat
- = *axonana* Mabille
- = *badiella* Ziegler
- = *bourmiana* Bourguignat
- = *duesmensis* Locard
- = *elata* Bourguignat
- = *subbadiella* Bourguignat

Genus *Ponentina* P. Hesse 1921

Ponentina curtivaginata Holyoak & Holyoak 2012

Ponentina excentrica Holyoak & Holyoak 2012

Ponentina foiaensis Holyoak & Holyoak 2012

Ponentina grandiducta Holyoak & Holyoak 2012

Ponentina martigena (Ferussac 1832)

- = ? *agardhii* Pallary 1898
- = *boetica* Aguilar-Amat in Sacchi 1957
- = *ponentina* AA (non Morelet 1845)
- = ? *riatana* Pallary 1921
- = ? *russoi* Pallary 1928
- = *subvirescens* AA (non Bellamy 1839)

Ponentina monoglandulosa Holyoak & Holyoak 2012

Ponentina octoglandulosa Holyoak & Holyoak 2012

Ponentina papillosa Holyoak & Holyoak 2012

Ponentina platylasia (Castro 1887)

= *villula* AA (non Locard 1882)

Ponentina ponentina (Morelet 1845)

= *labiosa* Locard 1899

= *lisbonensis* Pfeiffer 1846

= *occidentalis* Recluz 1845

= *subvirescens* AA (non Bellamy 1839)

Ponentina revelata (Michaud 1831)

= *ponentina* AA (non Morelet 1845)

= *subvirescens* AA (non Bellamy 1839)

= *villula* AA (non Locard 1882)

Ponentina rosai (Castro 1887)

= *declivis* Locard 1899 var.

= *mariannae* Gittenberger 2012

Genus *Henkia* Gittenberger 2012

***Henkia antoni* Gittenberger 2012**

Genus *Plentuisa* Puente & Prieto 1992

***Plentuisa vendia* Puente & Prieto 1992**

Tribus Helicellini Ihering 1909

Genus *Candidula* Kobelt 1871

***Candidula arganica* (Servain 1880)**

= *mercedesi* Servain 1880

= *minor* Servain 1880 (*lusoi* var.)

= *minor* Servain 1880 (*saldubensis* var.)

= *saldubensis* Servain 1880

= *taconera* Servain 1880

***Candidula arrabidensis* Holyoak & Holyoak 2014**

***Candidula belemensis* (Servain 1880)**

= *absidata* Locard 1899

***Candidula berkai* Prieto 1986**

***Candidula camporroblensis* (Siro de Fez 1944)**

***Candidula carrapateirensis* Holyoak & Holyoak 2014**

***Candidula codia* (Bourguignat 1859)**

= *codopsis* Servain 1880

***Candidula corbellai* Martínez-Ortí 2011**

***Candidula coudensis* Holyoak & Holyoak 2010**

***Candidula gigaxii* (L. Pfeiffer 1850)**

= *acentrophala* Bourguignat in Servain 1880

= *andalucica* Ortiz 1950

= *andalusica* Kobelt 1882

= *arga* Locard

= *camerei* Caziot 1910

= *camporroblensis* AA non Siro de Fez

= *caperata* AA non Montagu

= *coutagnei* Bourguignat in Locard 1882

= *crouliziana* Fagot 1883

= *danieli* Bourguignat 1860

= *diniensis* Rambur

= *gavarnica* Bourguignat in Locard 1894

= *gesocribatensis* Bourguignat in Locard 1883

= *grimaldii* Caziot 1910

= *groboni* Bourguignat in Locard 1882

= *herborum* Servain 1880

= *heripensis* Mabilie 1877

= *hispalina* Servain 1880

= *homephila* Bourguignat

= *hypaena* Germain 1930

= *idanica* Locard 1881

= *intersecta* AA

= *intersepta* AA

= *jousseaumei* Mabilie

= *lauraguaisiana* Locard 1883

= *lemesli* Mabilie 1882

= *lieuranensis* Bourguignat in Locard 1883

= *limatula* Locard 1899

= *loroglossicola* Mabilie 1877

= *lugduniaca* Mabilie in Locard 1882

= *margieriana* Fagot 1883

= *mauriana* Bourguignat in Locard 1882

= *mouxensis* Fagot 1891

= *nomephila* Bourguignat in Locard 1882

= *nummulitica* Caziot 1910

= *palareacensis* Caziot 1910

= *pauli* Bourguignat in Locard 1883

= *philora* Bourguignat in Locard 1883

= *phlomiphila* Mabilie 1881

= *poephaga* Fagot in Locard 1894

= *pouzouensis* Fagot 1881

= *ramburi* Mabilie 1867

= *rocandioi* AA non Ortiz

= *ruida* Bourguignat in Locard 1883

= *saxaea* Bourguignat in Locard 1894

= *scitulosa* Locard

= *scrupea* Bourguignat in Locard 1882

= *scrupellina* Fagot in Locard 1883

= *siticulosa* Fagot 1883

= *solaciaca* Mabilie 1877

= *strenua* Westerlund 1892
= *subtolossana* Caziot 1910
= *taillanderi* Bourguignat in Locard 1894
= *thuillieri* Mabilie 1877
= *tolosana* Bourguignat in Locard 1883

***Candidula intersecta* (Poiret 1801)**

= *caperata* Montagu 1803
= *carcusiaca* Mabilie 1881
= *crenulata* Dillwyn
= *deferiana* Bourguignat in Locard 1882
= *expedenta* Locard 1899
= *fasciolata* Drouet
= *herbarum* Servain 1880

***Candidula najerensis* (Ortiz de Zárate 1950)**

***Candidula olissipensis* (Servain 1880)**

= *callisona* Locard 1899
= *defectiva* Locard 1899
= *micida* Locard 1899
= *ofellata* Locard 1899
= *portionalis* Locard 1899
= *protumida* Locard 1899
= *putilla* Locard 1899

***Candidula ponsulensis* Holyoak & Holyoak 2014**

***Candidula rocandioi* (Ortiz de Zárate 1950)**

= *montalbensis* Ortiz de Zárate 1991

***Candidula scabiosa* (Locard 1899)**

***Candidula setubalensis* (L. Pfeiffer 1850)**

= *serrula* Morelet 1845 (*non* Benson)

***Candidula strucki* (Maltzan 1886)**

= *struchi* Nobre 1941

***Candidula ultima* (Mousson 1872)**

= *accola* Mousson 1872
= *pressa* Mousson 1872

= *unifasciata* AA
= *valcourtiana* Bourguignat in Servain 1880
= *velaviana* Bourguignat 1871
= *veranyi* Bourguignat in Locard 1883
= *xenilica* Servain 1880

= *ignota* Mabilie 1865
= *imula* Locard 1899
= *intersepta* AA
= *paladilhi* Bourguignat 1866
= *pictonum* Bourguignat in Locard 1882
= *striata* AA. *non* Müller 1774
= *subintersecta* Bourguignat in Locard 1894

Genus *Helicella* A. Férussac 1821

***Helicella bolenensis* (Locard 1882)**

= *bolli* Steusl.
= *carpensoraactensis* Fagot
= *foliorum* Fagot
= *lauracina* Fagot
= *perroudiana* Locard

= *prinohila* Mabilie
= *robiniana* Bourguignat
= *tricastinorum* Locard 1884
= *visanica* Fagot

***Helicella cistorum* (Morelet 1845)**

= *semipicta* Hidalgo 1870

***Helicella iberica* (Rambur 1869)**

= *mirandae* Rambur 1868

***Helicella itala itala* (Linnaeus 1758)**

= *arenaria* Folin
= *arenosa* Dupuy 1850
= *arvenorum* Locard 1894
= *castrensis* Caziot
= *elusatika* Pollonera
= *enhalia* Bourguignat 1860
= *ericetella* Jousseau 1879
= *ericeticola* Chat.
= *ericetorum* Müller 1774
= *fagoti* Westerlund
= *kuesteri* Held
= *lampra* Westerlund

= *maladettae* Bourguignat in Fagot 1888
= *morbihiana* Bourguignat in Locard 1882
= *nephaea* Fagot 1881
= *noviodunensis* Locard
= *pseudosyrenosa* Caziot
= *sabulivaga* AA
= *salaunica* Fagot 1888
= *submaritima* Dupuy 1850
= *subsyrenosa* Caziot
= *subulivaga* Mabilie 1881
= *syrenosa* Servain
= *tardy* Bourguignat in Locard 1882

***Helicella itala pampelonensis* (A. Schmidt 1856)**

***Helicella nubigena* (De Saulcy 1852)**

***Helicella ordunensis* (Kobelt 1882)**

= *alavana* Ortiz de Zárate 1950 (*non* Bourguignat in Fagot 1883)

***Helicella orzai* Gittenberger & Manga 1980**

= *setubalensis* Ortiz & Ortiz 1950 (*non* Pf. 1850)

***Helicella stiparum* (Rossmässler 1854)**

***Helicella striatitala* Prieto 1985**

***Helicella valdeona* Gittenberger & Manga 1977**

Genus *Xerotricha* Monterosato 1892

Xerotricha adoptata (Mousson 1872)

Xerotricha apicina (Lamarck 1822)

= *agrestis* Caziot 1910
= *antoniana* Rochebrune 1881
= *bucheti* Mabilie 1898
= *cenisia* Charpentier 1837
= *citharistensis* Bourguignat in Locard 1882
= *cupani* Calcara
= *hirsuta* Paulucci 1879

= *hispidula* Risso 1826
= *horridula* Westerlund 1892
= *hypaeana* Bourguignat in Locard 1882
= *lancerottensis* Morelet 1880
= *lauta* Reeve
= *marsiana* Servain 1880
= *requienii* Moquin-Tandon 1855

Xerotricha arguineguinensis (Seddon & Aparicio 1998)

= *argonautula* W. & Berth. 1833 (part.)
= *canariensis* Mousson 1874

Xerotricha bierzona (Gittenberger & Manga 1977)

Xerotricha conspurcata (Draparnaud 1801)

= *aetnaea* Benoit 1875
= *cantabrica* Fagot 1882 non Hidalgo 1878
= *congentilis* Locard 1892
= *conspersa* Locard 1892
= *draparnaudia* Moquin-Tandon 1855
= *euaxes* Westerlund 1893
= *gradata* Aguilar-Amat 1933
= *honorati* Bourguignat in Locard 1882
= *horridula* Ortiz 1950 non West. 1892

= *illuviosa* G. Nevill 1880
= *letourneuxiana* Bourguignat 1883
= *mariae* Gasull 1979
= *moricola* Paladilhe 1875
= *narbornensis* Requien
= *psara* Bourguignat 1864
= *psaropsis* Locard 1882
= *quisquilliae* Paulucci 1882
= *sardiniensis* Porro 1838

Xerotricha corderoi (Gittenberger & Manga 1977)

Xerotricha crispolanata (Wollaston 1878)

Xerotricha gasulli (Ortiz de Zárate 1950)

Xerotricha gonzalezi (Azpeitia 1925)

= *mangae* Gittenberger & Raven 1982

Xerotricha huidobroi (Azpeitia 1925)

= *amnesta* Haas 1936
= *gargottae* Graells 1846

Xerotricha jamuzensis (Gittenberger & Manga 1977)

Xerotricha lancerottensis (Webb & Berthelot 1833)

= *calcareea* Mousson 1872

Xerotricha madritensis (Rambur 1868)

= *barcinensis* Bourguignat 1868
= *barcinonensis* Chia 1886
= *bruchiana* Serradell 1909
= *marceti* Fagot 1906
= *moreri* Fagot 1886
= *pallaresica* Fagot 1886

= *parabarcinensis* Ortiz 1946
= *ribasica* Fagot 1891
= *rodana* Fagot 1906
= *rodanensis* Fagot 1907
= *salvanae* Fagot 1886
= *urgelensis* Fagot 1889

Xerotricha nodosostrata (Mousson 1872)

Xerotricha nubivaga (Mabilie 1882)

= *macaronesica* Hesse 1932
= *nubigena* Lowe 1861

Xerotricha orbignii (D'Orbigny 1836)

= *mitigata* Mousson 1872
= *orotavana* Mousson 1872

Xerotricha silosensis (Ortiz de Zárate 1950)

Xerotricha vatonniana (Bourguignat 1877)

= *altenai* Gasull 1974
= *florentiae* Kobelt 1882
= *gibilmanica* Servain 1880
= *pumila* Westerlund 1892

Xerotricha zaratei Gittenberger & Manga 1977

Xerotricha zujarensis (Ortiz de Zárate 1950)

Tribus Hygromiini Tryon 1866

Genus *Cernuella* Schlüter 1838

Subgenus *Cernuella* Schlüter 1838

Cernuella (Cernuella) aginnica (Locard 1894)

= *armoricana* Hadolsky 1968
= *augustiniana* AA non Bourguignat 1880
= *cespitem* Adam 1947

- = *misarella* Pechaud in Locard 1894
- = *subneglecta* Germain 1930

Cernuella (Cernuella) cisalpina (Rossmässler 1837)

- = *aethalia* Pollonera 1905
- = *apennina* Chiereghin
- = *aprutitiana* Fagot 1884
- = *arnusiaca* Fagot 1884
- = *balteata* Pollonera 1892
- = *brundusiana* Fagot 1884
- = *castertana* Bourguignat 1887
- = *circinnata* Rossmässler 1837
- = *colosseana* Fagot 1884
- = *comnena* Retowski 1889
- = *delemai* Sacchi
- = *dertonensis* Pollonera 1889
- = *dobrogica* Grossu 1983
- = *etrusca* Issei 1866
- = *fasciolata* Moquin
- = *fiesolensis* Fagot 1884
- = *filograna* Stabile 1864
- = *fimbriata* Chiereghin
- = *florentina* Fagot 1888
- = *gradiscanensis* Fagot 1884
- = *hoemastoma* Bellini 1915
- = *ilvatica* Pollonera 1892
- = *infans* Westerlund 1902
- = *jonica* Mousson 1854
- = *karagolia* Westerlund 1902
- = *lesiniaca* Fagot 1884
- = *liparotica* Monterosato 1892

Cernuella (Cernuella) virgata (Da Costa 1778)

- = *acompsia* Bourguignat 1864
- = *acompsiella* Ancey
- = *acomptiella* Locard 1894
- = *actiella* Locard 1885
- = *acussata* Kobelt in Rossmässler 1907
- = *ademata* Bourguignat in Locard 1885
- = *adornata* AA
- = *aegila* Locard 1897
- = *agelensis* Caziot 1910
- = *aglaometa* Mabilie 1882
- = *agna* Hagenmüller in Locard 1882
- = *alaricana* Fagot 1894
- = *albovariegata* AguilarAmat 1908
- = *alburni* Kobelt 1907
- = *alluvionum* Servain 1880
- = *ambielina* Chapentier 1867
- = *amblia* Westerlund 1893
- = *andrei* Caziot 1910
- = *aqualatensis* Salvaña 1887
- = *aradasi* Pirajno 1842
- = *arcuata* Kobelt 1878
- = *arnouldi* Fagot in Marcet 1909
- = *aspila* Bourguignat in Let. & Bgt. 1887
- = *astata* Bourguignat in Servain 1880
- = *attica* Boettger 1883
- = *augustiniana* Bourguignat in Servain 1880
- = *avenionensis* Bourguignat in Locard 1885
- = *aveyronensis* Locard 1894
- = *azamii* Bourguignat in Locard 1894
- = *biacta* Ancey in Letourneux & Bgt. 1887
- = *blansaciana* Caziot
- = *blasi* Servain 1880
- = *bullina* Locard 1894
- = *calceola* Caziot
- = *calculina* Locard 1894
- = *canariensis* Mousson 1872
- = *canovasiiana* Servain 1880
- = *castroiana* Servain 1880
- = *cazioti* Locard 1894
- = *clitumni* Kobelt 1907
- = *collensis* Caziot 1910
- = *coneri* Kobelt 1907
- = *contempta* Kobelt 1888
- = *contensis* Caziot 1910

- = *littorea* Westerlund 1889
- = *maxima* Bellini 1915
- = *maximella* Haas 1936
- = *mediolanensis* Fagot 1884
- = *mentita* Pollonera 1892
- = *meridionalis* Mousson 1854
- = *monfalconensis* Westerlund 1889
- = *muggianica* westerlund 1889
- = *neglecta* Roth 1839
- = *phari* Fagot 1884
- = *praeclara* Cafici 1882
- = *profuga* Rossmässler 1864
- = *pugnax* Westerlund 1889
- = *romana* Fagot 1884
- = *sipylensis* Germain 1933
- = *smyrnensis* Retowski 1889
- = *spalatensis* Fagot 1884
- = *submeridionalis* Bourguignat 1863
- = *subprofuga* Stabile 1864
- = *tellini* Pollonera 1910
- = *trimentina* Pollonera 1892
- = *tringa* Fagot 1884
- = *turbinata* De Cristofori & Jan 1832
- = *turbinula* Pollonera 1905
- = *turriculata* Bellini 1915
- = *tyrrhena* Pollonera 1905

- = *cyzicensis* Galland in Coutagne 1881
- = *dartezi* Rossmässler 1884
- = *dasilvae* Locard 1892
- = *dautezi* Kobelt in Rossmässler 1884
- = *dendrophila* Mabilie 1883
- = *dichesthemena* Sturany 1902
- = *didymopsis* Fagot in Locard 1882
- = *edax* Locard 1894
- = *edetanorum* Servain 1880
- = *emporiensis* Aguilar-Amat 1908
- = *enthalassina* Bourguignat in Locard 1894
- = *escarenensis* Caziot
- = *euetha* Cafici 1884
- = *euphorca* Bourguignat 1864
- = *euthalassina* Bourguignat in Locard 1894
- = *euxina*
- = *evenosi* Locard 1885
- = *falconensis* Caziot 1910
- = *fargesi* Pallary 1927
- = *fenecta* Kobelt 1907
- = *fera* Letourneux & Bourguignat 1887
- = *finitimus* Locard 1899
- = *foedata* Locard 1882
- = *foedatina* Locard 1894
- = *gattoi* Kobelt 1890
- = *genuensis* Pollonera 1893
- = *grannonensis* Bourguignat in Servain 1880
- = *grossa* Kobelt 1907
- = *guideloni* Bourguignat in Locard 1894
- = *hellenica* Bourguignat 1876
- = *herbicola* Mousson 1873
- = *humillima* Caziot
- = *inflata* Westerlund 1889
- = *interamnensis* Kobelt 1907
- = *janalis* Pollonera 1892
- = *janinensis* Westerlund 1902
- = *joubini* Germain
- = *jusiana* Locard 1885
- = *kalona* Berthelot in Locard 1894
- = *klaptoczi*
- = *krizensis* Bourguignat in Let. & Bgt. 1887
- = *labida* Locard 1894
- = *lathraea* Bourguignat in Locard 1882
- = *lauriensis* Kobelt 1907

- = *lauta* Lowe 1831
- = *lecointrei* Bourguignat
- = *lentipes* Locard 1894
- = *leonis* Locard 1894
- = *leviculina* Locard 1894
- = *limara* Pollonera 1892
- = *limarella* Hagenmüller in Westerlund 1889
- = *limbifera* Locard 1894
- = *lineata* Olivi 1792
- = *lirouxiana* Bourguignat in Locard 1880
- = *luteata* Parreys in Pfeiffer 1857
- = *luteola* Servain 1880
- = *lutosinula* Locard
- = *lutulenta* Locard 1899
- = *madia* Fagot 1883
- = *major* Pollonera 1892
- = *malecasta* Locard 1894
- = *maritima* Draparnaud 1805
- = *marsilhonensis* Bourguignat in Locard 1894
- = *mascarelyi* Caziot 1910
- = *mauritanica* Bourguignat in Servain 1880
- = *maxima* Pollonera 1892
- = *melania* Bourguignat 1884
- = *melantozona* Cafici in Locard 1894
- = *mendozae* Servain in Locard 1892
- = *mendranoi* Servain 1880
- = *mendranopsis* Locard 1894
- = *meninxica* Letourneux & Bourguignat 1887
- = *meridionalis* Rossmässler 1837
- = *mesembrica* Letourneux & Bourguignat 1887
- = *messapia* Bourguignat 1887
- = *messapiensis* Kobelt 1907
- = *migrata* Locard 1894
- = *minor* Servain 1880 (*luteola* var.)
- = *misara* Bourguignat in Locard 1882
- = *montgiscardiana* Fagot 1883
- = *moranensis* Kobelt 1907
- = *motanoi* Servain 1880
- = *mucinica* Bourguignat in Locard 1894
- = *neglecta* Alonso 1975
- = *nemausensis* Bourguignat in Locard 1894
- = *neptunensis* Kobelt 1907
- = *niciensis* Caziot 1910
- = *nigricans* Bourguignat in Locard 1894
- = *notata* Westerlund 1902
- = *nova* Bourguignat 1880
- = *odarsensis* Fagot 1883
- = *odenensis* Salvaña 1887
- = *ogiaca* Servain in Locard 1882
- = *omala* Westerlund 1902
- = *palareacensis* Caziot 1910
- = *palavasensis* Germain 1904
- = *paoliniana* Caziot 1903
- = *papalis* Locard 1884
- = *parva* Pfeiffer 1848
- = *pastorella* Westerlund 1883
- = *pauatariae* Sacchi 1960
- = *pellucens* Pfeiffer 1848
- = *peninsularis* Kobelt 1907
- = *peregrina* Locard 1894
- = *petrophila* Locard 1894
- = *phryganophila* Mabille 1882
- = *pila* Caziot 1902
- = *pilula* Locard 1894
- = *pistoriana* Pollonera 1893
- = *plenaria* Locard 1894
- = *pompeiana* Locard 1882
- = *praticola* Salvaña 1887
- = *privata* Galland in Letourneux & Bgt. 1887
- = *privatiformis* Hagenmüller in Locard 1894
- = *pseudoenhalia* Bourguignat 1860
- = *pseudoxalonica* Caziot 1910
- = *pthiota* Westerlund 1883
- = *regularis* Kobelt 1907
- = *rufolabris* Pfeiffer 1856
- = *salentina* Blanc in Locard 1885
- = *saprensis* Kobelt 1907
- = *scicyca* Bourguignat in Locard 1894
- = *secessa* Pollonera 1892
- = *senensis* Pollonera 1892
- = *sianensis* Caziot in Locard
- = *sicula* Kobelt 1890
- = *sitifiensis* Bourguignat 1882
- = *solanoi* Servain 1880
- = *striata* Rossmässler 1836
- = *subalbida* Poiret
- = *subcycicensis* Saint-Simon in Chia 1887
- = *suberis* Locard 1885
- = *subluteata* Servain 1880
- = *submaritima* Jeffreys in Pfeiffer 1853
- = *submarsilhonensis* Caziot
- = *submendranoi* Caziot 1910
- = *submeridionalis* Alonso 1975
- = *submucinica* Caziot 1910
- = *subneglecta* Bourguignat 1860
- = *subpapalis* Caziot 1905
- = *subtassiana* Locard 1894
- = *sybaritica* Kobelt 1907
- = *sylvae* Locard 1882
- = *tabarkana* Letourneux & Bourguignat 1887
- = *tartagiana* Caziot 1903
- = *tassiana* Fagot in Locard 1885
- = *terraria* Locard 1894
- = *terrosa* Locard 1899
- = *therella* Berthier in Let. & Bgt. 1887
- = *timei* Kobelt 1907
- = *trapanica* Berthelot in Locard 1894
- = *tritonidis* Jus.
- = *tumida* Westerlund 1889
- = *turgida* Blanc & Westerlund 1889
- = *tuta* Paulucci 1882
- = *uberta* Locard 1899
- = *urnina* Locard 1894
- = *variabilis* Draparnaud 1801
- = *variata* Pini 1885
- = *variegata* Mousson 1859
- = *vilanovensis* Salvaña 1887
- = *villeneuvei* Caziot
- = *virginea* Kobelt 1907
- = *xalonica* Servain 1880
- = *zitanica* Letourneux & Bourguignat 1887
- = *zuluetai* Caziot 1905

Subgenus *Xerocincta* Monterosato 1892

Cernuella (Xerocincta) neglecta (Draparnaud 1805)

- = *acosmeta* Bourguignat in Locard 1882
- = *acrenoica* Haas 1939
- = *ammonis* Strobel 1857
- = *auscitanica* Gourdon 1889
- = *bononiensis* Stefani 1883
- = *cahuzaci* Bourguignat in Fagot 1883
- = *discrepans* Tiberi 1878
- = *ericetorella* Servain in Locard 1894
- = *eupalotina* Bourguignat in Locard 1894
- = *herbatica* Fagot 1883
- = *lersiana* Fagot 1874
- = *luteolina* Locard 1890
- = *major* Kobelt 1877
- = *mendica* Pollonera 1892
- = *nerusia* Pollonera 1892
- = *phila* Berthier in Locard 1894
- = *popella* Pollonera 1892
- = *samnitum* Westerlund 1889
- = *sublersiana* Bourguignat in Locard 1894
- = *talepora* Bourguignat in Locard 1882

= *tarbella* Berthier in Locard 1894
= *trepidula* Servain in Coutagne 1881
= *trepidulina* Locard 1891

= *triphora* Bourguignat in Locard 1882
= *ultima* Caziot 1910
= *xera* Hagenmüller in Locard 1882

Genus *Hygromia* Risso 1826
Subgenus *Hygromia* Risso 1826

***Hygromia (Hygromia) cinctella* (Draparnaud 1801)**
= *albella* Costa 1829
= *chelydea* Westerlund 1889
= *ecarinata* Paulucci 1878
= *fasciata* Moquin-Tandon 1855
= *interrupta* Benoit 1872

Subgenus *Riedelia* Schileyko 1972

***Hygromia (Riedelia) limbata limbata* (Draparnaud 1805)**
= *hylonomia* Bourguignat in Locard 1882
= *ripollica* Fagot 1882
***Hygromia (Riedelia) tassyi* (Bourguignat 1884)**
= *gofasi* Prieto & Puente 1992

Genus *Zenobiella* Gude & B.B. Woodward 1921

***Zenobiella subrufescens* (Miller 1822)**
= *fusca* Montagu 1807
= *membranacea* Brown 1827
= *revelata* Pouchard 1838

Tribus Leptaxini C. Boettger 1909

Genus *Leptaxis* R.T. Lowe 1852
Subgenus *Leptaxis* R.T. Lowe 1852

***Leptaxis (Leptaxis) advena advena* (Webb & Berthelot 1833)**
= *arangoi* Tryon 1888
= *fogoensis* Dohrn 1869
= *serta* Albers 1854
***Leptaxis (Leptaxis) advena myristica* (Shuttleworth 1852)**
= *depressiuscula* Wollaston 1878
= *visgeriana* Dohrn 1869
† ***Leptaxis (Leptaxis) atlantoidea* (Morelet 1873)**
***Leptaxis (Leptaxis) azorica* (Albers 1852)**
***Leptaxis (Leptaxis) bollei* (Albers 1854)**
= *leptostyla* Dohrn 1869
= *subroseotincta* Wollaston 1878
***Leptaxis (Leptaxis) caldeirarum* (Morelet & Drouet 1857)**
† ***Leptaxis (Leptaxis) chrysomela* (L. Pfeiffer 1848)**
= *aenostoma* Pfeiffer 1846
= *bifasciata* Cockerell 1922
= *minor* Paiva 1867 (*fluctuosa* var.)
***Leptaxis (Leptaxis) drouetiana* (Morelet 1860)**
† ***Leptaxis (Leptaxis) fluctuosa* (Lowe 1852)**
= *neivai* Silva 1956
***Leptaxis (Leptaxis) furva* (Lowe 1831)**
= *grandissima* Cockerell 1922
= *major* Paiva 1867
= *minor* Paiva 1867
***Leptaxis (Leptaxis) membranacea* (Lowe 1852)**
***Leptaxis (Leptaxis) minor* Backhuys 1975**
***Leptaxis (Leptaxis) niphos* (L. Pfeiffer 1857)**
† ***Leptaxis (Leptaxis) orzolae* Gittenberger & Ripken 1985**
† ***Leptaxis (Leptaxis) primaeva* (Morelet 1873)**
***Leptaxis (Leptaxis) simia simia* (Ferussac 1835)**

= *erubescens* Lowe 1831
= *minor* Paiva 1867 (*erubescens* var.)

***Leptaxis (Leptaxis) simia advenoides* (Paiva 1867)**

***Leptaxis (Leptaxis) simia hyaena* (Lowe 1852)**

= *major* Paiva 1867 (*erubescens* var.)

***Leptaxis (Leptaxis) simia portosancti* (Wollaston 1878)**

***Leptaxis (Leptaxis) terceirana* (Morelet 1860)**

† ***Leptaxis (Leptaxis) vetusta* (Morelet & Drouet 1857)**

Subgenus *Cryptaxis* R.T. Lowe 1855

***Leptaxis (Cryptaxis) groviana groviana* (Ferussac 1823)**

= *corrugata* Pfeiffer 1847

= *cymatopleura* Mabilie 1883

= *eurabdolena* Mabilie 1883

= *grandior* Cockerell 1921

= *mandoni* Mabilie 1883

= *minor* Albers 1854

= *undata* Lowe 1831

***Leptaxis (Cryptaxis) groviana leonina* (Lowe 1852)**

= *intermedia* Wollaston 1878

***Leptaxis (Cryptaxis) groviana vulcania* (Lowe 1852)**

= *desertae* Wollaston 1878

Subgenus *Katostoma* R.T. Lowe 1855

***Leptaxis (Katostoma) nivosa nivosa* (Sowerby 1824)**

= *accolorata* Lowe 1855

= *chlorata* Lowe 1855

= *decolorata* Lowe 1855

= *exalbida* Wood 1828

= *intermedia* Albers 1854

= *phlebophora* Lowe 1854

***Leptaxis (Katostoma) nivosa calensis* Bank, Groh & Ripken 2002**

= *planata* Lowe 1855

***Leptaxis (Katostoma) nivosa craticulata* (Lowe 1853)**

= *minor* Paiva 1867

= *scrobiculata* Lowe 1855

† ***Leptaxis (Katostoma) psammophora* (Lowe 1852)**

***Leptaxis (Katostoma) wollastoni wollastoni* (Lowe 1852)**

= *subdubia* Wollaston 1878

***Leptaxis (Katostoma) wollastoni forensis* (Wollaston 1878)**

= *minor* Paiva 1867

Subgenus *Helixena* Backhuys 1975

***Leptaxis (Helixena) sanctamariae* (Morelet & Drouet 1857)**

= *simrothi* Kobelt 1900

Genus *Mengoana* Ortiz de Zárate López 1951

***Mengoana jeschoui* (Ortiz de Zárate 1949)**

= *inchoata* AA. non Morelet 1854

Genus *Monachoides* Gude & B.B. Woodward 1921

***Monachoides incarnatus incarnatus* (O.F. Müller 1774)**

= *armata* Mabilie 1859

= *byssina* Gredler 1856

= *conventae* Caziot 1905

= *opimata* Locard

= *permica* Bourguignat

= *silanica* Bourguignat

= *tecta* Ziegler 1848

= *tholiformis* Bourguignat

= *veprum* Locard 1882

Genus *Portugala* E. Gittenberger 1980

***Portugala inchoata* (Morelet 1854)**

= *brigantina* Mengo 1867

- = *goltzi* Locard 1895
- = *nobrei* Locard 1895
- = *paulinoi* Locard 1895
- = *pochi* Locard 1895

Tribus incerta

Genus *Cryptosaccus* Prieto & Puente 1994

- Cryptosaccus asturiensis* Prieto & Puente 1994
- Cryptosaccus cabrerensis* Holyoak & Holyoak 2014

Genus *Ganula* E. Gittenberger 1970

- Ganula gadirana* Muñoz, Almodóvar & Arrébola 1999
- Ganula lanuginosa* (Boissy 1835)

Genus *Microxeromagna* Ortiz de Zárate 1950

Microxeromagna lowei (Potiez & Michaud 1835)

- = *armillata* Lowe 1852
- = *arrouxi* Bourguignat 1863
- = *haifaensis* Petrbock 1946
- = *mayeri* Gude 1914
- = *stolismena* Bourguignat in Servain 1880
- = *vestita* Rambur 1868

Genus *Pyrenaearia* P. Hesse 1921

Pyrenaearia cantabrica (Hidalgo 1873)

- = *covadongae* Ortiz de Zárate 1956
- = *poncebensis* Ortiz de Zárate 1956
- = *schaufussi* Kobelt 1876

Pyrenaearia carascalensis (Michaud 1831)

- = *esterlei* Bourguignat in Locard 1894
- = *nansoutyana* Bourguignat 1894
- = *oppidi* Fagot 1885
- = *subvelascoi* Bourguignat in Locard 1894
- = *velascoi* Locard 1862 non Hidalgo

Pyrenaearia carascalopsis (Fagot, 1884)

- = *esserana* Bourguignat 1887

Pyrenaearia cotiellae (Fagot 1906)

Pyrenaearia daanidentata Raven 1988

Pyrenaearia molae Haas 1924

Pyrenaearia navasi navasi (Fagot 1907)

- = *moncayensis* Prieto 1986

Pyrenaearia navasi sylvatica Prieto 1991

Pyrenaearia oberthuri (Ancey 1884)

- = *bulnesi* Ortiz de Zárate 1956

Pyrenaearia organiaca (Fagot 1905)

Pyrenaearia parva Ortiz de Zárate 1956

Pyrenaearia velascoi velascoi (Hidalgo 1867)

- = *aralarensis* Prieto 1986

Genus *Xerosecta* Monterosato 1892

Subgenus *Xerosecta* Monterosato 1892

Xerosecta (Xerosecta) explanata (O.F. Müller 1774)

- = *albella* Draparnaud 1801

Subgenus *Xeromagna* Monterosato 1892

Xerosecta (Xeromagna) adolfi (L. Pfeiffer 1854)

- = *terveri* Rossmässler 1854

Xerosecta (Xeromagna) cespitum (Draparnaud 1801)

= *adolphi* AA non Pfeiffer 1854
 = *adolia* Flor. 1884
 = *aerumnosa* Caziot 1904
 = *algeriana* Grateloup
 = *alticola* G. Nevill 1880
 = *apista* Locard 1894
 = *apparens* Pollonera
 = *arenarum* Bourguignat 1864
 = *arenivaga* Mabilie 1867
 = *arigo* Rossmässler 1854
 = *arigonis* Schmidt 1853
 = *armoricana* Bourguignat in Locard 1882
 = *arvicola* G. Nevill
 = *bavayi* Pollonera 1893
 = *bradypora* Locard 1894
 = *chardon* Locard 1894
 = *dantei* Bourguignat in Servain 1880
 = *dismasthia* Nevill 1880
 = *duminyi* Caziot 1903
 = *erratica* Mabilie 1881
 = *eurythmia* Hartmann 1840
 = *euthymeana* Locard 1883
 = *falsa* Berillon 1902
 = *fertoni* Caziot 1903
 = *globula* Locard 1894
 = *globuloidea* Pfeiffer
 = *gouini* Debeux in Westerlund 1889
 = *hanryi* Loard 1894
 = *ilicis* Florence 1885
 = *introducta* Ziegler 1887

***Xerosecta (Xeromagna) promissa* (Westerlund 1893)**

= *bipartita* Locard 1899
 = *euglypha* Locard 1899
 = *luteata* AA (non Pfeiffer 1857)
 = *omnivaga* Locard 1899
 = *salebrosa* Locard 1899
 = *subrostrata* Ortiz 1950 (non Ferussac 1821)
 = *superflexa* Locard 1899

***Xerosecta (Xeromagna) reboudiana* (Bourguignat 1863)**

= *comendadori* Servain 1880
 = *romulina* Servain 1880
 = *specialis* Bourguignat in Servain 1880
 = *sublалlemantiana* Bourguignat
 = *submeridionalis* Ortiz 1950 (non Bgt. 1863)
 = *tarifensis* Bourguignat in Servain 1880
 = *vettonica* Servain 1880

HYGROMIIDAE SPECIAE DUBIAE

= *anasina* Servain 1880
 = *arnusi* Servain 1880
 = *atomata* Menke
 = *bellinii* Monterosato 1915
 = *benoiti* Monteroato 1882
 = *bonaldae* Adami 1885
 = *cathrae* Bourguignat
 = *clausella* Westerlund 1892
 = *cottiana* Pollonera 1885
 = *dissimilis* Pallary 1918
 = *embryonata* Westerlund 1892
 = *eremia* Westerlund 1876
 = *evula* Bourguignat in Locard 1899
 = *ferdinandi* Servain 1880
 = *fuentei* Fagot
 = *glomerata* Ferussac
 = *grollerosi* Altimira
 = *juriniana* Bourguignat 1884
 = *lecointrei*
 = *lutetiana* Bourguignat 1869
 = *macerensis* Fagot
 = *melonantha* Shuttleworth
 = *micromphalus* Letourneux 1870
 = *modica* Morelet 1847
 = *mouxensis* Fagot 1891

= *luci* Florence 1884
 = *mantinica* Mabilie in Locard 1894
 = *marioni* Bourguignat 1882
 = *marioniana* Bourguignat in Locard 1882
 = *maristorum* Florence 1884
 = *mauricensis* Pollonera 1893
 = *megastoma* Ancey 1884
 = *naudieri* Bourguignat in Locard 1882
 = *nautica* Locard 1882
 = *opalina* Westerlund 1902
 = *oswaldi* Locard 1894
 = *pampelonensis* Locard 1882 (non Schmidt)
 = *panescorsei* Berenguier 1883
 = *paulinii* Locard 1896
 = *pisanorum* Bourguignat in Locard 1882
 = *remuriana* Pollonera 1893
 = *restonicana* Caziot 1903
 = *sanariensis* Locard 1894
 = *sclera* G. Nevill 1880
 = *sospitelliana* Pollonera 1893
 = *sphaerita* Hartmann 1844
 = *subalaricana* Caziot
 = *subarenarum* G. Nevill 1880
 = *subarigo* Fagot 1891
 = *subcespitem* G. Neville 1880
 = *subpampelonensis* Locard 1894
 = *subpanescorsei* Caziot
 = *turgescens* Pollonera 1893
 = *varusensis* Locard 1894
 = *vediantia* Pollonera 1893

= *mutua* Westerlund 1892
 = *pantanellii* Stefani 1879
 = *pedemontana* Pini 1884
 = *pegorarii* Pollonera 1885
 = *petasia* Westerlund 1902
 = *pinii* Westerlund 1889
 = *pozuelica* Fagot
 = *pseudosericea* Benoit 1857
 = *pupilla* Servain 1880
 = *renei* Fagot 1882
 = *roigiana* Bofill 1890
 = *russidana* Letourneux & Bgt. 1887
 = *salassia* Pollonera 1885
 = *sclerostoma* Stefani 1883
 = *simiarum* Kobelt 1882
 = *sourbieui* Fagot 1890
 = *spleniata* Locard 1899
 = *stossiciana*
 = *subcostulata* Bourguignat 1864
 = *sublusitanica* Castro in Locard 1899
 = *subnumidica* Westerlund 1889
 = *subrufa* Locard 1899
 = *sulliotii* Pollobnera 1885
 = *umbilicaris* Olivi 1792
 = *vagienna* Pollonera 1886

= *valledori* Bech 1993

Familia Helicidae Rafinesque 1815
Subfamilia Ariantinae Mörch 1864

Genus Arianta Turton 1831

***Arianta arbustorum arbustorum* (Linnaeus 1758)**

= *albulana* Bourguignat

= *depressa* Westerlund

= *dravida* Servain

= *feroeli* Bourguignat

= *illusana* Servain

= *jetschini* Ulicny

= *joachimi* Schöder 1911

= *knitteli* Bourguignat

= *musdorffiensis* Servain

= *nazarina* Bourguignat

= *rufescens* Pennant 1777

= *stentzi* Rossmässler

= *thamnivaga* Mabilie

= *themita* Mabilie

= *trachia* Bourguignat

= *trochoidalis* Ruff.

= *vibrayana* Servain

= *wittmanni* Zaw.

***Arianta xatartii* (Farines 1834)**

= *campodrunica* Kobelt in Rossmässler 1883

= *canonica* Fagot 1879

= *fagoti* Bourguignat in Locard 1882

= *hynicola* Mabilie

= *picea* Ziegler in Rossmässler 1835

Genus Helicigona A. Férussac 1821

***Helicigona lapicida lapicida* (Linnaeus 1758)**

= *lecoqi* Puton in Moquin-Tandon 1855

= *lychnucha* Locard 1868

***Helicigona lapicida andorrica* (Bourguignat 1876)**

Genus Chilostoma Fitzinger 1833

Subgenus Corneola Held 1838

***Chilostoma (Corneola) acrotricha* (P. Fischer 1877)**

= *atricha* Bofill 1915

***Chilostoma (Corneola) desmoulinsi desmoulinsi* (Farines 1834)**

= *mollerati* Morelet 1884

***Chilostoma (Corneola) desmoulinsi bechi* (Altimira 1959)**

***Chilostoma (Corneola) squamantinum* (Rossmässler 1835)**

= *cornea* Draparnaud 1801

= *oltisiana* Locard 1890

Genus Isognomostoma Fitzinger 1833

***Isognomostoma isognomostomos* (Schröter 1784)**

= *personatum* Lamarck 1792

Subfamilia Helicinae Rafinesque 1815
Tribus Murellini P. Hesse 1918

Genus Marmorana W. Hartmann 1844

Subgenus Murella L. Pfeiffer 1877

***Marmorana (Murella) muralis muralis* (O.F. Müller 1774)**

= *abraea* Mabilie 1867

= *abromia* Mabilie 1867

= *commoda* Monterosato 1892

= *substrigata* Mabilie 1867

***Marmorana (Murella) muralis costulata* (Benoit 1857)**

= *alterutra* Monterosato 1892

= *mahonensis* AguilarAmat 1933

= *picta* Monterosato 1892

= *templorum* Monterosato 1892

Tribus Euparyphini Perrot 1939

Genus *Theba* Risso 1826

***Theba andalusica* Gittenberger & Ripken 1987**

† ***Theba arinagae* Gittenberger & Ripken 1987**

= *alboranensis* Odhner 1931

† ***Theba cartaxiensis* (Roman 1907)**

***Theba clausoinflata* (Mousson 1857)**

† ***Theba costillae* (Hutterer 1990)**

***Theba geminata* (Mousson 1857)**

= *hierophanta* Mabile 1882

= *parvula* Mousson 1872

***Theba gittenbergeri* Puente 1994**

***Theba grasseti* (Mousson 1872)**

***Theba impugnata* (Mousson 1857)**

= *subgeminata* Mousson 1872

† ***Theba lindneri* Kittel 2012**

***Theba macandrewiana* (L. Pfeiffer 1833)**

= *ustulata* Lowe 1852

† ***Theba orzolae* Gittenberger & Ripken 1985**

***Theba pisana pisana* (O.F. Müller 1774)**

= *aegusina* Monterosato 1892

= *agaroi* Letourneux & Bourguignat 1887

= *alba* MoquinTandon

= *albella* Linnaeus 1758

= *albida* MoquinTandon

= *albinos* Bourguignat

= *alboranensis* Beck 1837

= *altispira* Paiva 1867

= *anonyma* Westerlund 1889

= *barbozana* Locard 1899

= *bifrons* MoquinTandon

= *bocagei* Locard 1899

= *byrsae* Mares

= *byzantina* Roth 1839

= *calcarea* Pfeiffer 1849

= *carpiensis* Bourguignat 1887

= *catocyphia* Bourguignat 1860

= *chambari* Bourguignat 1860

= *cingenda* Montagu 1803

= *concolor* MoquinTandon

= *couturieri* Bourguignat

= *cuttati* Bourguignat 1889

= *delicata* Monterosato

= *dermoi servain* in Bourguignat 1887

= *diaphana* Bourguignat

= *djerbanica* Letourneux & Bourguignat 1887

= *donatii* Bourguignat 1887

= *donatii* Hagenmüller

= *donnellii* Pallary 1904

= *fauxrosea* Taylor

= *feruginea* MoquinTandon

= *gersiensis* Bourguignat

= *globosior* Shuttleworth

= *grandis* Cockerell 1921

= *graphica* Morelet

= *guardiae* Jaeckel 1952

= *hamadanica* Bourguignat

= *hyperplatea* Servain 1880

***Theba pisana arietina* (Rossmässler 1846)**

= *planata* Rossmässler 1854

***Theba subdentata helicella* (Wood 1828)**

= *acutangula* Lowe 1861

= *calliostoma* Adams & Reeve 1848

= *erythrostroma* Beck 1837

= *obtusangula* Lowe 1861

= *planata* Chemnitz 1795

= *thlipsa* Westerlund 1889

= *laghetensis* Caziot 1910

= *lenoleuca* Bourguignat

= *leucostoma* Risso 1826

= *levesquei* Berthelot

= *lineolata* MoquinTandon

= *lineolata* Pallary 1921

= *machadoi* Locard 1887

= *major* Pallary 1921

= *menkeana* MoquinTandon

= *minor* Bourguignat

= *minor* Pallary 1921

= *monroi* Letourneux & Bourguignat 1887

= *musica* Taylor

= *olivaresi* Servain 1880

= *orbis* Hidalgo 1875

= *petholata* Olivi 1792

= *pisanella* Servain in Bourguignat 1887

= *pisanopsis* Servain 1880

= *planulata* Hidalgo 1866

= *radesiana* Mares in Bourguignat 1887

= *rhodostoma* Draparnaud 1801

= *rosalba monterosato* 1892

= *salemensis* Bourguignat

= *sardoa* Ziegler 1830

= *sertum* Monterosato 1892

= *sinistrorsum* Taylor

= *spirolineata* Monterosato 1892

= *subconica* Monterosato 1892

= *subpisana* Bourguignat 1887

= *subzonata* Bourguignat

= *taeniola* MoquinTandon

= *taylori* Cockerell 1922

= *tenuis* Taylor

= *tinophila* Bourguignat 1860

= *undulata* Taylor

= *zitanensis* Bourguignat

= *zonaria* Pennant 1777

Tribus Helicini Rafinesque 1815

Genus *Allognathus* Pilsbry 1888

Subgenus *Allognathus* Pilsbry 1888

Allognathus (Allognathus) grateloupi (Graells 1846)

- = *graellsiana* Pfeiffer 1848
- = *tessellata* Ferussac in Deshayes 1851

Subgenus *Iberellus* P. Hesse 1908

Allognathus (Iberellus) hispanicus hispanicus (Rossmässler 1838)

- = *balearicus* Ziegler 1853
- = *cantae* Bourguignat in Servain 1880
- = *eustrapa* Bourguignat 1883
- = *halmyris* Westerlund 1889 (partim)
- = *majoricensis* Dohrn & Heynemann 1862
- = *palmana* Bourguignat 1883
- = *praeconia* Westerlund 1902
- = *speciosa* Ziegler in Rossmässler 1838
- = *valdemusana* Bourguignat 1883
- = *violacea* Dohrn & Heynemann 1862 var.

Allognathus (Iberellus) hispanicus companyonii (Rossmässler 1839)

- = *chorista* Bourguignat in Servain 1880
- = *horadadae* Jaekel 1852
- = *oberndorferi* Kobelt 1882
- = *palumbariae* Aguilar-Amat 1933
- = *pyrenaica* Rossmässler 1839 var.
- = *ramisi* Bourguignat 1883
- = *sampoli* Bourguignat 1883
- = *tiranoi* Bourguignat in Servain 1880

Allognathus (Iberellus) hispanicus horadadae (Jaekel 1952)

Allognathus (Iberellus) companyonii minoricensis (Mittre 1842)

- = *minorica* Bourguignat 1883

Allognathus (Iberellus) hispanicus palumbariae (Aguilar-Amat 1933)

Allognathus (Iberellus) hispanicus pythiusensis (Bofill & Aguilar-Amat 1924)

Allognathus (Iberellus) hispanicus tanitianus (Forès & Vilella 1993)

Genus *Cepaea* Held 1838

Subgenus *Cepaea* Held 1838

Cepaea (Cepaea) hortensis hortensis (O.F. Müller 1774)

- = *fusca* Poiret 1801
- = *hybrida* Pilsbry 1888
- = *intermedia* Scholtz 1844
- = *miocenica* Faure 1937

Cepaea (Cepaea) nemoralis nemoralis (Linnaeus 1758)

- = *adamii* Kobelt 1903
- = *albolabiata* Kobelt 1903
- = *cisalpina* Stabile 1864
- = *erjavecii* Kobelt 1880
- = *fusca* Poiret 1801
- = *gallica* Westerlund 1876
- = *hybrida* Poiret 1801
- = *imperfecta* Risso 1826
- = *intermedia* Rossmässler 1842
- = *leucostoma* Kobelt 1903
- = *leucostoma* Stabile 1859
- = *libellula* Risso 1826
- = *lucifuga* Hartmann 1844
- = *magna* Kobelt 1903
- = *olivacea* Risso 1826
- = *subaustriaca* Bourguignat 1880
- = *tonnensis* Sandberger 1825

Genus *Cornu* Born 1778

Cornu aspersum aspersum (O.F. Müller 1774)

- = *adpersa* Beck 1837
- = *almerai* Locard
- = *betae* Trechmann 1938
- = *cirtensis* Kobelt 1903
- = *conoidea* Moquin-Tandon 1855
- = *copiae* V. Born 1778
- = *depereti* Locard
- = *depressa* Paulucci 1879
- = *eutecta* Monterosato 1892
- = *figarolae* Jaekel 1954
- = *grisea* Gmelin 1798
- = *insolita* Monterosato 1892
- = *megalostoma* Bourguignat 1864
- = *minor* Paulucci 1879
- = *putris* Monterosato 1892
- = *solidissima* Paulucci 1879
- = *spumosa* Lowe 1831
- = *variegata* Gmelin 1788

Genus *Eobania* P. Hesse 1913

Eobania vermiculata (O.F. Müller 1774)

- = *albida*
- = *concolor* De Cristofori & Jan 1832
- = *figarolae* Rensch 1928
- = *lampedusae* Hesse 1920
- = *linosiana* Kobelt 1872
- = *linusae* Calcara 1846

= *linusiana* Benoit 1857
= *minuta* Issel 1880
= *pantensis* Sacchi 1955
= *pelagosana* Westerlund
= *protovermiculata* Trechmann 1938
= *sarcostomopsis* Bofill & Aguilar-Amat 1929

= *solidior* Monterosato 1892
= *subangulata* Issel 1868
= *thalassina* Villa & Villa 1841
= *umbilicata* Castriota 1899
= *usticensis* Monterosato 1892
= *vilassarum* Caziot 1903

Genus *Helix* Linnaeus 1758

Subgenus *Helix* Linnaeus 1758

Helix (Helix) lucorum Linnaeus 1758

= *anaphora* Westerlund 1889
= *ancyrensis* Kobelt 1905
= *angustefasciata* Kobelt 1903
= *annosa* Mascarini 1892
= *armeniaca* Kobelt 1904
= *atrocineta* Bourguignat 1883
= *berytensis* Kobelt 1903
= *boettgeri* Kobelt 1905
= *bulgarica* Kobelt 1905
= *byzantina* Kobelt 1906
= *candida* Mascarini 1892
= *castanea* Olivier 1801
= *critica* Kobelt 1903
= *dorylaensis* Kobelt 1903
= *elongata* Bourguignat 1860
= *elongata* Tryon 1889
= *euphratica* Boettger 1886
= *halepensis* Kobelt 1905
= *haussknechti* Kobelt 1905
= *heracleensis* Kobelt 1905
= *hueti* Kobelt 1905
= *loebbeckei* Kobelt 1905
= *mahometana* Bourguignat 1860
= *martensi* Kobelt 1905

= *minima* Kobelt 1906
= *moussoni* Kobelt 1905
= *nigdensis* Kobelt 1905
= *nigerrima* Kobelt 1906
= *nigrozonata* Bourguignat 1883
= *onixiomica* Westerlund 1889
= *presbensis* Kobelt 1905
= *quinquefasciata* Kobelt 1905
= *radiosa* Tryon 1889
= *rumelica* Kobelt 1905
= *rumelica* Tryon 1889
= *ryparia* Bourguignat 1883
= *salisi* Mabille 1903
= *schahbulakensis* Bourguignat 1876
= *serbica* Kobelt 1906
= *socia* Pfeiffer 1853
= *straminea* Briganti 1825
= *straminea* Kobelt 1903
= *straminiformis* Bourguignat 1876
= *taurica* Rossmässler 1838
= *trapezuntensis* Forcat 1963
= *virago* Bourguignat 1883
= *yleobia* Bourguignat 1883

Helix (Helix) melanostoma (Draparnaud 1801)

= *grothei* Kobelt 1905
= *incultarum* Kaltenbach 1950
= *nucula* Pfeiffer 1859
= *pachypleura* Bourguignat 1882
= *semidessertorum* Kaltenbach 1950

Helix (Helix) pomatia Linnaeus 1758

= *banatica* Kimakowicz 1890
= *brenaeensis* Blume 1920
= *burmeisteri* Blume 1920
= *christinae* Kobelt 1906
= *claudiensis* Kobelt 1906
= *compacta* Hazy 1880
= *compacta* Kobelt 1906
= *costellata* Kobelt 1906
= *cristinae* Kobelt 1906
= *dobrudschae* Kobelt 1906
= *edmondi* Locard
= *elsae* Kobelt 1906
= *expansilabris* Kobelt 1906
= *fasciata* Kobelt 1906
= *fasciata* Porro 1838
= *gesneri* Hartmann
= *gigantea* Porro 1838
= *gratiosa* Gredler 1892
= *hajnaldiana* Hazay 1880
= *haynaldiana* Hazay 1880
= *kapellae* Kobelt 1906
= *krueperi* Kobelt 1906
= *lagarinae* Adami 1885

= *lednicensis* Brancsik 1888
= *lednicensis* Kobelt 1906
= *luteola* Kobelt 1906
= *magna* Stabile 1854
= *major* Kobelt 1906
= *pannonica* Kobelt 1906
= *parva* Porro 1838
= *pedemontana* Kobelt 1907
= *piceata* Gredler 1878
= *promacea* Bourguignat
= *pulskyana* Hazay 1880
= *pygmaea* Kobelt 1906
= *pyrgia* Bourguignat
= *radiata* Ulicny 1885
= *rhodopensis* Kobelt 1906
= *schaefflii* Boettger 1885
= *segalaunica* Sayn
= *serbica* Kobelt 1906
= *solitaria* Hazay 1880
= *thessalica* Boettger 1886
= *transsylvanica* Kobelt 1906
= *typica* Kobelt 1906

Genus *Hemicycla* Swainson 1840

Subgenus *Hemicycla* Swainson 1840

Hemicycla (Hemicycla) berkeleii (Lowe 1861)

Hemicycla (Hemicycla) bethencourtiana (Shuttleworth 1852)

Hemicycla (Hemicycla) bidentalis bidentalis (Lamarck 1821)

= *callipona* Mabilie 1882
= *cardiobola* Mabilie 1882
= *collarifera* Boettger 1888
= *deformis* Mousson 1872
= *hedonica* Mabilie 1882
= *helygaia* Mabilie 1882

= *idryta* Mabilie 1882
= *justini* Mabilie 1882
= *malleata* Ferussac 1822
= *minima*
= *minor*
= *poirrieri* Mabilie 1882

***Hemicycla (Hemicycla) bidentalis inaccessibilis* Groh 1988**

†***Hemicycla (Hemicycla) collarifera* Boettger 1908**

***Hemicycla (Hemicycla) consobrina consobrina* (Ferussac 1821)**

= *bathyclera* Mabilie 1885
= *ephedrophila* Mabilie 1887
= *ephora* Mabilie 1882
= *idiotrypa* Mabilie 1883
= *thanasima* Mabilie 1883
= *vetusta* Mousson 1882

***Hemicycla (Hemicycla) consobrina nivariae* (Wollaston 1878)**

***Hemicycla (Hemicycla) consobrina retrodens* (Mousson 1872)**

= *thespesia* Mabilie 1882

†***Hemicycla (Hemicycla) desculpta* (Mousson 1872)**

†***Hemicycla (Hemicycla) digna* (Mousson 1872)**

***Hemicycla (Hemicycla) distensa* (Mousson 1872)**

***Hemicycla (Hemicycla) efferata* (Mousson 1872)**

= *adonis* Mousson 1872
= *moussoniana* Wollaston 1878

***Hemicycla (Hemicycla) ethelema* (Mabilie 1882)**

= *bathycoma* Mabilie 1882
= *eucalypta* Mabilie 1888
= *sabiniana* Mabilie 1883
= *zelota* Mabilie 1883

***Hemicycla (Hemicycla) eurythyra* Boettger 1908**

***Hemicycla (Hemicycla) flavistoma* Ibáñez & Alonso 1991**

***Hemicycla (Hemicycla) fritschi* (Mousson 1872)**

= *major* Mousson 1872

***Hemicycla (Hemicycla) fuenterroquensis* Castro, Yanes, Alonso & Ibáñez 2012**

***Hemicycla (Hemicycla) fulgida* Alonso & Ibáñez 2007**

***Hemicycla (Hemicycla) gaudryi* (D'Orbigny 1839)**

= *amblysmodon* Mabilie 1883
= *janthina* Mabilie 1883
= *ledrui* Mabilie 1883
= *ripochi* Mabilie 1882
= *themera* Mabilie 1883
= *zorgia* Mabilie 1883

***Hemicycla (Hemicycla) glasiana* (Shuttleworth 1852)**

= *deformis* Mousson 1872
= *empeda* Mabilie 1882
= *pellis-lacerti* Reeve 1852

***Hemicycla (Hemicycla) glyceia glyceia* (Mabilie 1882)**

= *cacoplasta* Mabilie 1882
= *subgravida* Mabilie 1882

***Hemicycla (Hemicycla) glyceia silensis* Cavero 1988**

***Hemicycla (Hemicycla) gomerensis* (Morelet 1864)**

***Hemicycla (Hemicycla) granomalleata* (Wollaston 1878)**

= *minor* Mabilie 1898 (*palmicola* var.)
= *palmicola* Mabilie 1898

***Hemicycla (Hemicycla) guanartemes* (Grassest 1857)**

= *manriquiana* Lowe 1861

***Hemicycla (Hemicycla) hedybia* (Mabilie 1882)**

***Hemicycla (Hemicycla) idairae* Verbitden & Swinnen 2014**

***Hemicycla (Hemicycla) incisogranulata* (Mousson 1872)**

***Hemicycla (Hemicycla) inutilis* (Mousson 1872)**

= *planorbella* AA. non Lamarck 1816

***Hemicycla (Hemicycla) invernicata* (Webb & Berthelot 1833)**

***Hemicycla (Hemicycla) laurijona* Alonso & Ibáñez 2007**

***Hemicycla (Hemicycla) maugéana* (Shuttleworth 1852)**

= *harmonica* Mousson 1872
= *hierroensis* Grasset 1857
= *indifferens* Mousson 1872
= *valverdensis* Lowe 1861

***Hemicycla (Hemicycla) melchori* Vega & Vega 2008**

†***Hemicycla (Hemicycla) merita* (Mousson 1872)**

= *migueli* Groh & Hutterer 1996

***Hemicycla (Hemicycla) modesta* (Ferussac 1821)**

= *paivana* lowe 1861

†***Hemicycla (Hemicycla) montefortiana* Beck & Rähle 2006**

†***Hemicycla (Hemicycla) moussoniana* (Wollaston 1878)**

= *adonis* Mousson 1872

***Hemicycla (Hemicycla) paeteliana* (Shuttleworth 1859)**

***Hemicycla (Hemicycla) paivanopsis* (Mabille 1882)**

= *paivana* Morelet 1864

***Hemicycla (Hemicycla) perraudierei* (Grasset 1857)**

†***Hemicycla (Hemicycla) perrieri* (Mabille 1882)**

= *verneui* Mabille 1882

***Hemicycla (Hemicycla) planorbella* (Lamarck 1816)**

= *villiersi* d'Orbigny 1839

***Hemicycla (Hemicycla) plicaria* (Lamarck 1816)**

= *chersa* Mabille 1882

= *orbiculata* Wood 1828

= *plicatula* Lamarck 1822

***Hemicycla (Hemicycla) pouchadan* Ibáñez & Alonso 2007**

= *pouchet* AA (non Ferussac 1821)

***Hemicycla (Hemicycla) psathyra psathyra* (Lowe 1861)**

***Hemicycla (Hemicycla) psathyra bituminosa* (Mabille 1883)**

= *unicolor* Gude 1896

***Hemicycla (Hemicycla) psathyra temperata* (Mabille 1883)**

= *agaetana* Mabille 1883

= *barckeriana* Mabille 1883

= *cacopista* Mabille 1883

= *cateucta* Mabille 1883

= *galdarica* Mabille 1883

***Hemicycla (Hemicycla) quadricincta quadricincta* (Morelet 1864)**

***Hemicycla (Hemicycla) quadricincta subaucta* (Wollaston 1878)**

***Hemicycla (Hemicycla) saponacea* (Lowe 1861)**

***Hemicycla (Hemicycla) sarcostoma* (Webb & Berthelot 1833)**

= *bathycampa* Mabille 1883

= *gravidata* Mousson 1872

= *guanche* Mousson 1872

= *thaumalea* Mabille 1882

***Hemicycla (Hemicycla) saulcyi saulcyi* (D'Orbigny 1839)**

= *crypsidoma* Mabille 1882

= *embritha* mabille 1882

= *temesor* Tarnier 1872

***Hemicycla (Hemicycla) saulcyi carta* (Mabille 1882)**

= *atavorum* Mabille 1883

= *baia* Mabille 1883

= *stulta* Mabille 1883

†***Hemicycla (Hemicycla) semitecta* (Mousson 1872)**

***Hemicycla (Hemicycla) vermiplicata* (Wollaston 1878)**

Subgenus *Adiverticula* Alonso & Ibáñez 1988

***Hemicycla (Adiverticula) diegoi* Neiber, Vega, Vega & Koenemann 2011**

***Hemicycla (Adiverticula) pouchet* (Ferussac 1821)**

= *adansoni* Webb & Berthelot 1833

= *callerifera* Boettger 1908

= *evergasta* Mabille 1882

= *geminata* Gude 1896

= *hedeia* Mabille 1882

= *minor* Mabille 1885

= *planorbula* Gray 1825

= *thyornia* Mabille 1882

***Hemicycla (Adiverticula) mascaensis* Alonso & Ibáñez 1988**

Genus *Iberus* Montfort 1810

***Iberus alonensis* (Ferussac 1821)**

= *alcarazanus* Rossmässler 1854
= *alvaradoi* García San Nicolás 1957
= *bajoi* Servain 1880
= *carragines* Aguilar Amat 1921
= *minor* Schmidt 1857
= *posthumus* Haas 1934

***Iberus angustatus* (Rossmässler 1854)**

***Iberus calaensis* Ahuir 2013**

***Iberus campesinus* (Pfeiffer 1846)**

= *globulosus* Boettger 1913
= *gualtierocampesinus* Serradell 1912
= *lorcanus* Rossmässler 1854
= *millarensis* Kobelt 1909
= *pseudocampesinus* Kobelt 1909

***Iberus carthaginiensis* (Rossmässler 1853)**

***Iberus cobosi* Ibáñez & Alonso 1978**

***Iberus gualtieranus gualtieranus* (Linnaeus 1758)**

= *intermedius* Boettger 1913
= *laurenti* Bourguignat 1870
= *minor* Serradell 1912
= *obversa* Born 1778
= *rhodopeplus* Aguilar-Amat 1925
= *umbilicata* Kobelt 1909

***Iberus gualtieranus mariae* Cobos 1979**

***Iberus gualtieranus ornatissimus* Cobos 1979**

***Iberus guiraoanus* (Pfeiffer 1853)**

***Iberus loxanus* (Schmidt 1853)**

= *angustatus* García S. Nicolás (non Rossmässler)

***Iberus marmoratus* (Ferussac 1821)**

= *alba* Jones 1900
= *partschi* Bourguignat 1880
= *pulchella* Rossmässler 1854
= *scherzeri* Zelebor in L. Pfeiffer 1867

***Iberus ortizi* García San Nicolás 1957**

***Iberus rositai* Siro de Fez 1950**

= *gualtieroloxanus* García S. Nicolás 1957

Genus *Idiomela* T. Cockerell 1921

***Idiomela subplicata* (Sowerby 1824)**

= *defuncta* Mabilie 1883

Genus *Lampadia* R.T. Lowe 1855

***Lampadia webbiana* (Lowe 1831)**

= *bocagei* Paiva 1866

Genus *Otala* Schumacher 1817

Subgenus *Otala* Schumacher 1817

***Otala (Otala) lactea lactea* (O.F. Müller 1774)**

= *agenna* Bourguignat 1883
= *ahmarina* Bourguignat 1883
= *albescens* Mousson 1874
= *axia* Bourguignat 1878
= *bleicheri* Paladilhe 1875
= *canariensis* Mousson 1872
= *fauxnigra* Rossmässler 1837
= *grossularia* Martens 1900
= *jacquemetana* Mabilie 1883
= *kesebiana* Pallary 1921
= *leucochila* Westerlund 1892
= *malacensis* Ancey in Pechaud 1833

= *maura* Guirao 1854
= *minor* Pallary
= *plesiosteia* Bourguignat 1883
= *sevillensis* Servain 1880
= *sevilliana* Mousson 1874
= *simocheila* Bourguignat in Pechaud 1883
= *sphaeromorpha* Bourguignat in Pechaud 1883
= *sublactea* Caziot & Thieux 1911
= *tagina* Servain 1880
= *transitans* Caziot & Thieux 1911
= *turturina* Guirao in Rossmässler 1854

***Otala (Otala) lactea murcica* (Rossmässler 1854)**

***Otala (Otala) punctata punctata* (O.F. Müller 1774)**

= *acanonica* Bourguignat in Pechaud 1883
= *apalolena* Bourguignat 1867
= *atomaria* Schmidt 1817
= *calendyma* Bourguignat 1864

= *eugastora* Bourguignat 1883
= *fauxnigra* Chemnitz 1786
= *galena* Bourguignat 1883
= *lucentumensis* Bourguignat 1878

= *maurula* Kobelt 1903
= *pelopica* Bourguignat 1880
= *polita* Gassies 1856

= *punctatissima* Rossmässler 1837
= *tigrina* Servain 1880

Genus *Pseudotachea* C. Boettger 1909

?*Pseudotachea cossoni* (Letourneux 1877)

Pseudotachea litturata litturata (L. Pfeiffer 1851)

= *coquandi* Kobelt 1880
= *coquandi* Morelet 1854
= *depressa* Kobelt 1888
= *elliotti* Kobelt 1893
= *gracilis* Pallary
= *nahoni* Kobelt 1888
= *nemoraloides* Kobelt 1888
= *tarifensis* Kobelt 1903

Pseudotachea splendida (Draparnaud 1801)

= *calaeca* Bourguignat in Fagot 1887

Helicidae Speciae dubiae

= *minima* Schmidt 1855 [Iberus]
= *violacea* Rossmässler 1854 [Iberus]

Familia Polygyridae Pilsbry 1895

Genus *Polygyra* Say 1818

Subgenus *Polygyra* Say 1818

Polygyra (Polygyra) cereolus cereolus (Mühlfeld 1818)

Classis Bivalvia Linnaeus 1758

Subclassis Eulamellibranchia Pelsener 1889

Superordo Palaeoheterodonta Newell 1965

Ordo Unionoida Stoliczka 1870

Superfamilia Unionoidea Rafinesque 1820

Familia Margaritiferidae Henderson 1929 (1910)

Genus *Margaritifera* Schumacher 1816

Margaritifera auricularia (Spengler 1793)

= *margaritanopsis* Locard 1889
= *sinuatus* Lamarck 1819

Margaritifera margaritifera (Linnaeus 1758)

= *alleni* Castro in Locard 1889
= *arcuata* Barnes 1823
= *borealis* Westerlund 1871
= *brunnea* Bonhomme 1840
= *durrovensis* Bloomer 1828
= *elongata* Lamarck 1819
= *freytagi* Kobelt 1886

= *michaudi* Locard 1889
= *minor* Rossmässler 1835
= *parvula* Haas 1908
= *pyrenaica* Bourguignat 1889
= *roissyi* Michaud 1831
= *tristis* Morelet 1845

Familia Unionidae Rafinesque 1820

Subfamilia Anodontinae Rafinesque 1820

Genus *Anodonta* Lamarck 1799

Subgenus *Anodonta* Lamarck 1799

Anodonta (Anodonta) anatina anatina (Linnaeus 1758)

= *apollonicum* Bourguignat 1880
= *baeri* Bogatov, Starobogatov & Prozorova 2005
= *convexum* Drouet 1888
= *cyreum* Drouet 1881
= *depressum* Bourguignat 1881

= *kokandicum* Starobogatov & Izzutallae 1984
= *milashevitchi* Bogatov, Starobogatov & Prozorova 2005
= *nilssonii* Küster 1842
= *ostiarum* Drouet 1881

= *piscinalis* Nilsson 1882
= *ponderosum* Pfeiffer 1825
= *rostratum* Rossmässler 1836

= *sedakovi* Siemaschko
= *subcircularis* Clessin 1873

Anodonta (Anodonta) cygnea cygnea (Linnaeus 1758)

= *adusta* Drouët 1894
= *aeneolina* Drouët 1893
= *anura* Westerlund 1898
= *apala* Locard 1899
= *armenica* Ovtshinnikov 1935
= *ataxia* Baichère 1891
= *bactriana* Rolle 1897
= *bahlikiana* Pallary 1933
= *baudoniana* Drouët 1893
= *bicolor* Drouët 1894
= *borealis* Kobelt 1891
= *bouvieri* Rochebrune 1904
= *chivoti* Germain 1904
= *cilicica* Kobelt 1895
= *circularis* Hilbert 1912
= *culoxiana* Nicolas 1891
= *discoidea* Drouët 1893
= *emacerata* Drouët 1894
= *ervica* Kobelt 1894
= *fedderseni* Westerlund 1898
= *fluviatica* Rosen 1905
= *fuliginea* Drouët 1893
= *gallensteini* Kobelt 1892
= *glaucina* Drouët 1894
= *goesi* Westerlund 1898
= *graeca* Drouët 1892
= *gregalis* Drouët 1893
= *jesseni* Schlesch 1926
= *laevigata* Drouët 1893
= *lanceolata* Drouët 1893
= *latirostris* Drouët 1894
= *lenae* Shadin 1938
= *lepida* Drouët 1892
= *leprosa* Locard 1899
= *lhotellerii* Drouët 1892

= *limbata* Drouët 1893
= *macella* Drouët 1893
= *mollis* Drouët 1894
= *nobilis* Drouët 1894
= *nova* Dybowsky 1913
= *pallaryi* Bédé 1932
= *pelophila* Locard 1899
= *petshorica* Shadin 1938
= *planulata* Drouët 1893
= *portensis* Locard 1899
= *portulana* Kobelt 1908
= *prasina* Drouët 1894
= *pulchella* Drouët 1893
= *quelleneci* Drouët 1892
= *recurvirostris* Kobelt 1892
= *retteri* Drouët 1899
= *retziana* Douët 1893
= *samarkandensis* Kobelt 1913
= *seisanensis* Kobelt 1912
= *selengensis* Dybowsky 1913
= *simoesi* Locard 1899
= *simulans* Drouët 1895
= *sogdiana* Kobelt 1896
= *sorensiana* Dybowsky 1913
= *sorica* Dybowsky 1913
= *stagnalis* Gmelin 1791
= *suevica* Kobelt 1891
= *theryi* Bédé 1932
= *transsylvanica* Haas 1911
= *valentina* Drouët 1894
= *viridiflava* Drouët 1893
= *volgensis* Shadin 1838
= *waterstoni* Tomlin 1923
= *zellensis* Gmelin 1791

Anodonta (Anodonta) woodiana woodiana (Lea 1834)

= *amurensis* Moskvicheva 1973
= *crassitesta* Moskvicheva 1973
= *fukudai* Modell 1947
= *likharevi* Moskvicheva 1973
= *manchurica* Bogatov & Starobogatov 1996
= *primorjensis* Bogatov & Zatravkin 1988
= *schrencki* Moskvicheva 1973

Subfamilia Ambleminae Rafinesque 1820 Tribus Amblemini Vaught 1989

Genus Potomida Swainson 1840

Potomida littoralis littoralis (Cuvier 1798)

= *armeniacus* Kobelt 1912
= *asterianus* Dupuy 1850
= *barraudi* Bonhomme 1840
= *bigerrensis* Millet 1843
= *bigorriensis* Locard 1882
= *brevialis* Lamarck 1819
= *calderoni* Kobelt 1887
= *catalonicus* Haas 1920
= *circinatus* Drouët 1894
= *circulus* Bourguignat in Locard 1893
= *cuneatus* Jacquemin 1835
= *draparnaldii* Deshayes 1831
= *gandiensis* Drouët 1888
= *hippopotami* Bourguignat 1869
= *hispalensis* Kobelt 1887
= *incurvus* Lea 1831
= *kinkelini* Haas 1910

= *mauduyti* Germain 1897
= *moulinsianus* Dupuy 1850
= *ovuliformis* Locard 1893
= *pacomei* Bourguignat in Locard 1889
= *pianensis* Boubee 1833
= *rathymus* Bourguignat in Locard 1882
= *rhomboideus* Moquin-Tandon 1855
= *rhysoptygus* Drouët 1894
= *rotundatus* Mauduyt 1839
= *salvadori* Westerlund 1892 var.
= *sphaericus* Bourguignat in Locard 1893
= *subreniformis* Bourguignat 1867
= *subtetragonus* Michaud 1831
= *taginus* Kobelt 1903
= *umbonatus* Rossmässler 1844 var.
= *unduliferus* Küster 1861

Subfamilia Unioninae Rafinesque 1820

Genus *Unio* Philipsson 1788

Subgenus *Unio* Philipsson 1788

Unio (Unio) delphinus Spengler 1793

= *abrantesianus* Locard 1899
= *allenianus* Locard 1899
= *barbozanus* Locard 1899
= *cameratus* Drouët 1893
= *castroi* Locard 1899
= *chasmirhynchus* Locard 1899
= *chorellinus* Locard 1899
= *chorellus* Locard 1899
= *cyrtus* Locard 1899
= *dactylus* Morelet 1845
= *decurtatus* Drouët 1893
= *euchasmus* Locard 1899
= *gravatus* Drouët 1893
= *hispanus* Rossmässler 1844
= *hyperephanus* Locard 1899
= *hypoxanthus* Locard 1899
= *limosellus* Drouët 1893
= *lusitanus* Drouët 1879

= *mucidus* Morelet 1845
= *mundanus* Locard 1899
= *neothaumus* Locard 1899
= *nevesi* Castro 1885
= *novus* Locard 1899
= *ocresanus* Locard 1899
= *onconensis* Locard 1899
= *paulinoi* Locard 1899
= *scalabisiianus* Locard 1899
= *schousboei* Locard 1899
= *silvai* Locard 1899
= *simoesi* Castro 1885
= *sousanus* Locard 1899
= *subhispanus* Locard 1899
= *submucidus* Locard 1899
= *taganus* Locard 1899
= *taginus* Kobelt 1903
= *tameganus* Locard 1899

Unio (Unio) gibbus Spengler 1793

= *foucauldiana* Pallary 1936
= *seurati* Pallary 1936
= *tifleticus* Pallary 1923
= *turdetanus* Drouët 1893

Unio (Unio) mancus Lamarck 1819

= *abbadianus* Kobelt 1910
= *aleroni* Campanyo & Massot 1845
= *almenarensis* Drouët 1893
= *amblyus* Castro 1889
= *antimoquinianus* Locard 1889
= *arcuatulus* Bourguignat 1889
= *ardusianus* Reyniès 1843
= *armusianus* Uzielli f.
= *asticus* Servain 1887
= *bandanii* Simpson 1900
= *cirtanus* Bourguignat
= *condatinus* Letourneux 1882
= *copaisanus* Drouët 1895
= *courquinianus* Bourguignat 1865
= *eutrapelus* Servain 1887
= *gobionum* Bourguignat 1882
= *graellsianus* Bourguignat 1865

= *hamyi* Kobelt 1910
= *ibericus* Altaba 1992
= *idgi* Simpson 1900
= *igli* Van Damme 1984
= *intercedens* 'Gredl. Tir. Conch.' var.
= *mongazonae* Servain 1887
= *moquini* Germain 1931 var.
= *moquinianus* Dupuy 1843
= *moreleti* Deshayes 1848
= *mucidulus* Bourguignat 1882
= *oberthurianus* Bourguignat 1889
= *quelleneci* Haas 1940
= *subpictorum* Pallary 1936
= *subtriangularis* M. T. f.
= *valentinus* Rossmässler 1854

Unio (Unio) ravoisieri Deshayes 1847

= *atharsus* Bourguignat 1889
= *delevieleusae* Hagenmüller 1887
= *doumeti* Bourguignat 1887
= *isserica* Kobelt 1884 var.
= *medjerdae* Kobelt 1886
= *micelii* Kobelt 1886
= *moreleti* Deshayes 1847
= *penchinatianus* Bourguignat 1865
= *tafnanus* Kobelt 1884

Unio (Unio) tumidiformis Castro 1885

= *baeticus* Kobelt 1887
= *batavus* Morelet 1845
= *callipygus* Drouët 1893
= *conimbricus* Kobelt 1893
= *eupygus* Castro 1885
= *macropygus* Castro 1885
= *sadoicus* Castro 1885

Superordo Heterodonta Neumayr 1883

Ordo Veneroida H. & A. Adams 1856

Superfamilia Corbiculoidea J.E. Gray 1847

Familia Corbiculidae J.E. Gray 1847

Genus *Corbicula* Megerle von Mühlfeld 1811

***Corbicula fluminea* (O.F. Müller 1774)**

= *fluviatilis* Müller 1774

Superfamilia Sphaerioidea Deshayes 1855 (1820)

Familia Sphaeriidae Deshayes 1855 (1820)

Subfamilia Sphaeriinae Deshayes 1855 (1820)

Genus *Sphaerium* Scopoli 1777

Subgenus *Sphaerium* Scopoli 1777

***Sphaerium (Sphaerium) corneum* (Linnaeus 1758)**

= *nucleum* Studer 1820

= *rivale* Moquin-Tandon 1855

Subfamilia Pisidiinae J.E. Gray 1857

Genus *Musculium* Link 1807

Subgenus *Musculium* Link 1807

***Musculium (Musculium) lacustre* (O.F. Müller 1774)**

= *brochonianum* Bourguignat 1854

= *calyculata* Draparnaud 1805

= *castroi* Locard 1899

= *eucodium* Bourguignat in Locard 1893

= *gerfalchense* Paulucci 1880

= *gibbosum* Westerlund 1890

= *hispanicum* Bourguignat 1870

= *jeannoti* Normand 1854

= *stagnicola* Lamarck 1818

= *steini* Schmidt 1858

= *subrotundatum* Locard 1893

= *uncinatum* Locard 1882

Genus *Pisidium* C. Pfeiffer 1821

Subgenus *Cingulipisidium* Pirogov & Starobogatov 1974

***Pisidium (Cingulipisidium) milium* Held 1836**

= *arcaeforme* Malm 1855

= *tetragonum* Normand 1854

***Pisidium (Cingulipisidium) nitidum* Jenyns 1832**

= *forelli* Clessin 1876

= *pusillum* Jenyns 1832

Subgenus *Cyclocalyx* Dall 1903

***Pisidium (Cyclocalyx) obtusale* (Lamarck 1818)**

= *obtusalastrum* Woodward 1921

= *scholtzi* Clessin 1873

Subgenus *Euglesa* Jenyns 1832

***Pisidium (Euglesa) casertanum* (Poli 1791)**

= *australe* Philippi 1836

= *canariense* Shuttleworth 1852

= *cedrorum* Clessin 1887

= *cinereum* Alder 1838

= *dabneyi* Guerne 1887

= *fontinalis* Draparnaud 1805

= *heldreichi* Clessin 1877

= *herminii* Welwitsch in Clessin 1879

= *hispanicum* Clessin 1879

= *ibericum* Clessin 1873

= *intermedium* Gassies 1855

= *italicum* Clessin 1877

= *lenticularis* Normand 1844

= *mouchousii* Companyo 1963

= *nucleus* Benoit 1893

= *obliquata* Clessin in Martens 1874

= *obtusatum* Clessin 1877

= *ponderosum* Stelfox 1918 var.

= *pulchellum* Forbes & Hanley 1849

= *solodovnikovii* Stadnichenko 1983

= *sordellianum* Pini 1876

= *targionianum* Paulucci 1880

= *watsoni* Paiva 1866

***Pisidium (Euglesa) personatum* Malm 1855**

= *asperum* Clessin 1883

= *fontinalis* Draparnaud 1801

= *pulchellum* Bofill & Haas 1920

= *pusillum* Nobre 1886

Subgenus *Hiberneuglesa* Starobogatov 1983

***Pisidium (Hiberneuglesa) hibernicum* Westerlund 1894**
= *parvulum* Clessin 1873

Subgenus *Odhneripisidium* Kuiper 1962

***Pisidium (Odhneripisidium) moitessierianum* Paladilhe 1866**
= *parvulum* Woodward 1913
= *punctatum* Sterki 1895
= *supinum* Woodward 1913
= *torquatum* Stelfox 1918

***Pisidium (Odhneripisidium) tenuilineatum* Stelfox 1918**
= *alpium* Odhner 1938

Subgenus *Pisidium* C. Pfeiffer 1821

***Pisidium (Pisidium) amnicum* (O.F. Müller 1774)**
= *inflatum* Meg. in Porro 1838
= *novum* Paulucci 1880
= *obliqua* Lamarck 1818
= *palustris* Draparnaud 1801

Subgenus *Pseudeupera* Germain 1909

***Pisidium (Pseudeupera) pulchellum* Jenyns 1832**
***Pisidium (Pseudeupera) subtruncatum subtruncatum* Malm 1855**
= *imhofi* Clessin 1887
= *pallidum* Clessin 1884

Subgenus *Tropidocyclas* Dall 1903

***Pisidium (Tropidocyclas) henslowanum* (Sheppard 1823)**
= *appendiculata* Turton 1831
***Pisidium (Tropidocyclas) lilljeborgii* Clessin 1886**
= *alpicola* Clessin 1890
= *lacustre* Clessin 1873
= *urinator* Clessin 1876

Superfamilia Dreissenoidae J.E. Gray 1840

Familia Dreissenidae J.E. Gray 1840

Genus *Dreissena* Van Beneden 1835

Subgenus *Dreissena* Van Beneden 1835

***Dreissena (Dreissena) polymorpha polymorpha* (Pallas 1771)**

Genus *Mytilopsis* Conrad 1858

***Mytilopsis leucophaeata* (Conrad 1831)**